

CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-L232949-312-12304102-1
Report Reference E232949-20140321
Date 26-Jun-2021

Issued to: Festo SE & Co. KG
Ruiter Strasse 82 Esslingen
Germany 73734

**This is to certify that
representative samples of** NRKH7 - Proximity Switches Certified for Canada
See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.


Standard(s) for Safety: CSA C22.2 NO. 60947-1-13, 2nd Ed., Issue Date: 2013-07-31, CSA C22.2 NO. 60947-5-2-14, 1st Ed., Issue Date: 2014-03-28

Additional Information: See the UL Online Certifications Directory at
<https://iq.ulprospector.com> for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC




Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-L232949-312-12304102-1
Report Reference E232949-20140321
Date 26-Jun-2021

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
SDAP, followed by -MHS, followed by -M50, -M100, or -M160, followed by -1L, followed by -A, followed by -E, followed by -0.3, followed by -M8.	Proximity switches
Series SDAT,, followed by -MHS, followed by -M50, -M80, -M100, -M125 or -M160, followed by -1L, followed by -SA or SV, followed by -E, followed by -0.3, followed by -M8.	Proximity switches



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L232949-112-12304102-1
Report Reference E232949-20140321
Date 26-Jun-2021

Issued to: Festo SE & Co. KG
Ruiter Strasse 82 Esslingen
Germany 73734

This is to certify that representative samples of NRKH - Proximity Switches
See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.


Standard(s) for Safety: UL 60947-1, 5th Ed., Issue Date: 2013-07-31, Revision Date: 2019-05-06, UL 60947-5-2, 3rd Ed., Issue Date: 2014-03-28

Additional Information: See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC




Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L232949-112-12304102-1
Report Reference E232949-20140321
Date 26-Jun-2021

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
SDAP, followed by -MHS, followed by -M50, -M100, or -M160, followed by -1L, followed by -A, followed by -E, followed by -0.3, followed by -M8.	Proximity switches
Series SDAT,, followed by -MHS, followed by -M50, -M80, -M100, -M125 or -M160, followed by -1L, followed by -SA or SV, followed by -E, followed by -0.3, followed by -M8.	Proximity switches



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

