

Certificate of Compliance

Certificate Number:

UL-US-L000664-9

Report Reference:

MH19482-20130124

Issue Date:

2024-05-16

Issued to:

Festo SE & Co. KG
Ruiter Str. 82 Esslingen am Neckar 73734
Germany

This certificate confirms that representative samples of:
YIOZ2 - Valves, Electrically Operated - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

UL 429, 7th Ed., Issue Date: 2013-11-06, Revision Date: 2021-03-19

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



David Piecuch
UL Mark Certification Program Manager



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L000664-9
Report reference MH19482-20130124
Date 2024-05-16

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
VTUG, f/b any alphanumeric suffixes. [Using some or all of the following parts: Valves, Cat. Nos. VUVG, f/b B or S, f/b 10, 14 or 18, may be f/b Z, f/b B52, M52, P53C, P53E, P53U, T32C, T32H, T32U, M32C or M32U may be f/b A, R or M, f/b Z, f/b H, S, T or Y, f/b F, G14, G18, M5, M7, Q3, Q4, Q6, Q8, Q10, Q4H, Q6H, T14, T14H, T18, T316, T316H, T516 or T532, f/b 1, f/b T1, may be f/b S6, f/b L, may be f/b F1A, may be f/b F, may be f/b EX2C, may be f/b CS, may be f/b any alphanumeric suffixes, * Alternate: USR, CNR - Valves series VUVG, f/b L, S or B, may be f/b K, f/b 10A, 10, 14 or 18, may be f/b Z, f/b T32C, T32U, T32H, M32C, M32U, M52, B52, P53C, P53U or P53E, may be f/b A, R or M, may be f/b Z, f/b H, S, T or Y, may be f/b G18, G14, G38, G34, M3, M5, M7, N14, N18, N38, N34, Q3, Q4, Q4H, Q6, Q6H, Q8, Q10, T12, T14, T14H, T18, T38, T316, T316H, T516, T516H, T532 or F, may be f/b QN or U, f/b 1, 5 or 4, f/b H2, H3, S2, S3, L1, L2, L3, L4, R1, R8, P3, C1, K6, K7, K8, K9, R3, T1, WA or P1, may be f/b S6, may be f/b R, may be f/b L, may be f/b F, may be f/b F1, may be f/b EE, may be f/b F1A, may be f/b EX2 or EX4, may be f/b C, may be f/b A, may be f/b W1, W2, W3, W4, C1, C2, C3, C4, D, D3, D4, D5, DL, DL3, DL4, DL5, E3, E4, E5, E6, E7, E8, EL3, EL4, EL5, EL6, EL7, EL8, N1, N2, N3, N4, N5, N6, N7, N8, S1, S2, S3, S4, W1, W2, W3, W4, WS1, WS2, WS3 or WS4, may be f/b S, may be f/b CS, may be followed any alphanumeric suffixes, Manifold, Cat. Nos. VABM, Electrical Module, Cat. Nos. VAEM, I-Port connection type may be used with external bus node Type CTEU (E239998) Pressure Supply Module, Cat. Nos. VABF and/or Blind Plate, Cat. Nos. VABB.	General-purpose valve



David Picuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L000664-9
Report reference MH19482-20130124
Date 2024-05-16

or for use in a Type 4X enclosure
Manifold, Cat. Nos. VABM f/b suffix S1 or S2,
Electrical Module, Cat. Nos. VAEM, I-Port
connection type may be used with external bus node Type
CTEU (E239998)
Plate optional with adhesive foil, Cat. Nos. VABF,
Gasket, Cat. Nos. VABD,
* Screws (M5).



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



Certificate of Compliance

Certificate Number:

UL-CA-L000261-9

Report Reference:

MH19482-20130124

Issue Date:

2024-05-16

Issued to:

Festo SE & Co. KG
Ruiter Str. 82 Esslingen am Neckar 73734
Germany

This certificate confirms that representative samples of:

YIOZ8 - Valves, Electrically Operated Certified for Canada - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

CSA C22.2 No. 139-2019, 5th Ed., Issued 1 Dec 2019

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



David Piecuch
UL Mark Certification Program Manager



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L000261-9
Report reference MH19482-20130124
Date 2024-05-16

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
VTUG, f/b any alphanumeric suffixes. [Using some or all of the following parts: Valves, Cat. Nos. VUVG, f/b B or S, f/b 10, 14 or 18, may be f/b Z, f/b B52, M52, P53C, P53E, P53U, T32C, T32H, T32U, M32C or M32U may be f/b A, R or M, f/b Z, f/b H, S, T or Y, f/b F, G14, G18, M5, M7, Q3, Q4, Q6, Q8, Q10, Q4H, Q6H, T14, T14H, T18, T316, T316H, T516 or T532, f/b 1, f/b T1, may be f/b S6, f/b L, may be f/b F1A, may be f/b F, may be f/b EX2C, may be f/b CS, may be f/b any alphanumeric suffixes, * Alternate: USR, CNR - Valves series VUVG, f/b L, S or B, may be f/b K, f/b 10A, 10, 14 or 18, may be f/b Z, f/b T32C, T32U, T32H, M32C, M32U, M52, B52, P53C, P53U or P53E, may be f/b A, R or M, may be f/b Z, f/b H, S, T or Y, may be f/b G18, G14, G38, G34, M3, M5, M7, N14, N18, N38, N34, Q3, Q4, Q4H, Q6, Q6H, Q8, Q10, T12, T14, T14H, T18, T38, T316, T316H, T516, T516H, T532 or F, may be f/b QN or U, f/b 1, 5 or 4, f/b H2, H3, S2, S3, L1, L2, L3, L4, R1, R8, P3, C1, K6, K7, K8, K9, R3, T1, WA or P1, may be f/b S6, may be f/b R, may be f/b L, may be f/b F, may be f/b F1, may be f/b EE, may be f/b F1A, may be f/b EX2 or EX4, may be f/b C, may be f/b A, may be f/b W1, W2, W3, W4, C1, C2, C3, C4, D, D3, D4, D5, DL, DL3, DL4, DL5, E3, E4, E5, E6, E7, E8, EL3, EL4, EL5, EL6, EL7, EL8, N1, N2, N3, N4, N5, N6, N7, N8, S1, S2, S3, S4, W1, W2, W3, W4, WS1, WS2, WS3 or WS4, may be f/b S, may be f/b CS, may be followed any alphanumeric suffixes, Manifold, Cat. Nos. VABM, Electrical Module, Cat. Nos. VAEM, I-Port connection type may be used with external bus node Type CTEU (E239998) Pressure Supply Module, Cat. Nos. VABF and/or	General-purpose valve



David Picuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L000261-9
Report reference MH19482-20130124
Date 2024-05-16

Blind Plate, Cat. Nos. VABB. or for use in a Type 4X enclosure Manifold, Cat. Nos. VABM f/b suffix S1 or S2, Electrical Module, Cat. Nos. VAEM, I-Port connection type may be used with external bus node Type CTEU (E239998) Plate optional with adhesive foil, Cat. Nos. VABF, Gasket, Cat. Nos. VABD, * Screws (M5).	
---	--



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

