5487566 | DRW | A | 5487566

the pressure equipment safety authority

9410 - 20 Ave N.W.
Edmonton, Alberta, Canada T6N 0A4
Tel: (780) 437-9100 / Fax: (780) 437-7787

September 12, 2023

Attention: Yuan Lu
HAITIMA CORPORATION
8F NO 201 TIDING BLVD
SEC 2 NEIHU AREA
TAIPEI, 114

The design submission, Tracking Number 2023-05328, originally received on August 29, 2023 was surveyed and accepted for registration as follows:

CRN : 0C01032.92 **Accepted on:** September 12, 2023

Reg Type: RENEWAL **Expiry Date:** July 14, 2033

Drawing No. : Attachment (June 20, 2023 / Page 1)

Fitting type: Valves

The registration is conditional on your compliance with the following notes:

As indicated on AB-41 Statutory Declaration or AB-351 Declaration of Conformity form and submitted documentation, the code of construction is B16.34.

- It is our understanding that the fitting(s), included as the scope of this submission, that is(are) subject to the Safety Codes Act shall comply with the requirements of the indicated Standard or Code of Construction on the AB-41 Statutory Declaration or AB-351 Declaration of Conformity as supported by the attached data which identifies the dimensions, materials of construction, press./temp. ratings and the basis for such ratings, and the identification marking of the fittings.
- This registration is valid only for fittings fabricated at the location(s) covered by the QC certificate attached to the accepted AB-41 Statutory Declaration or AB-351 Declaration of Conformity form.
- This registration is valid only until the indicated expiry date and only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency, and maintains a valid Certification of Authorization Permit if required by the jurisdiction where manufacturing takes place, until that date.
- Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.

An invoice covering survey and registration fees will be forwarded from our Revenue Accounts.

If you have any question don't hesitate to contact me by phone at (780) 433-0281 ext 3306 or fax (780) 437-7787 or e-mail Wangi@absa.ca.

Sincerely,



WANG, IAN, P. Eng.
DOP Cert. No. D00009643

5487566 | DRW | A | 5487566

Alberta Municipal Affairs

ABSA
the pressure equipment safety authority

AB-41 2019-08

STATUTORY DECLARATION
Registration of Fittings
Single or Multiple Fitting Designs within one Fitting Category

In this space, show facsimile of manufacturer's logo or trademark as it will appear on the fitting.

HAITIMA

I, SHEN MING SHOW (name of applicant), PRESIDENT (position title) (must be in a position of authority)

of HAITIMA CORPORATION (name of manufacturer)

located at 1. No.350, WangTian Blvd., YongKang Tech. Ind. Park, YongKang City, Tainan County 710, Taiwan R.O.C.
2. Nanlang Ind. Park, Nanlang Town, Zhongshan, Guangdong, 528451, P.R. China (plant address)

do solemnly declare that the fittings listed hereunder, which are subject to the Safety Codes Act (select only one)

☒ comply with the requirements of ASME B16.34 / API 598 (title of recognized North American Standard) which specifies the dimensions, materials of construction, pressure/temperature ratings and identification marking of the fittings, or

☐ are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with _____ (title of code of construction or other applicable document) as supported by the attached data which identifies the dimensions, materials of construction, pressure/temperature ratings and the basis for such ratings, and the identification marking of the fittings.

I further declare that the manufacture of these fittings is controlled by a quality control program which has been verified as described in the below Table as being suitable for the manufacturing of these fittings to the stated standard, regulation, code, guideline or other applicable document. The fittings covered by the declaration for which I seek registration are as provided in the Supplementary Sheet(s) attached.

Quality Program Verification and Manufacturing Sites

A copy of the Quality Certificate from each manufacturing site must be included

Item #	Product Description, Model or Series	Quality Program	Scope of Certification	Expiry Date	Verifying Organization	Location(s) Plant Name and address
1.	Industrial Valves	ISO 9001:2015	Valves,Pipe fittings and Flanges	2024-05-21	TÜV Rheinland	Haitima Corporation (Taiwan factory) No.350, WangTian Blvd., YongKang Tech. Ind. Park, YongKang City, Tainan County 710, Taiwan R.O.C.
2.						Haitima Corporation (China factory) Nanlang Ind. Park, Nanlang Town, Zhongshan,Guangdong, 528451, P.R. China

Tracking #: 2023-05328

5487566 | DRW | A | 5487566

Alberta Municipal Affairs

ABSA
the pressure equipment safety authority
AB-41 2019-08

In support of this application, the following information, calculations and/or test data are attached:

Drawings & ISO 9001:2015 Certificate etc.

Shen Ming Show
(Signature of the Declarer)

2023. 8. 18
(Date)

Tel:+886-2-27911521
Add:No.91, Sec.6, Minquan E. Rd., Neihu Dist., Taipei, Taiwan(R.O.C.)

DECLARED before me at Neihu Dist., Taipei, in the
(city)
of
(province, territory, or state)

this _____ day of _____, _____
(Month) (Year)

(print) Fong, Tsang-Bao
Notary Public Shilin District Court, Taiwan, Rep. of China.
(a Commissioner of Oaths or Notary Public)

(sign) _____
(a Commissioner of Oaths or Notary Public)

_____
(expiry date (mm/dd/yy))

112士院認003

案號：000790 Date：AUG 18 2023
Case No.

本文件 沈明壽 之簽名或蓋章，在臺灣士林地方法院公證處認證。
Attested at the Notary Public Office of Taiwan Shilin District Court, R.O.C., that the signature(s)/seal(s) of Shen Ming Show in this document is/are authentic.

公證人 馮倉寶

Notary Public

Fong, Tsang-Bao

MY COMMISSION HAS NO EXPIRATION DATE

Commissioner of Oaths / Notary Public in and for: _____
(province, territory, or state)

For The Contents Of This Document
The Notary Public Assumes No Responsibility
For The Attached Document
The Notary Public Assumes No Responsibility

For ABSA Office Use Only:

NOTES: _____

To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Part 1, Clause 4.2, and is accepted for registration in Category _____.

CRN: _____

Registered Date: _____

Expiry Date: July 14, 2033

Signature: _____
(Signature of the Administrator/SCO)

The information you provide is necessary only for the administration of the programs as required by the Alberta Safety Codes Act and Regulations in the Pressure Equipment Discipline

2023-05328
ABSA
SAFETY CODES ACT - PROVINCE OF ALBERTA
ACCEPTED: 0C01032.92
See acceptance letter for conditions of registration.
Date: 2023-09-12 By:
IAN WANG, P. Eng.
DOP: D00009643

This stamp and signature have been affixed electronically to this registered design as required by Section 20(1) of the Pressure Equipment Safety Regulation, in accordance with the Electronic Transactions Act.

Tracking #: 2023-05328

5487566 | DRW | A | 5487566

Alberta Municipal Affairs

ABSA
the pressure equipment safety authority

(Supplemental Sheet for AB-41)
AB-41 2019-08

Table 1 Scope of Fitting Designs**

Item #	Fitting description	Drawing #	Material Specification	End connections & size range	MAWP Or Press. rating	Design Code(s) of Construction
2006S	2 PC Screwed End Ball Valve	2006S000HD-23	ASTM A351-CF3M ASTM A351-CF3 ASTM A351-CF8M ASTM A351-CF8 ASTM A216-WCB	Thread end NPS 1/4"~3"	Class 400 (1000WOG)	ASME B16.34
2006SD	2 PC Screwed End Ball Valve	2006S002HD-23 2006S003HD-23	ASTM A351-CF3M ASTM A351-CF3 ASTM A351-CF8M ASTM A351-CF8 ASTM A216-WCB	Thread end NPS 1/4"~3"	Class 400 (1000WOG)	ASME B16.34
2011N	3 PC Socket Weld End Ball Valve	2011N000HD-23	ASTM A351-CF3M ASTM A351-CF3 ASTM A351-CF8M ASTM A351-CF8 ASTM A216-WCB	Socket weld end NPS 1/4"~4"	Class 400 (1000WOG)	ASME B16.34
2012N	3 PC Butt Weld End Ball Valve	2012N000HD-23	ASTM A351-CF3M ASTM A351-CF3 ASTM A351-CF8M ASTM A351-CF8 ASTM A216-WCB	Butt weld end NPS 1/4"~4"	Class 400 (1000WOG)	ASME B16.34
2013N	3 PC Screwed End Ball Valve	2013N000HD-23	ASTM A351-CF3M ASTM A351-CF3 ASTM A351-CF8M ASTM A351-CF8 ASTM A216-WCB	Thread end NPS 1/4"~4"	Class 400 (1000WOG)	ASME B16.34
2011ND	3 PC Socket Weld End Ball Valve	2011ND000HD-23 2011ND001HD-23	ASTM A351-CF3M ASTM A351-CF3 ASTM A351-CF8M ASTM A351-CF8 ASTM A216-WCB	Socket weld end NPS 1/4"~4"	Class 400 (1000WOG)	ASME B16.34

2023-
0532

5487566 | DRW | A | 5487566

2012ND	3 PC Butt Weld End Ball Valve	2012ND000HD-23 2012ND001HD-23	ASTM A351-CF3M ASTM A351-CF3 ASTM A351-CF8M ASTM A351-CF8 ASTM A216-WCB	Butt weld end NPS 1/4"~4"	Class 400 (1000WOG)	ASME B16.34
2013ND	3 PC Screwed End Ball Valve	2013ND000HD-23 2013ND001HD-23	ASTM A351-CF3M ASTM A351-CF3 ASTM A351-CF8M ASTM A351-CF8 ASTM A216-WCB	Thread end NPS 1/4"~4"	Class 400 (1000WOG)	ASME B16.34
2028	Screwed End Globe Valve	2028000XY-23	ASTM 351-CF8M	Thread end NPS 1/4"~2"	200WOG	ASME B16.34
2029	Screwed End Gate Valve	2029000XY-23	ASTM 351-CF8M	Thread end NPS 1/2"~3"	200WOG	ASME B16.34
2030	Screwed End Check Valve	2030000XY-23	ASTM 351-CF8M	Thread end NPS 1/2"~3"	200WOG	ASME B16.34

20
23-
05
32
8

5487566 | DRW | A | 5487566

Table 2 Additional Scope Information

List/Attach Additional Detail and References (Product Configurations, Options, Illustrations, etc.)
Please see attachment.

** For additional alternatives of Table 1, refer to Form AB-41a, Guide for Completing Form AB-41

Tracking #: 2023-0532 8

5487566 | DRW | A | 5487566

5487566 | DRW | A | 5487566

5487566 | DRW | A | 5487566

STATUTORY DECLARATION

(Rgeistration of Fittings)

ATTACHMENT

HAITIMA LOGO

Design Code/Standard : ASME B16.34, API 598

Fitting description :

VALVES INCLUDES :

2 PIECES BALL VALVE (MODEL 20006S, 2006SD)

3 PIECES BALL VALVE (MODEL 2011N, 2011ND, 2012N, 2012ND, 2013N, 2013ND)

GATE VALVE (MODEL 2029)

GLOBE VALVE (MODEL 2028)

CHECK VALVE (MODEL 2030)

Pressure/Temperature Rating :

CLASS 400 (1000 WOG) : 2006S, 2006SD, 2011N, 2011ND, 2012N, 2012ND, 2013N, 2013ND

200 WOG : 2028, 2029, 2030

MATERIAL :

ASTM A351-CF3M / ASTM A351-CF3 / ASTM A351-CF8M / ASTM A351-CF8 / ASTM A216-WCB:

2006S, 2006SD, 2011N, 2012N, 2013N, 2011ND, 2012ND, 2013ND

ASTM A351-CF8M :

2028, 2029, 2030

SCREWED END :

2006S, 2006SD, 2013N, 2013ND, 2028, 2029, 2030

SOCKET WELD END :

2011N, 2011ND

BUTT WELD END :

2012N, 2012ND

SIZE :

1/4"~3" : 2006S, 2006SD

1/4"~4" : 2011N, 2012N, 2013N, 2011ND, 2012ND, 2013ND

1/4"~2" : 2028

1/2"~3" : 2029, 2030

2023-05328

ABSA

SAFETY CODES ACT - PROVINCE OF ALBERTA

ACCEPTED: 0C01032.92

See acceptance letter for conditions of registration.

Date: 2023-09-12 By:

IAN WANG, P. Eng.
DOP: D00009643

This stamp and signature have been affixed electronically to this registered design as required by Section 20(1) of the Pressure Equipment Safety Regulation, in accordance with the Electronic Transactions Act.

5487566 | DRW | A | 5487566

Fitting Design

Design Submission Requirements

Any person who intends to manufacture a fitting for use in Saskatchewan in connection with any boiler, pressure vessel, or pressure piping system shall apply for registration of the fitting unless otherwise provided in the regulations (described below). A fitting means a valve, gauge, regulating or controlling device, flange, pipe fitting, nozzle, or thing that is attached to or forms part of a boiler, pressure vessel, or pressure piping system. The submissions for registration shall include:

- a completed "Application for Fitting Design Registration (http://www.tsask.ca/public/images/TSK-1014 - 2017 Fitting Design Registration - FINAL.pdf)" form for each design; and
- one "Statutory Declaration Form (http://www.tsask.ca/uploads/File/PDFs/2013%20Fee%20Increase%20Forms%20BPV/TSK1008%20Statutory%20Declaration-Oct29.pdf)" completed by the manufacturer for each design;
- the design details (drawings, brochures, catalogues, etc. as appropriate) 1 set;
- send additional set if you require a stamped copy returned to you (additional fee applicable)
- one set of calculations or reports in support of the design (where applicable);
- proof of registration in another Canadian jurisdiction (if applicable);

The design details, specifications, and other information submitted should show enough detail to demonstrate that the design will conform to the code or standard specified in the statutory declaration and that the manufacturer conforms to a quality control program as required by the CSA B51 code.

For applicable fees please refer to the fee schedule located in the left hand menu.

Submissions for registration can be made to Technical Safety Authority of Saskatchewan at the following address:

Technical Safety Authority of Saskatchewan
2202 2nd Ave.
REGINA SK S4R 1K3

5487566 | DRW | A | 5487566

Please Note - We are currently unable to accept Designs submitted by fax or other electronic means (email), however we are working hard to accomodate online application and payment in the future!

Notes

Design registration will be denoted by the Canadian Registration Number (CRN) assigned to the design. Any number of units may be made to one registered design, unless the code or regulations change to invalidate the registered design or unless the registration limits the number of units that may be built to the design. Registrations of fittings shall be resubmitted for validation ten years after the date of first acceptance.

Please Note - It is not necessary that the drawings be stamped by a registered Professional Engineer unless the code or design reviewer requires such stamping.

Exemptions from Registration Requirements of Fittings

A fitting is not required to be registered in Saskatchewan pursuant to The Boiler and Pressure Vessel Act if:

- It is registered by CSA (Contact: Janet Townsend)

  CSA International
  178 Rexdale Boulevard
  Toronto, ON M9W 1R3
  Ph: 416.747.4291
  Fax: 416.401.6795
  Email: janet.townsend@csagroup.org; or

- It is a category A, B, C, or G fitting, as set out in the CSA B51 code

For more information contact:

Boiler & Pressure Vessel Safety
Ph: 306.798.7111

Toll-free:1.866.530.8599
Fax: 306.787.9273

5487566 | DRW | A | 5487566

Manitoba
Inspection and Technical Services

ABSA
9410 - 20 Avenue NW
Edmonton, AB T6N 0A4

Dear Kristine Trepanier,

Re: Reciprocal CRN Registration in Manitoba

As indicated by the Regulatory Reconciliation and Cooperation Table and the Reconciliation Agreement for the Canadian Registration Number (CRN) for Pressure Equipment, the design reviews conducted and accepted by the Canadian province or territory, or their delegated safety authority, will be mutually recognized in the Province of Manitoba. If a registration is conditionally based on compliance with the notes set by the original issuing Jurisdiction, such compliance shall be applied the same to this Province.

Your submission has been registered, as follows:

File Number:	74-R3764
CRN:	0C01032.94
Scope:	Attachment (June 20, 2023 / Page 1)
Manufacturer:	HAITIMA CORPORATION
Expiry Date:	14 July 2033

Along with this letter is the invoice for registration.

In addition, every Pressure Vessel, Boiler, and Heat Exchanger shall be stamped with the registration number and as required by CSA Code B51, a Manufacturer's Data Report (MDR) must be forwarded to this office immediately at the time a unit is shipped to Manitoba. Send your MDR to qasupport@gov.mb.ca. In your subject line, indicate "*Manufacturer's Data Report-CRN No.*" A fee shall be billed to the Manufacturer to process data reports in accordance with the Steam and Pressure Plants Regulation section 17.1.

Please contact qasupport@gov.mb.ca for any questions or concerns.

Inspection and Technical Services
Labour and Immigration
508 – 401 York Avenue, Winnipeg, MB R3C 0P8
T (204) 945-3373 | **F** (204) 948-2089

5487566 | DRW | A | 5487566

5487566 | DRW | A | 5487566

345 Carlingview Drive
Toronto, Ontario M9W 6N9
Tel.: 416.734.3300
Fax: 416.231.1626
Toll Free: 1.877.682.8772

www.tssa.org

December 6, 2023

ABSA THE PRESSURE EQUIPMENT SAFETY AUTHORITY
9410 20 AVE NW
EDMONTON AB T6N 0A4

Workorder Type: Registration - Fitting(Conventional)
Workorder No: 14130049
Your Reference No.: 0C01032.92 - 2023-05328 - HAITIMA CORPORATION
Registered to: HAITIMA CORPORATION

Dear Kristine Trepanier,

Technical Standards and Safety Authority (TSSA) is pleased to inform you that your submission has been reviewed and registered as follows:

CRN : 0C1032.95R2
Main Design No.: scope of fitting design
Expiry Date: Jul 14, 2033

Please be advised that a valid quality control system must be maintained for the fitting registration to remain valid until the expiry date.

-Note: Design registration completed under interprovincial agreement with jurisdictional check only

The stamped copy of the approved registration and the invoice are mailed separately (There will be no hard copies for electronic submissions). Should you have any questions or require further assistance, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail customerservices@tssa.org. We will be happy to assist you. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,

Hammad Wasif , M.Eng., P.Eng.
Engineer, BPV
Tel. : +1 416-734-3441
Email : hwasif@tssa.org

5487566 | DRW | A | 5487566

5487566 | DRW | A | 5487566

Alberta Municipal Affairs

ABSA
the pressure equipment safety authority

AB-41 2019-08

STATUTORY DECLARATION
Registration of Fittings
Single or Multiple Fitting Designs within one Fitting Category

In this space, show facsimile of manufacturer's logo or trademark as it will appear on the fitting.

HAITIMA

I, SHEN MING SHOW (name of applicant), PRESIDENT (position title) (must be in a position of authority)

of HAITIMA CORPORATION (name of manufacturer)

located at 1. No.350, WangTian Blvd., YongKang Tech. Ind. Park, YongKang City, Tainan County 710, Taiwan R.O.C.
2. Nanlang Ind. Park, Nanlang Town, Zhongshan, Guangdong, 528451, P.R. China (plant address)

do solemnly declare that the fittings listed hereunder, which are subject to the Safety Codes Act (select only one)

☒ comply with the requirements of ASME B16.34 / API 598 (title of recognized North American Standard) which specifies the dimensions, materials of construction, pressure/temperature ratings and identification marking of the fittings, or

☐ are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with _____ (title of code of construction or other applicable document) as supported by the attached data which identifies the dimensions, materials of construction, pressure/temperature ratings and the basis for such ratings, and the identification marking of the fittings.

I further declare that the manufacture of these fittings is controlled by a quality control program which has been verified as described in the below Table as being suitable for the manufacturing of these fittings to the stated standard, regulation, code, guideline or other applicable document. The fittings covered by the declaration for which I seek registration are as provided in the Supplementary Sheet(s) attached.

Quality Program Verification and Manufacturing Sites

A copy of the Quality Certificate from each manufacturing site must be included

Item #	Product Description, Model or Series	Quality Program	Scope of Certification	Expiry Date	Verifying Organization	Location(s) Plant Name and address
1.	Industrial Valves	ISO 9001:2015	Valves,Pipe fittings and Flanges	2024-05-21	TÜV Rheinland	Haitima Corporation (Taiwan factory) No.350, WangTian Blvd., YongKang Tech. Ind. Park, YongKang City, Tainan County 710, Taiwan R.O.C.
2.						Haitima Corporation (China factory) Nanlang Ind. Park, Nanlang Town, Zhongshan,Guangdong, 528451, P.R. China

Tracking #:_____

5487566 | DRW | A | 5487566

5487566 | DRW | A | 5487566

Alberta Municipal Affairs

ABSA
the pressure equipment safety authority
AB-41 2019-08

In support of this application, the following information, calculations and/or test data are attached:

Drawings & ISO 9001:2015 Certificate etc.

Shen Ming Show
(Signature of the Declarer)

2023. 8. 18
(Date)

Tel:+886-2-27911521
Add:No.91, Sec.6, Minquan E. Rd., Neihu Dist., Taipei, Taiwan(R.O.C.)

DECLARED before me at (city) in the (province, territory, or state)

this day of (Month), (Year)

(print) Fong, Tsang-Bao
Notary Public Shiblin District Court, Taiwan, Rep. of China.
(a Commissioner of Oaths or Notary Public)

(sign)
(a Commissioner of Oaths or Notary Public)

(expiry date (mm/dd/yy))

112士院認003

案號：000790 Date：AUG 18 2023
Case No.
本文件 沈明壽 之簽名或蓋章，在臺灣士林地方法院公證處認證。
公證人 馮倉寶
Attested at the Notary Public Office of Taiwan Shilin District Court, R.O.C., that the signature(s)/seal(s) of Shen Ming Show in this document is/are authentic.
Notary Public
Fong, Tsang-Bao
MY COMMISSION HAS NO EXPIRATION DATE

Commissioner of Oaths / Notary Public in and for: (province, territory, or state)

For The Contents Of This Document
The Notary Public Assumes No Responsibility
For The Attached Document
The Notary Public Assumes No Responsibility

For ABSA Office Use Only:

NOTES:

To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Part 1, Clause 4.2, and is accepted for registration in Category .

CRN:

Registered Date:

Expiry Date: July 14, 2033

Signature:
(Signature of the Administrator/SCO)

The information you provide is necessary only for the administration of the programs as required by the Alberta Safety Codes Act and Regulations in the Pressure Equipment Discipline

Technical Standards and Safety Authority

Boilers and Pressure Vessels Safety Program

REGISTERED

C.R.N.: 0C1032.95R2

Signed:

Date: December 6, 2023.

Tracking #:

5487566 | DRW | A | 5487566

Alberta Municipal Affairs

ABSA
the pressure equipment safety authority

(Supplemental Sheet for AB-41)
AB-41 2019-08

Table 1 Scope of Fitting Designs**

Item #	Fitting description	Drawing #	Material Specification	End connections & size range	MAWP Or Press. rating	Design Code(s) of Construction
2006S	2 PC Screwed End Ball Valve	2006S000HD-23	ASTM A351-CF3M ASTM A351-CF3 ASTM A351-CF8M ASTM A351-CF8 ASTM A216-WCB	Thread end NPS 1/4"~3"	Class 400 (1000WOG)	ASME B16.34
2006SD	2 PC Screwed End Ball Valve	2006S002HD-23 2006S003HD-23	ASTM A351-CF3M ASTM A351-CF3 ASTM A351-CF8M ASTM A351-CF8 ASTM A216-WCB	Thread end NPS 1/4"~3"	Class 400 (1000WOG)	ASME B16.34
2011N	3 PC Socket Weld End Ball Valve	2011N000HD-23	ASTM A351-CF3M ASTM A351-CF3 ASTM A351-CF8M ASTM A351-CF8 ASTM A216-WCB	Socket weld end NPS 1/4"~4"	Class 400 (1000WOG)	ASME B16.34
2012N	3 PC Butt Weld End Ball Valve	2012N000HD-23	ASTM A351-CF3M ASTM A351-CF3 ASTM A351-CF8M ASTM A351-CF8 ASTM A216-WCB	Butt weld end NPS 1/4"~4"	Class 400 (1000WOG)	ASME B16.34
2013N	3 PC Screwed End Ball Valve	2013N000HD-23	ASTM A351-CF3M ASTM A351-CF3 ASTM A351-CF8M ASTM A351-CF8 ASTM A216-WCB	Thread end NPS 1/4"~4"	Class 400 (1000WOG)	ASME B16.34
2011ND	3 PC Socket Weld End Ball Valve	2011ND000HD-23 2011ND001HD-23	ASTM A351-CF3M ASTM A351-CF3 ASTM A351-CF8M ASTM A351-CF8 ASTM A216-WCB	Socket weld end NPS 1/4"~4"	Class 400 (1000WOG)	ASME B16.34

THIS IS PART OF CRN
0C1032.95R2
Technical Standards and Safety Authority
Boilers and Pressure Vessels Safety Program

5487566 | DRW | A | 5487566

2012ND	3 PC Butt Weld End Ball Valve	2012ND000HD-23 2012ND001HD-23	ASTM A351-CF3M ASTM A351-CF3 ASTM A351-CF8M ASTM A351-CF8 ASTM A216-WCB	Butt weld end NPS 1/4"~4"	Class 400 (1000WOG)	ASME B16.34
2013ND	3 PC Screwed End Ball Valve	2013ND000HD-23 2013ND001HD-23	ASTM A351-CF3M ASTM A351-CF3 ASTM A351-CF8M ASTM A351-CF8 ASTM A216-WCB	Thread end NPS 1/4"~4"	Class 400 (1000WOG)	ASME B16.34
2028	Screwed End Globe Valve	2028000XY-23	ASTM 351-CF8M	Thread end NPS 1/4"~2"	200WOG	ASME B16.34
2029	Screwed End Gate Valve	2029000XY-23	ASTM 351-CF8M	Thread end NPS 1/2"~3"	200WOG	ASME B16.34
2030	Screwed End Check Valve	2030000XY-23	ASTM 351-CF8M	Thread end NPS 1/2"~3"	200WOG	ASME B16.34

THIS IS PART OF CRN
0C1032.95R2
Technical Standards and Safety Authority
Boilers and Pressure Vessels Safety Program

5487566 | DRW | A | 5487566

5487566 | DRW | A | 5487566

STATUTORY DECLARATION
(Rgeistration of Fittings)

ATTACHMENT

HAITIMA LOGO

Design Code/Standard : ASME B16.34, API 598

Fitting description :

VALVES INCLUDES :

2 PIECES BALL VALVE (MODEL 20006S, 2006SD)

3 PIECES BALL VALVE (MODEL 2011N, 2011ND, 2012N, 2012ND, 2013N, 2013ND)

GATE VALVE (MODEL 2029)

GLOBE VALVE (MODEL 2028)

CHECK VALVE (MODEL 2030)

Pressure/Temperature Rating :

CLASS 400 (1000 WOG) : 2006S, 2006SD, 2011N, 2011ND, 2012N, 2012ND, 2013N, 2013ND

200 WOG : 2028, 2029, 2030

MATERIAL :

ASTM A351-CF3M / ASTM A351-CF3 / ASTM A351-CF8M / ASTM A351-CF8 / ASTM A216-WCB:

2006S, 2006SD, 2011N, 2012N, 2013N, 2011ND, 2012ND, 2013ND

ASTM A351-CF8M :

2028, 2029, 2030

SCREWED END :

2006S, 2006SD, 2013N, 2013ND, 2028, 2029, 2030

SOCKET WELD END :

2011N, 2011ND

BUTT WELD END :

2012N, 2012ND

SIZE :

1/4"~3" : 2006S, 2006SD

1/4"~4" : 2011N, 2012N, 2013N, 2011ND, 2012ND, 2013ND

1/4"~2" : 2028

1/2"~3" : 2029, 2030

THIS IS PART OF CRN
0C1032.95R2
Technical Standards and Safety Authority
Boilers and Pressure Vessels Safety Program

5487566 | DRW | A | 5487566

Régie du bâtiment Québec

Direction des équipements sous pression

Montréal, 6 octobre 2023.

KRISTINE TREPANIER
ABSA
9410-20 AVENUE
EDMONTON AB
CANADA T6N 0A4

Fabricant : HAITIMA CORPORATION
8F,NO.201, TIDING BLVD SEC. 2, NEIHU
TAIPEI
TAIWAN 114

Numéro de dossier : 945222
Numéro(s) de dessin(s) : Scope of registration June 20,2023

Objet : Enregistrement des plans et devis – Confirmation de l'enregistrement

Bonjour,

Nous vous informons que votre demande d'enregistrement de plans et devis a été traitée et que cette conception a été enregistrée sous le numéro d'enregistrement canadien (NEC\CRN) suivant : **0C01032.96.**

Nous portons votre attention sur certaines exigences réglementaires concernant les installations sous pression, ainsi que des codes et normes qui y sont associés :

- Le fabricant doit maintenir un programme de contrôle de la qualité valide pour fabriquer un équipement selon ce NEC;
- Ce numéro d'enregistrement demeure valide tant et aussi longtemps que les paramètres de conception demeurent inchangés. Dans le cas d'accessoires, l'enregistrement est valide pour une durée de 10 ans à partir de la date d'enregistrement. Les documents de conception doivent alors être resoumis pour validation;
- Le fabricant doit nous transmettre une copie de la *Déclaration de conformité du constructeur (Manufacturer's Data Report)* pour chaque appareil ou chaudière fabriqué selon ce NEC dans les 30 jours suivant la signature de cette déclaration;
- Le numéro de dessin enregistré et le numéro de révision doivent être indiqués sur la déclaration de conformité pour les équipements fabriqués selon ce NEC.

Le présent avis d'approbation ne dégage pas le fabricant de ses responsabilités quant à la conception ou à la construction des équipements ou d'accessoires fabriqués selon un NEC.

Salutations distinguées,

Bureau d'expertise et d'homologation en équipements sous pression

Montréal
255, boul. Crémazie Est, 2ième étage
Montréal (Québec) H2M 1L5
Téléphone : 514 873-2546
Sans frais : 1 866 262-2084
enregistrementdesplans@rbq.gouv.qc.ca
www.rbq.gouv.qc.ca

5487566 | DRW | A | 5487566

5487566 | DRW | A | 5487566

Régie du bâtiment Québec

Direction des équipements sous pression

Montréal, le 6 octobre 2023.

KRISTINE TREPANIER
ABSA
9410-20 AVENUE
EDMONTON AB
CANADA T6N 0A4

Manufacturer : HAITIMA CORPORATION
8F,NO.201, TIDING BLVD SEC. 2, NEIHU
TAIPEI
TAIWAN 114

OUR REFERENCE : 945222
Design number : Scope of registration June 20,2023

Subject: Design registration confirmation

Hi,

We wish to inform you that your design registration application has been evaluated and that it was registered under the following Canadian Registration Number (CRN): **0C01032.96.**

The following is a reminder of your obligations regarding certain requirements of the regulation respecting pressure vessels, and the referenced codes and standards:

- The manufacturer must maintain a valid quality control program to manufacture equipment according to the CRN.
- The CRN remains valid as long as there are no changes to the design calculations that might affect the pressure boundary. The design registration of fittings expires 10 years after acceptance. It must, therefore, be resubmitted for validation.
- The manufacturer shall submit a copy of the *Manufacturer's Data Report* to us for each boiler or pressure vessel manufactured according to this CRN within 30 days following the signing of this report.
- The drawing number and the revision number registered under this CRN must be indicated on the *Manufacturer's Data Report* for equipment manufactured according to the CRN.

This notice of approval does not relieve the manufacturer of their responsibilities with respect to the design or fabrication of equipment manufactured according to this CRN.

Yours sincerely,

Bureau d'expertise et d'homologation en équipements sous pression

Montréal
255, boul. Crémazie Est, 2ième étage
Montréal (Québec) H2M 1L5
Téléphone : 514 873-2546
Sans frais : 1 866 262-2084
enregistrementdesplans@rbq.gouv.qc.ca
www.rbq.gouv.qc.ca

5487566 | DRW | A | 5487566

5487566 | DRW | A | 5487566

Régie du bâtiment Québec

Statutory Declaration Registration of Fittings

Building Act (B-1.1)
Regulation respecting pressure vessels (B-1.1, r. 6.1)
Boiler, pressure vessel, and pressure piping code (CSA B51)

This declaration must be filled out and sent to the Régie du bâtiment du Québec (RBQ) by pressure fitting manufacturers when they make an application registration for fittings.

For more information on the application registration for fittings, consult the www.rbq.gouv.qc.ca/fittings-pv.

1. Fittings to register

List the fittings included in this declaration and that you wish to register.

N°	Description	Additional information (detail, calculations or approval sheets)
1	**Industrial valves**	**Drawings**
2		
3		
4		
5		

2. Declaration of the person in charge

The person in charge is someone in a position of authority, such as a vice-president, a plant manager or a chief engineer.

2.1 Design

I, the undersigned, **SHEN MING SHOW** (Name of the person in charge), **PRESIDENT** (Title of the person in charge),

from **HAITIMA CORPORATION** (Company's name), located at **1.No.350, WangTian Blvd., YongKang Tech. Ind. Park, YongKang City, Tainan County 710, Taiwan R.O.C. 2.Nanlang Ind. Park, Nanlang Town, Zhongshan, Guangdong, 528451, P.R. China** (Plant's address)

hereby declare that the above-mentioned fittings and subject to the Regulation respecting pressure installations:

☒ comply with the requirements of the ANSI/ASME codes as to their dimensions, identification, material and purpose

or

☒ are not covered by the ANSI/ASME codes, but are in compliance with **ASME B16.34 / API 598** (Name of code or standard)

code or standard and are designed according to the best current engineering practice, as proven by the enclosed approval report.

2.2 Manufacturing quality control

I further declare that the manufacture of these fittings is controlled by a quality control program that complies with the requirements of the following code: **ISO 9001:2015** (Name of code), and has been verified by **TÜV** (Authorized agency).

Signature of the person in charge: shen ming show | Date (yyyy-mm-dd): 2023. 8. 10

5487566 | DRW | A | 5487566

3. Declaration of commissioner for oaths

I certify that this declaration has been administered before me, at Tel: 1886-2-27911321 Add:No.91, Sec.6, Minquan E. Rd., Neihu Dist., Taipei, Taiwan(R.O.C.) (Location) on AUG 18 2023 (Date (yyyy-mm-dd)).

Signature of commissioner for oaths: 112士院認003	Date (yyyy-mm-dd):

Stamp the seal:

案號 Case No.: 000792 日期 Date: AUG 18 2023
本文件 沈明壽 之簽名或蓋章，在臺灣士林地方法院公證處認證。
公證人 馮登寶
Attested at the Notary Public Office of Taiwan Shilin District Court, R.O.C., that the signature(s)/seal(s) of Shen Ming Shou on this document is/are authentic.
Notary Public
Feng, Tsang-Bao

For The Contents Of This Document The Notary Public Assumes No Responsibility
For The Attached Document The Notary Public Assumes No Responsibility

MY COMMISSION HAS NO EXPIRATION DATE

4. Registration confirmation (for RBQ's use only)

As far as I know, this application complies with the requirements of the Act and with standard CSA B51, Part 1, section 4.2, and is accepted for registration in the class _____.

This registration expires in ten (10) years after the date of registration indicated above, and it must be validated again after this period.

Canadian registration number (CRN):	Registration date (yyyy-mm-dd):

Enregistré au Québec
0C01032.96
Régie du bâtiment Québec
04/10/2023
Revue par la RBQ

Documents to attach

Any application registration for fittings must include these documents:

- Statutory Declaration Registration of Fittings (2 copies)
- Detailed calculations or burst test report (1 copy)
- Detailed technical drawings or catalogues (2 copies)
- Example of the manufacturer's marking (1 copy)
- Proof that a valid and approved quality control program has been implemented (1 copy)
- Form Application for design registration (1 copy)

Sending the form

This declaration is necessary to submit an application for design registration. Design registration applications must be sent by email only to enregistrementdesplans@rbq.gouv.qc.ca.

Documents must be in PDF format and in separate files.

5487566 | DRW | A | 5487566

STATUTORY DECLARATION

(Rgeistration of Fittings)

ATTACHMENT

HAITIMA LOGO

Enregistré au Québec
0C01032.96
Régie du bâtiment Québec
04/10/2023
Revue par la RBQ

Design Code/Standard : ASME B16.34, API 598

Fitting description :

VALVES INCLUDES :

2 PIECES BALL VALVE (MODEL 20006S, 2006SD)

3 PIECES BALL VALVE (MODEL 2011N, 2011ND, 2012N, 2012ND, 2013N, 2013ND)

GATE VALVE (MODEL 2029)

GLOBE VALVE (MODEL 2028)

CHECK VALVE (MODEL 2030)

Pressure/Temperature Rating :

CLASS 400 (1000 WOG) : 2006S, 2006SD, 2011N, 2011ND, 2012N, 2012ND, 2013N, 2013ND

200 WOG : 2028, 2029, 2030

MATERIAL :

ASTM A351-CF3M / ASTM A351-CF3 / ASTM A351-CF8M / ASTM A351-CF8 / ASTM A216-WCB:

2006S, 2006SD, 2011N, 2012N, 2013N, 2011ND, 2012ND, 2013ND

ASTM A351-CF8M :

2028, 2029, 2030

SCREWED END :

2006S, 2006SD, 2013N, 2013ND, 2028, 2029, 2030

SOCKET WELD END :

2011N, 2011ND

BUTT WELD END :

2012N, 2012ND

SIZE :

1/4"~3" : 2006S, 2006SD

1/4"~4" : 2011N, 2012N, 2013N, 2011ND, 2012ND, 2013ND

1/4"~2" : 2028

1/2"~3" : 2029, 2030

5487566 | DRW | A | 5487566

5487566 | DRW | A | 5487566

5487566 | DRW | A | 5487566

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick Nova Scotia Prince Edward Island Newfoundland and Labrador
Nunavut Yukon Northwest Territories

Manufacturers Name: HAITIMA CORPORATION

Manufacturers Address: 8F.,No.201, Sec.2, Tiding Blvd.,Neihu District, Taipei City 114, Taiwan R.O.C

Plant Locations: 1.No.338, WangTian Blvd., YongKang Tech. Ind. Park, YongKang City, Tainan County 710, Taiwan R.O.C.
2.Nanlang Ind. Park, Nanlang Town, Zhongshan, Guangdong, 528461, P.R. China

Category of Fittings to be registered. Circle one Category only

A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
B Flanges: all flanges
Ⓒ Valves: all line valves
D Expansion joints, flexible connections, and hose assemblies: all types
E Strainers, filters, separators, and steam traps
F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
H Pressure retaining components that do not fall into one of the above categories

N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐, (Meeting CNSC or ASME requirements)

Title of the Standard of Construction

ASME B16.34
API 598
ASTM A216/A216M
ASTM A351/A351M

Show Manufacturers Name, Trademark, or Logo as it will appear on the product

HAITIMA

Type of Construction

Forged ☐ Welded ☐ Wrought ☐
Cast ■ Other ☐
Describe other:

List of supporting documentation and identification of the actual items to be registered:

1. A copy of the ISO 9001 certificate.
2. Valve drawings with all dimensions and material specification details.
3. Pressure-Temperature ratings.

CRN renewal. 2 pc. ball valves (model 2006S, 2006SD), 3pc. ball valves (model 2011N, 2011ND, 2012N, 2012ND, 2013N, 2013ND), gate valve (model 2029), globe valve (model 2028), check valve (model 2030). Note: Thd. & SW valves greater than 2-1/2", are not included in this registration. (DGallant)

Declaration:

I SHEN MING SHOW (see note 3) employed by HAITIMA CORPORATION and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by TÜV as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Shen ming show

Declared before me at _____

This _____ day of _____ AD _____

Commissioner of Oaths

Or Notary Public: (sign) _____

(Affix Official seal to the right)

112士院認005
案號：000655 日期：JUN 28 2023
Case No. 聲明人
本文件 Use this space for the Official Seal 地方法
院公證處認證。 公證人 連夢涵
Attested at the Notary Public Office of Taiwan Shilin District Court, R.O.C., that the signature(s)/seal(s) of Declarer in this document is/are authentic.
Notary Public
Lien, Meng-han
For The Contents Of This Document
The Notary Public Assumes No Responsibility
For The Attached Document(s)
The Notary Public Assumes No Responsibility

This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0C1032.9 Rev3

FID#: 372

Notes:

1. All Fittings shall be registered in the name of the Manufacturer.
2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality Control programs shall be resubmitted for validation.

11/2016

ACCEPTED
PROVINCE OF PRINCE EDWARD ISLAND
COMMUNITIES, LAND & ENVIRONMENT Sect 1.0 - Fittings Rev.2

C.R.N. 0C1032.9 Rev3

DATE: July 14 2023

INSPECTION SERVICES SECTION
BOILER/PRESSURE VESSEL BRANCH

5487566 | DRW | A | 5487566

5487566 | DRW | A | 5487566

5487566 | DRW | A | 5487566

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick Nova Scotia Prince Edward Island Newfoundland and Labrador
Nunavut Yukon Northwest Territories

Manufacturers Name: HAITIMA CORPORATION

Manufacturers Address: 8F.,No.201, Sec.2, Tiding Blvd.,Neihu District, Taipei City 114, Taiwan R.O.C

Plant Locations: 1.No.338, Wangtian Blvd., Wangkang Tech. Ind. Park, Wangkang City, Tainan County 710, Taiwan R.O.C.
2.Nanjing Ind. Park, Nanjing Town, Zhongshan, Guangdong, 528461, P.R. China

Category of Fittings to be registered. Circle one Category only

A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
B Flanges: all flanges
(C) Valves: all line valves
D Expansion joints, flexible connections, and hose assemblies: all types
E Strainers, filters, separators, and steam traps
F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
H Pressure retaining components that do not fall into one of the above categories

N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐, (Meeting CNSC or ASME requirements)

Title of the Standard of Construction

ASME B16.34
API 598
ASTM A216/A216M
ASTM A351/A351M

Show Manufacturers Name, Trademark, or Logo as it will appear on the product

HAITIMA

Type of Construction

Forged ☐ Welded ☐ Wrought ☐
Cast ■ Other ☐
Describe other:

List of supporting documentation and identification of the actual items to be registered:

1. A copy of the ISO 9001 certificate.
2. Valve drawings with all dimensions and material specification details.
3. Pressure-Temperature ratings.

CRN renewal. 2 pc. ball valves (model 2006S, 2006SD), 3pc. ball valves (model 2011N, 2011ND, 2012N, 2012ND, 2013N, 2013ND), gate valve (model 2029), globe valve (model 2028), check valve (model 2030). Note: Thd. & SW valves greater than 2-1/2", are not included in this registration. (DGallant)

Declaration:

I SHEN MING SHOW (see note 3) employed by HAITIMA CORPORATION and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by TÜV as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: shen ming show

Declared before me at _____

This _____ day of _____ AD _____

Commissioner of Oaths

Or Notary Public: (sign) _____

(Affix Official seal to the right)

112士院認005
案號：000655 日期：JUN 28 2023
Case No. 聲明人 Date:
本文件 Use this space for the Official Seal 林地方法
院公證處認證。 公證人 連 夢 涵
Attested at the Notary Public Office of Taiwan Shilin District Court, R.O.C., that the signature(s)/seal(s) of Declarer in this document is/are authentic.
Notary Public
Lien, Meng-han
The Notary Public Assumes No Responsibility For The Contents Of This Document
The Notary Public Assumes No Responsibility For The Attached Document(s)

This space for Regulatory Authority use.

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0C1032.9 Rev3

FID#: 372

Notes:

1. All Fittings shall be registered in the name of the Manufacturer.
2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality Control programs shall be resubmitted for validation.

11/2016

BOILER & PRESSURE VESSEL ACT & REGULATIONS
NOVA SCOTIA
Date July 14/23
C.R.N. 0C1032.98Rev.3 Sect 1.0 - Fittings Rev.2
Dwg. as described
Signed
1 of 1 Part

5487566 | DRW | A | 5487566

5487566 | DRW | A | 5487566

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick Nova Scotia Prince Edward Island Newfoundland and Labrador
Nunavut Yukon Northwest Territories

Manufacturers Name: HAITIMA CORPORATION

Manufacturers Address: 8F.,No.201, Sec.2, Tiding Blvd.,Neihu District, Taipei City 114, Taiwan R.O.C

Plant Locations: 1.No.350, WangTian Blvd., YongKang Tech. Ind. Park, YongKang City, Tainan County 710, Taiwan R.O.C.
2.Nanlang Ind. Park, Nanlang Town, Zhongshan, Guangdong, 528451, P.R. China

Category of Fittings to be registered. Circle one Category only

A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
B Flanges: all flanges
(C) Valves: all line valves
D Expansion joints, flexible connections, and hose assemblies: all types
E Strainers, filters, separators, and steam traps
F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
H Pressure retaining components that do not fall into one of the above categories

N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ , (Meeting CNSC or ASME requirements)

Title of the Standard of Construction

ASME B16.34
API 598
ASTM A216/A216M
ASTM A351/A351M

Show Manufacturers Name, Trademark, or Logo as it will appear on the product

HAITIMA

Type of Construction

Forged ☐ Welded ☐ Wrought ☐
Cast ■ Other ☐
Describe other:

List of supporting documentation and identification of the actual items to be registered:

1. A copy of the ISO 9001 certificate.
2. Valve drawings with all dimensions and material specification details.
3. Pressure-Temperature ratings.

CRN renewal. 2 pc. ball valves (model 2006S, 2006SD), 3pc. ball valves (model 2011N, 2011ND, 2012N, 2012ND, 2013N, 2013ND), gate valve (model 2029), globe valve (model 2028), check valve (model 2030). Note: Thd. & SW valves greater than 2-1/2", are not included in this registration. (DGallant)

Declaration:

I SHEN MING SHOW (see note 3) employed by HAITIMA CORPORATION and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by TÜV as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Shen ming shou

Declared before me at _____

This _____ day of _____ AD _____

Commissioner of Oaths

Or Notary Public: (sign) _____

(Affix Official seal to the right)

112士院認005
案號：000655 日期：JUN 28 2023
Case No. 聲明人
本文件僅在此空白處加蓋本公證章 Use this space for the Official Seal 林地方法
院公證處認證。 公證人 連夢涵
Attested at the Notary Public Office of Taiwan Shilin District Court, R.O.C., that the signature(s)/seal(s) of Declarer in this document is/are authentic.
Notary Public
Lien, Meng-han
For The Contents Of This Document
The Notary Public Assumes No Responsibility
For The Attached Document(s)
The Notary Public Assumes No Responsibility

This space for Regulatory Authority use.

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0C1032.9 Rev3

FID#: 372

Notes:

1. All Fittings shall be registered in the name of the Manufacturer.
2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality Control programs shall be resubmitted for validation.

11/2016

Brunswick
DEPT OF JUSTICE PUBLIC SAFETY
BOILER & PRESSURE VESSEL ACT
REGISTRATION ONLY
CRN 0C1032.9 Rev3

CHIEF BOILER INSPECTOR

DATE 7/14/23

Sect 1.0 - Fittings Rev.2

☐ BLRs ☐ PVs
☑ FITTINGS ☐ NUCLEAR COMPONENTS

5487566 | DRW | A | 5487566

5487566 | DRW | A | 5487566

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick Nova Scotia Prince Edward Island Newfoundland and Labrador
Nunavut Yukon Northwest Territories

Manufacturers Name: HAITIMA CORPORATION

Manufacturers Address: 8F.,No.201, Sec.2, Tiding Blvd., Neihu District, Taipei City 114, Taiwan R.O.C

Plant Locations: No.368, Wenghua Blvd., Yongkang Dist., Tainan City, Taiwan (R.O.C.) 710, Tainan R.O.C.
1,Wenhua Rd, Park, Renhua Town, Zhongshan, Guangdong, 528461, P.R. China

Category of Fittings to be registered. Circle one Category only	Title of the Standard of Construction
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges (C) Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ , (Meeting CNSC or ASME requirements)	ASME B16.34 API 598 ASTM A216/A216M ASTM A351/A351M
Show Manufacturers Name, Trademark, or Logo as it will appear on the product HAITIMA	Type of Construction Forged ☐ Welded ☐ Wrought ☐ Cast ■ Other ☐ Describe other:

List of supporting documentation and identification of the actual items to be registered:

1. A copy of the ISO 9001 certificate.
2. Valve drawings with all dimensions and material specification details.
3. Pressure-Temperature ratings.

CRN renewal. 2 pc. ball valves (model 2006S, 2006SD), 3pc. ball valves (model 2011N, 2011ND, 2012N, 2012ND, 2013N, 2013ND), gate valve (model 2029), globe valve (model 2028), check valve (model 2030). Note: Thd. & SW valves greater than 2-1/2", are not included in this registration. (DGallant)

Declaration:

I SHEN MING SHOW (see note 3) employed by HAITIMA CORPORATION and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by TÜV as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: shen ming show

Declared before me at _____

This _____ day of _____ AD _____

Commissioner of Oaths

Or Notary Public: (sign) _____

(Affix Official seal to the right)

112年院認005
案號：000655 日期：JUN 28 2023
Case No. Date
本文件 聲明人 在本院公證處簽名屬實。
Attested at the Notary Public Office of Taiwan Shilin District Court, R.O.C., that the signature(s)/seal(s) of Declarer in this document is/are authentic.
Notary Public
Lien, Meng-han
For The Contents Of This Document
The Notary Public Assumes No Responsibility
For The Attached Document(s)
The Notary Public Assumes No Responsibility

This space for Regulatory Authority use.
This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0C1032.9 Rev3

FID#: 372

Notes:
1. All Fittings shall be registered in the name of the Manufacturer.
2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality Control programs shall be resubmitted for validation.

11/2016

Registered 0C1032.90 Rev3
Date July 14 2023
Sect 1.0 - Fittings Rev.2
Engineering and Inspection Services
Registered by

UNDER THE AUTHORITY OF THE
PUBLIC SAFETY ACT AND
THE BOILER, PRESSURE VESSEL AND
COMPRESSED GAS REGULATIONS

5487566 | DRW | A | 5487566

5487566 | DRW | A | 5487566

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick Nova Scotia Prince Edward Island Newfoundland and Labrador
Nunavut Yukon Northwest Territories

Manufacturers Name: HAITIMA CORPORATION

Manufacturers Address: 8F.,No.201, Sec.2, Tiding Blvd.,Neihu District, Taipei City 114, Taiwan R.O.C

Plant Locations: 1.No.350, WangTian Blvd., YongKang Tech. Ind. Park, YongKang City, Tainan County 710, Taiwan R.O.C.
2.Nanlang Ind. Park, Nanlang Town, Zhongshan, Guangdong, 528451, P.R. China

Category of Fittings to be registered. Circle one Category only

A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
B Flanges: all flanges
(C) Valves: all line valves
D Expansion joints, flexible connections, and hose assemblies: all types
E Strainers, filters, separators, and steam traps
F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
H Pressure retaining components that do not fall into one of the above categories

N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ , (Meeting CNSC or ASME requirements)

Title of the Standard of Construction

ASME B16.34
API 598
ASTM A216/A216M
ASTM A351/A351M

Show Manufacturers Name, Trademark, or Logo as it will appear on the product

HAITIMA

Type of Construction

Forged ☐ Welded ☐ Wrought ☐
Cast ■ Other ☐
Describe other:

List of supporting documentation and identification of the actual items to be registered:

1. A copy of the ISO 9001 certificate.
2. Valve drawings with all dimensions and material specification details.
3. Pressure-Temperature ratings.

CRN renewal. 2 pc. ball valves (model 2006S, 2006SD), 3pc. ball valves (model 2011N, 2011ND, 2012N, 2012ND, 2013N, 2013ND), gate valve (model 2029), globe valve (model 2028), check valve (model 2030). Note: Thd. & SW valves greater than 2-1/2", are not included in this registration. (DGallant)

Declaration:

I SHEN MING SHOW (see note 3) employed by HAITIMA CORPORATION and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by TÜV as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: shen ming show

Declared before me at _____

This _____ day of _____ AD _____

Commissioner of Oaths

Or Notary Public: (sign) _____

(Affix Official seal to the right)

112士院認005
案號：000655 日期：JUN 28 2023
Case No. 聲明人 Date:
本文件 Use this space for the Official Seal 地方法
院公證處認證。 公證人 連 夢 涵
Attested at the Notary Public Office of Taiwan Shilin District Court, R.O.C., that the signature(s)/seal(s) of Declarer in this document is/are authentic.
Notary Public
Lien, Meng-han
For The Contents Of This Document
The Notary Public Assumes No Responsibility
For The Attached Document(s)
The Notary Public Assumes No Responsibility

This space for Regulatory Authority use.
This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0C1032.9 Rev3

FID#: 372

Notes:

1. All Fittings shall be registered in the name of the Manufacturer.
2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality Control programs shall be resubmitted for validation.

BY _____
CRN 0C1032.9Y REV 3
DATE 07/14/2023

GOVERNMENT OF CANADA BOILER BRANCH

11/2016

Sect 1.0 - Fittings Rev.2

5487566 | DRW | A | 5487566

5487566 | DRW | A | 5487566

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick Nova Scotia Prince Edward Island Newfoundland and Labrador
Nunavut Yukon Northwest Territories

Manufacturers Name: HAITIMA CORPORATION

Manufacturers Address: 8F.,No.201, Sec.2, Tiding Blvd.,Neihu District, Taipei City 114, Taiwan R.O.C

Plant Locations: No.368, Wenghua Blvd., Yongkang Dist., Tainan City 710, Taiwan R.O.C.
No.368, Wenghua 3rd. Road, Yongkang Dist., Tainan City 710, Taiwan R.O.C.

Category of Fittings to be registered. Circle one Category only

A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
B Flanges: all flanges
Ⓒ Valves: all line valves
D Expansion joints, flexible connections, and hose assemblies: all types
E Strainers, filters, separators, and steam traps
F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
H Pressure retaining components that do not fall into one of the above categories

N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐, (Meeting CNSC or ASME requirements)

Title of the Standard of Construction

ASME B16.34
API 598
ASTM A216/A216M
ASTM A351/A351M

Show Manufacturers Name, Trademark, or Logo as it will appear on the product

HAITIMA

Type of Construction

Forged ☐ Welded ☐ Wrought ☐
Cast ☒ Other ☐
Describe other:

List of supporting documentation and identification of the actual items to be registered:

1. A copy of the ISO 9001 certificate.
2. Valve drawings with all dimensions and material specification details.
3. Pressure-Temperature ratings.

CRN renewal. 2 pc. ball valves (model 2006S, 2006SD), 3pc. ball valves (model 2011N, 2011ND, 2012N, 2012ND, 2013N, 2013ND), gate valve (model 2029), globe valve (model 2028), check valve (model 2030). Note: Thd. & SW valves greater than 2-1/2", are not included in this registration. (DGallant)

Declaration:

I SHEN MING SHOW (see note 3) employed by HAITIMA CORPORATION and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by TÜV as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Shen ming show

Declared before me at _____

This _____ day of _____ AD _____

Commissioner of Oaths

Or Notary Public: (sign) _____

(Affix Official seal to the right)

112士院認005
案號：000655 日期：JUN 2 8 2023
Case No. Date
本文件經 明人 Date this document is the Official Seal 地方法院公證處證。 公證人 連 孟 涵
Attested at the Notary Public Office of Taiwan Shilin District Court, R.O.C., that the signature(s)/seal(s) of Declarer in this document is/are authentic.
Notary Public
Lien, Meng-han
For The Contents Of This Document The Notary Public Assumes No Responsibility For The Attached Document(s) The Notary Public Assumes No Responsibility

This space for Regulatory Authority use.

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0C1032.9 Rev3

FID#: 372

Notes:

1. All Fittings shall be registered in the name of the Manufacturer.
2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality Control programs shall be resubmitted for validation.

11/2016

Sect 1.0 - Fittings Rev.2

$65.00

Northwest Territories

REGISTERED
UNDER THE AUTHORITY OF
THE BOILER AND PRESSURE
VESSEL ACT.
C.R.N. 0C1032.9 Rev3
SIGNED
DATE July 14 2023

5487566 | DRW | A | 5487566

5487566 | DRW | A | 5487566

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick Nova Scotia Prince Edward Island Newfoundland and Labrador
Nunavut Yukon Northwest Territories

Manufacturers Name: HAITIMA CORPORATION

Manufacturers Address: 8F.,No.201, Sec.2, Tiding Blvd.,Neihu District, Taipei City 114, Taiwan R.O.C

Plant Locations: 1.No.369, WangTian Blvd., Yongkang Tech. Ind. Park, Yongkang City, Tainan County 710, Taiwan R.O.C.
2.Yantang Rd, Park, Nanhang Town, Zhongshan, Guangdong, 528461, P.R. China

Category of Fittings to be registered. Circle one Category only	Title of the Standard of Construction
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges (C) Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐, (Meeting CNSC or ASME requirements)	ASME B16.34 API 598 ASTM A216/A216M ASTM A351/A351M
Show Manufacturers Name, Trademark, or Logo as it will appear on the product HAITIMA	**Type of Construction** Forged ☐ Welded ☐ Wrought ☐ Cast ■ Other ☐ Describe other:

List of supporting documentation and identification of the actual items to be registered:

1. A copy of the ISO 9001 certificate.
2. Valve drawings with all dimensions and material specification details.
3. Pressure-Temperature ratings.

CRN renewal. 2 pc. ball valves (model 2006S, 2006SD), 3pc. ball valves (model 2011N, 2011ND, 2012N, 2012ND, 2013N, 2013ND), gate valve (model 2029), globe valve (model 2028), check valve (model 2030). Note: Thd. & SW valves greater than 2-1/2", are not included in this registration. (DGallant)

Declaration:

I SHEN MING SHOW (see note 3) employed by HAITIMA CORPORATION and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by TÜV as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: shen ming show

Declared before me at _____

This _____ day of _____ AD _____

Commissioner of Oaths

Or Notary Public: (sign) _____

(Affix Official seal to the right)

112年院認005
案號 :000655 日期: JUN 2 8 2023
Case No. Date:
本文件僅供辦理 Use this document only for Official 地方法院公證處證明。
公證人 莫 夢 涵
Attested at the Notarial Office of Taiwan Shilin District Court, R.O.C., that the signature(s)/seal(s) of Declarer and in this document is/are authentic.
Nunavut
Notary Public
Chen, Meng-Han

This space for Registration Authority use

This registration must be revalidated after ... from the date of acceptance.

CRN: 0C1032.9 Rev3

FID#: 372

Notes:

1. All Fittings shall be registered in the name of the Manufacturer.
2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality Control programs shall be resubmitted for validation.

11/2016

REGISTERED
For the Contents of This Document
The Notary Public Assumes No Responsibility
For the Author(s) of This Document
The Notary Public Assumes No Responsibility
CRN 0C1032.9 Rev3
Date 2023-06-28
Signed
Chief Inspector

Territorial Registration Fee

Sect 1.0 - Fittings Rev.2

5487566 | DRW | A | 5487566

5487566 | DRW | A | 5487566

Cross reference

Haitima	Festo Type	Festo Part number
2006S	VZBE-1/4-T-63-D-2-M-V15V15	4745214
	VZBE-3/8-T-63- D-2-M-V15V15	4745215
	VZBE-1/2-T-63- D-2-M-V15V15	4745216
	VZBE-3/4-T-63- D-2-M-V15V15	4745218
	VZBE-1-T-63- D-2-M-V15V15	4745219
	VZBE-11/4-T-63- D-2-M-V15V15	4745220
	VZBE-11/2-T-63- D-2-M-V15V15	4745221
	VZBE-2-T-63- D-2-M-V15V15	4745223
	VZBE-21/2-T-63- D-2-M-V15V16	4745224
	VZBE-3-T-63- D-2-M-V15V16	4745225
2011ND	VZBE-1/4-WA-63-T-2-F0304-V15V15	8089038
	VZBE-3/8-WA-63-T-2-F0304-V15V15	8089039
	VZBE-1/2-WA-63-T-2-F0304-V15V15	8089040
	VZBE-3/4-WA-63-T-2-F0304-V15V15	8089041
	VZBE-1-WA-63-T-2-F0405-V15V15	8089042
	VZBE-11/4-WA-63-T-2-F0405-V15V15	8089043
	VZBE-11/2-WA-63-T-2-F0507-V15V15	8089044
	VZBE-2-WA-63-T-2-F0507-V15V15	8089045
	VZBE-21/2-WA-63-T-2-F0710-V15V15	8089046
	VZBE-3-WA-63-T-2-F0710-V15V15	8089047
	VZBE-4-WA-63-T-2-F1012- V15V15	8089048
2011ND	VZBE-1/4-WA-63-T-2-F0304-M-V15V15	8089055
	VZBE-3/8-WA-63-T-2-F0304-M-V15V15	8089056
	VZBE-1/2-WA-63-T-2-F0304-M-V15V15	8089057
	VZBE-3/4-WA-63-T-2-F0304-M-V15V15	8089058
	VZBE-1-WA-63-T-2-F0405-M-V15V15	8089059
	VZBE-11/4-WA-63-T-2-F0405-M-V15V15	8089060
	VZBE-11/2-WA-63-T-2-F0507-M-V15V15	8089061
	VZBE-2-WA-63-T-2-F0507-M-V15V15	8089062
	VZBE-21/2-WA-63-T-2-F0710-M-V15V15	8089063
	VZBE-3-WA-63-T-2-F0710-M-V15V15	8089064
	VZBE-4-WA-63-T-2-F1012-M-V15V15	8089065

5487566 | DRW | A | 5487566

Haitima	Festo Type	Festo Part number
2013ND	VZBE-1/4-T-63-T-2-F0304-V15V15	4836917
	VZBE-3/8-T-63-T-2-F0304-V15V15	4836918
	VZBE-1/2-T-63-T-2-F0304-V15V15	4809117
	VZBE-3/4-T-63-T-2-F0304-V15V15	4809118
	VZBE-1-T-63-T-2-F0405-V15V15	4809119
	VZBE-11/4-T-63-T-2-F0405-V15V15	4809120
	VZBE-11/2-T-63-T-2-F0507-V15V15	4809121
	VZBE-2-T-63-T-2-F0507-V15V15	4809122
	VZBE-21/2-T-63-T-2-F0710-V15V16	4809123
	VZBE-3-T-63-T-2-F0710-V15V16	4809124
	VZBE-4-T-63-T-2-F1012- V15V16	4809126
2013ND	VZBE-1/4-T-63-T-2-F0304-M-V15V15	8096663
	VZBE-3/8-T-63-T-2-F0304-M-V15V15	8096664
	VZBE-1/2-T-63-T-2-F0304-M-V15V15	8096665
	VZBE-3/4-T-63-T-2-F0304-M-V15V15	8096666
	VZBE-1-T-63-T-2-F0405-M-V15V15	8096667
	VZBE-11/4-T-63-T-2-F0405-M-V15V15	8096668
	VZBE-11/2-T-63-T-2-F0507-M-V15V15	8096669
	VZBE-2-T-63-T-2-F0507-M-V15V15	8096670
	VZBE-21/2-T-63-T-2-F0710-M-V15V16	8096671
	VZBE-3-T-63-T-2-F0710-M-V15V16	8096672
	VZBE-4-T-63-T-2-F1012-M-V15V16	8096673

5487566 | DRW | A | 5487566