

INSTRUCTION

Toledo Flat
901488.002.1.76



RZB
LIGHTING



≈ 220 - 240 V 0/50/60 Hz IP 40 IK06



4 x 1,5 mm²



1,50 mm²



[mm]



[mm]



LED



1 x 24 W

L 300, B 300, H 3

LA 280, BA 280,
HE 31-56, S 1-20



2200



22



A+



A+



1,33 kg

CCT [K]

4000

CRI

80



20 A / 50 μs




B₁₀
[St.]

12



B₁₆
[St.]

20



INSTRUCTION
WARTUNGSPLAN/
MAINTENANCE
SCHEDULE



DIN EN 61340-5-1



EN 12464
EN 13201



EN 12464
EN 13201



<100%



INSTRUCTION
WARTUNGSPLAN/
MAINTENANCE
SCHEDULE



RZB

100%

EN 12464



H₂O

H₂O

H₂O

H₂O








H₂O

H₂O

H₂O

H₂O

H₂O





Bei Fragen zu unseren Symbolen, besuchen sie folgende Webseite:
If you have any questions about our signs, visit the following website:

www.rzb.de/fileadmin/assets/downloads/PDF/RZB_Symbolklaerung.pdf





L 300, B 300, H 55 1,37 kg




L 305, B 305, H 60 178 g









RZB - Rudolf Zimmermann, Bamberg GmbH

Rheinstraße 16
96052 Bamberg

Telefon: 0951/7909-0
Telefax: 0951/7909-198

E-mail: info@rzb-leuchten.de