

# INSTRUCTION

Basic Ball  
312095.002.76



**RZB**  
LIGHTING

≈ 220 - 240 V 0/50/60 Hz IP 40 IK02





5 x 2,5 mm<sup>2</sup>



2,50 mm<sup>2</sup>



Umgebungstemperatur /  
temperature ambiante  
=> -25 °C ... + 25 °C



D 400, H 400



LP 4000



LED



6 x 12,6 W



7900



79



A++



A++



7,8 kg

CCT [K]

3000

CRI

85

RG

RG 1



20 A / 400 µs



9




15



15



25



INSTRUCTION  
WARTUNGSPLAN/  
MAINTENANCE  
SCHEDULE



DIN EN 61340-5-1




EN 12464  
EN 13201



EN 12464  
EN 13201













EN 12464



2020-03-16

www.rzb.de

1





Bei Fragen zu unseren Symbolen, besuchen sie folgende Webseite:

If you have any questions about our signs, visit the following website:

[www.rzb.de/fileadmin/assets/downloads/PDF/RZB\\_Symbolklaerung.pdf](http://www.rzb.de/fileadmin/assets/downloads/PDF/RZB_Symbolklaerung.pdf)






|                                                                                  |                                               |              |      |
|----------------------------------------------------------------------------------|-----------------------------------------------|--------------|------|
|  | 05-311015.002 Abdeckung Kugel / cover<br>ball | D 400, H 384 | 3 kg |
|----------------------------------------------------------------------------------|-----------------------------------------------|--------------|------|









RZB - Rudolf Zimmermann, Bamberg GmbH

Rheinstraße 16  
96052 Bamberg

Telefon: 0951/7909-0  
Telefax: 0951/7909-198

E-mail: [info@rzb-leuchten.de](mailto:info@rzb-leuchten.de)