PRODUCTINFORMATIEBLAD
FX-QMW-G1 -TU26H25-300

WIDE Profile System | – Flex toebehoren



Toepassingsgebieden

- Architectural Integration – e.g. coves, walls
- Ceiling integration
- Recessed lighting
- Cove lighting

Productvoordelen

- Easy and quick design-in
- Plenty of freedom for attractive design and perfect functioning
- Aluminum profile robust and corrosion-resistant thanks to anodization
- Quick and easy installation


Productkenmerken

- Can be easily combined with covers for homogeneous light distribution
- Diffused cover
- Clips for easy installation and maintenance
- Compatible with Linearlight Flex

© 2022, products of OSRAM GmbH, distributed by LEDVANCE GmbH. All rights reserved.

TECHNISCHE GEGEVENS

AFMETINGEN & GEWICHT



Lengte	3000 mm
Breedte	26,0 mm
Breedte (incl. ronde armaturen)	26,0 mm
Hoogte	24,5 mm
Hoogte (incl. cylin. armaturen)	24,5 mm
Product gewicht	762,00 g

DOWNLOADS

	DOWNLOADS
PDF	PRODUCTINFORMATIEBLAD Specification Sheet Wide Track FX-QMW-G1-TU26H25-300 (EN)

© 2022, products of OSRAM GmbH, distributed by LEDVANCE GmbH. All rights reserved.

	DOWNLOADS
ZIP	CAD data CAD file wide profile TU26H25
	LDT file (Eulumdat) Eulumdat_FX-QMW-G1-TU26H25-300_CFDB
PDF	Advertisements Light is freedom of design (EN)

LOGISTIEKE GEGEVENS

Productcode	Verpakkingseenheid (stuks per verpakking)	Afmetingen (lengte x breedte x hoogte)	Brutogewicht	Volume
4052899448803	BAG 1		772.00 g	
4052899448810	Verzenddoos 20	3,020 mm x 150 mm x 150 mm	16800.00 g	67.95 dm^3

De genoemde productcodes beschrijven de kleinste hoeveelheid die besteld kan worden. Eén verzendeenheid kan bestaan uit één of meer afzonderlijke producten. Bij het plaatsen van een order enkele of veelvouden van de verpakkingseenheid invoeren.

DISCLAIMER

Onder voorbehoud van verandering zonder kennisgeving. Fouten en drukfouten voorbehouden. Zorg ervoor dat u de meest recente versie gebruikt.

© 2022, products of OSRAM GmbH, distributed by LEDVANCE GmbH. All rights reserved.