

PRODUCT DATASHEET BA -SM-MP

Mounting profiles | Accessories for LED Modules for advertising and backlighting



Areas of application

- Advertising and lettering
- Backlighting of single and double-sided light boxes

Product benefits


- Can be easily shortened to any length
- Quick and easy mounting of the profile with self-tapping screws or pop rivets
- Quick and simple snap-in fixing of the LED modules, no tools required
- Robust aluminum profile

Product features

- Universally applicable mounting profile for single or double-sided light boxes
- Overall length: 2,000 mm

TECHNICAL DATA

Dimensions & Weight



Length	2000 mm
Width	14.5 mm
Height	7 mm
Product weight	180.00 g

EQUIPMENT / ACCESSORIES

- BA-MP suitable for BackLED L, BoxLED XS
- BA-SM-MP suitable for BackLED S/M

ADDITIONAL PRODUCT INFORMATION

- Caution: sharp edges. It is recommended to wear gloves when pushing the modules into the mounting profile.

DOWNLOAD DATA

DOWNLOAD DATA	
	CAD data 652651_CAD Daten MS Plus G15 mounting profile_STEP
	CAD data 652650_CAD Daten MS Plus G15 mounting profile_IGS
	CAD data PDF 652657_CAD Daten MS Plus G15 mounting profile_pdf

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4052899264540	Unpacked 1		180.00 g	
4052899264557	Shipping box 24	2,020 mm x 64 mm x 43 mm	4536.00 g	5.56 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.