

PRODUCTINFORMATIEBLAD BA -SM-MP

Mounting profiles | Toebehoren voor LED modules voor lichtreclame en backlighting



Toepassingsgebieden

- Advertising and lettering
- Backlighting of single and double-sided light boxes

Productvoordelen


- Can be easily shortened to any length
- Quick and easy mounting of the profile with self-tapping screws or pop rivets
- Quick and simple snap-in fixing of the LED modules, no tools required
- Robust aluminum profile

Productkenmerken

- Universally applicable mounting profile for single or double-sided light boxes
- Overall length: 2,000 mm

TECHNISCHE GEGEVENS

AFMETINGEN & GEWICHT



Lengte	2000 mm
Breedte	14,5 mm
Breedte (incl. ronde armaturen)	14,5 mm
Hoogte	7 mm
Hoogte (incl. cylin. armaturen)	7 mm
Product gewicht	180,00 g

EQUIPMENT / ACCESSORIES

- BA-MP suitable for BackLED L, BoxLED XS
- BA-SM-MP suitable for BackLED S/M

AANVULLENDE PRODUCTINFORMATIE

- Caution: sharp edges. It is recommended to wear gloves when pushing the modules into the mounting profile.

DOWNLOADS

DOWNLOADS	
	CAD data 652651_CAD Daten MS Plus G15 mounting profile_STEP
	CAD data 652650_CAD Daten MS Plus G15 mounting profile_IGS
	CAD data PDF 652657_CAD Daten MS Plus G15 mounting profile_pdf

LOGISTIEKE GEGEVENS

Productcode	Verpakkingseenheid (stuks per verpakking)	Afmetingen (lengte x breedte x hoogte)	Brutogewicht	Volume
4052899264540	Onverpakt 1		180.00 g	
4052899264557	Verzenddoos 24	2,020 mm x 64 mm x 43 mm	4536.00 g	5.56 dm ³

De genoemde productcodes beschrijven de kleinste hoeveelheid die besteld kan worden. Eén verzendeenheid kan bestaan uit één of meer afzonderlijke producten. Bij het plaatsen van een order enkele of veelvoud van de verpakkingseenheid invoeren.

DISCLAIMER

Onder voorbehoud van verandering zonder kennisgeving. Fouten en drukfouten voorbehouden. Zorg ervoor dat u de meest recente versie gebruikt.