
FICHE PRODUIT
FX-QMS-G1 -T45D19H19-300

SLIM Profile System | – Accessoires pour rubans



Zones d'application

- Architectural Integration – e.g. coves, walls
- Cabinet lighting
- Cove lighting
- Decorative lighting
- Shelf and furniture lighting

Avantages du produit

- Great design freedom thanks to compact dimensions
- Easy and quick design-in
- Minimum installation dimensions thanks to compact design
- Aluminum profile robust and corrosion-resistant thanks to anodization
- Quick and easy installation

Caractéristiques du produit

- Ideal even for lighting in confined spaces
- Can be easily combined with covers for homogeneous light distribution
- Can be combined with lenses of different beam angles
- Diffused cover
- Clips for easy installation and maintenance
- Compatible with Linearlight Flex


© 2022, products of OSRAM GmbH, distributed by LEDVANCE GmbH. All rights reserved.

DONNÉES TECHNIQUES

DONNÉES ÉLECTRIQUES

Type de courant	Non pertinent

DIMENSIONS ET POIDS



Longueur	3000 mm
Largeur	19,0 mm
Largeur (y compris les luminaires ronds)	19,0 mm
Hauteur	19,0 mm
Hauteur (luminaires cycliques inclus)	19,0 mm
Poids du produit	945,00 g

TÉLÉCHARGEMENTS

	TÉLÉCHARGEMENTS
PDF	FICHE PRODUIT Specification Sheet Slim Track FX-QMS-G1-T45D19H19-300 (EN)
ZIP	CAD data CAD file slim profile T45D19H19
	LDT file (Eulumdat) Eulumdat_FX-QMS-G1-T45D19H19-300_CFDB
PDF	Advertisements Light is freedom of design (EN)

© 2022, products of OSRAM GmbH, distributed by LEDVANCE GmbH. All rights reserved.

TÉLÉCHARGEMENTS

DONNÉES LOGISTIQUES

Code produit	Unité d'emballage (Pièces/Unité)	Dimensions (longueur x largeur x hauteur)	Poids approximatif	Volume
4052899448667	BAG 1		955.00 g	
4052899448674	Carton de regroupement 4	3,020 mm x 200 mm x 200 mm	5720.00 g	120.80 dm^3

Le code produit mentionné décrit la petite quantité d'unité qui peut être commandée. Une unité peut contenir un ou plusieurs produits. Lorsque vous passez la commande, merci de bien vouloir entrer une unité ou un multiple d'une unité.

AVERTISSEMENT

Sous réserve de modifications. Sauf erreur ou omission. Veillez à toujours utiliser la version la plus récente.

© 2022, products of OSRAM GmbH, distributed by LEDVANCE GmbH. All rights reserved.