PRODUCTINFORMATIEBLAD
FX-QMW-G1 -CFDB-300

WIDE Profile System | – Flex toebehoren



Toepassingsgebieden

- Architectural Integration – e.g. coves, walls
- Ceiling integration
- Recessed lighting
- Cove lighting

Productvoordelen

- Easy and quick design-in
- Plenty of freedom for attractive design and perfect functioning
- Aluminum profile robust and corrosion-resistant thanks to anodization
- Quick and easy installation

Productkenmerken

- Can be easily combined with covers for homogeneous light distribution
- Diffused cover
- Clips for easy installation and maintenance
- Compatible with Linearlight Flex

© 2022, products of OSRAM GmbH, distributed by LEDVANCE GmbH. All rights reserved.

TECHNISCHE GEGEVENS

AFMETINGEN & GEWICHT



Lengte	3000 mm
Breedte	22,0 mm
Breedte (incl. ronde armaturen)	22,0 mm
Hoogte	4,0 mm
Hoogte (incl. cylin. armaturen)	4,0 mm
Product gewicht	96,00 g

DOWNLOADS

	DOWNLOADS
PDF	PRODUCTINFORMATIEBLAD Specification Sheet Wide Track FX-QMW-G1-TU26H25-300 (EN)
PDF	PRODUCTINFORMATIEBLAD Specification Sheet Wide Track FX-QMW-G1-TU26H25W10-300
PDF	PRODUCTINFORMATIEBLAD Specification Sheet_ Wide Track FX-QMW-G1-TK30D46H27-300 (EN)
PDF	PRODUCTINFORMATIEBLAD Specification Sheet Wide Track FX-QMW-G1-TU26H25W2-300 (EN)
PDF	Advertisements Light is freedom of design (EN)

LOGISTIEKE GEGEVENS

Productcode	Verpakkingseenheid (stuks per verpakking)	Afmetingen (lengte x breedte x hoogte)	Brutogewicht	Volume
4052899447806	BAG 1		98.00 g	
4052899447813	Verzenddoos 40	3,020 mm x 80 mm x 30 mm	4340.00 g	7.25 dm^3

De genoemde productcodes beschrijven de kleinste hoeveelheid die besteld kan worden. Eén verzendeenheid kan bestaan uit één of meer afzonderlijke producten. Bij het plaatsen van een order enkele of veelvouden van de verpakkingseenheid invoeren.

DISCLAIMER

Onder voorbehoud van verandering zonder kennisgeving. Fouten en drukfouten voorbehouden. Zorg ervoor dat u de meest recente versie gebruikt.

© 2022, products of OSRAM GmbH, distributed by LEDVANCE GmbH. All rights reserved.

© 2022, products of OSRAM GmbH, distributed by LEDVANCE GmbH. All rights reserved.