PRODUCT DATASHEET
FX -SC08-G2-CT4PJ

LINEARlight FLEX® Tunable White | – Flex accessories



Product benefits

- Simple installation, no tools or soldering required (CONNECTsystem)
- Reduced installation time (CONNECTsystem)
- Low profile
- Extremely vibration-proof (CONNECTsystem)
- Robust connection
- Can be connected to the front of the module or at division points (CONNECTsystem)


Product features

- Quick and easy installation
- Compatible with Linearlight Flex
- Compatible with TEC Flex

© 2022, products of OSRAM GmbH, distributed by LEDVANCE GmbH. All rights reserved.

TECHNICAL DATA

Dimensions & Weight



Length	9.0 mm
Width	9.2 mm
Height	5.9 mm
Product weight	0.8 g

DOWNLOAD DATA

	DOWNLOAD DATA
PDF	PRODUCT DATASHEET
PDF	Advertisements

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4052899464858	Unpacked 1		0.80 g	
4052899464865	Folding box 25		108.00 g	
4052899464872	Shipping box 1,250	510 mm x 340 mm x 315 mm	6114.00 g	54.62 dm^3

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

© 2022, products of OSRAM GmbH, distributed by LEDVANCE GmbH. All rights reserved.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

© 2022, products of OSRAM GmbH, distributed by LEDVANCE GmbH. All rights reserved.