PRODUCTINFORMATIEBLAD
BX -MP

Mounting profiles | Toebehoren voor LED modules voor lichtreclame en backlighting



Toepassingsgebieden

- Advertising and lettering
- Backlighting of single and double-sided light boxes

Productvoordelen

- Can be easily shortened to any length
- Quick and easy mounting of the profile with self-tapping screws or pop rivets
- Quick and simple snap-in fixing of the LED modules, no tools required
- Robust aluminum profile


Productkenmerken

- Universally applicable mounting profile for single or double-sided light boxes
- Overall length: 2,365 mm
- Integrated 55 mm mounting grid for simple positioning of the LED modules
- Integrated fixing option for cables

© 2022, products of OSRAM GmbH, distributed by LEDVANCE GmbH. All rights reserved.

TECHNISCHE GEGEVENS

AFMETINGEN & GEWICHT



Lengte	2365 mm
Breedte	37,6 mm
Breedte (incl. ronde armaturen)	37,6 mm
Hoogte	16,0 mm
Hoogte (incl. cylin. armaturen)	16,0 mm
Product gewicht	180,00 g

EQUIPMENT / ACCESSORIES

- Suitable for BoxLED M/Eco M/L Plus, BackLED XL/RGBW/TW Plus

AANVULLENDE PRODUCTINFORMATIE

- Caution: sharp edges. It is recommended to wear gloves when pushing the modules into the mounting profile.

DOWNLOADS

	DOWNLOADS
PDF	Addon Technical Information

LOGISTIEKE GEGEVENS

Productcode	Verpakkingseenheid (stuks per verpakking)	Afmetingen (lengte x breedte x hoogte)	Brutogewicht	Volume
4008321981110	Onverpakt 1	2,365 mm x 15 mm x 37 mm	473.00 g	1.31 dm^3
4008321981127	Verzenddoos 24	2,438 mm x 100 mm x 162 mm	11369.00 g	39.50 dm^3

De genoemde productcodes beschrijven de kleinste hoeveelheid die besteld kan worden. Eén verzendeenheid kan bestaan uit één of meer afzonderlijke producten. Bij het plaatsen van een order enkele of veelvouden van de verpakkingseenheid invoeren.

DISCLAIMER

© 2022, products of OSRAM GmbH, distributed by LEDVANCE GmbH. All rights reserved.

Onder voorbehoud van verandering zonder kennisgeving. Fouten en drukfouten voorbehouden. Zorg ervoor dat u de meest recente versie gebruikt.

© 2022, products of OSRAM GmbH, distributed by LEDVANCE GmbH. All rights reserved.