Daylightstar T8

F15W/Daylightstar Retail

0000715



Range features

- Reduces algae growth through a special UV-STOP protective sleeve
- Allows fish and plants to be seen in their true colours (high colour rendition)
- 5000K triphosphor lamp with a daylight character
- High colour rendition
- Long life
- Applications
- For use in fresh water aquariums
- In combination with Grolux® it produces a well balanced and optimal aquarium life

UV STOP

PRODUCT OVERVIEW

Ordering number	0000715
Lamp shape	Tubular
Lamp finish	Coated
Dimmable	Yes
Cap/Base	G13
Type	DaylightStar
EAN code	5410288007151
Colour temperature (K)	5000
Luminous flux (Rated) (lm)	900
Watt (Nominal) (W)	15
Voltage (V)	55

Daylightstar T8

F15W/Daylightstar Retail

0000715

DATA TABLE

General data

Ordering number	0000715
Average life (Nominal) (h)	10000
Lamp shape	Tubular
Lamp finish	Coated
Dimmable	Yes
Cap/Base	G13
Type	DaylightStar
EAN code	5410288007151
E-number SE	8356660
Range features	Reduces algae grow th through a special UV-STOP protective sleeve. Allow s fish and plants to be seen in their true colours (high colour rendition). 5000K triphosphor lamp w ith a daylight character. High colour rendition. Long life. Applications. For use in fresh w ater aquariums. In combination w ith Grolux® it produces a w ell balanced and optimal aquarium life
Product name	F15W/Daylightstar Retail
Lamp mercury content (mg)	10
Control gear required	Yes
Fixture rating	Open
IEC Reference	IEC 60081
IEC Reference 2	IEC 61195
Special purpose lamp	Yes
Transformer required	No
Sales pack quantity	10

Optical data

Colour temperature (K)	5000
Luminous flux (Rated) (lm)	900
Luminous flux (Nominal) (lm)	900

Electrical data

Watt (Rated) (W)	15
Watt (Nominal) (W)	15
Voltage (V)	55
Current (A)	0.31

Physical data


Weight (kg)	0.06
Length base to base (mm) - A	437.4
Length base to pin Min-Max - B	442.1-444.5
Lamp Length (mm) - C/L	451.6
Max. Lamp Diameter (mm) - D	26
Single packaging type	Box/Sleeve


Daylightstar T8

F15W/Daylightstar Retail

0000715

PHOTOMETRY





TECHNICAL DRAWINGS



