START eco Flex RGB and RGBW

START ECO FLEX IP20 RGB

0068125



Product features

- 5 metre IP20 LED reel with pre-attached 3M adhesive type; equipped with 600 LEDs; 24V; RGB

PRODUCT OVERVIEW

Product name	START ECO FLEX IP20 RGB
Technology	LED
Mount	Other
General application	Hospitality, Retail
ETIM Class	EC002706
E-number FI	4276911
Warranty	3 years
Fixture luminous flux (lm)	1900
CRI (Ra)	30
Beam Angle (°)	120
Photobiological Risk Group	RG1
Electrical protection	Class III
Dimmable	Yes
IP rating	IP20
IK rating	IK00
Product EAN number	5410288681252

DATA TABLE

General data

Product name	START ECO FLEX IP20 RGB
Technology	LED
Mount	Other
General application	Hospitality, Retail
ETIM Class	EC002706
E-number FI	4276911
Warranty	3 years

Optical data

Fixture luminous flux (lm)	1900
CRI (Ra)	30
Beam Angle (°)	120
Photobiological Risk Group	RG1

© Feilo Sylvania | Date Printed: 30 Jan 2022

START eco Flex RGB and RGBW

START ECO FLEX IP20 RGB

0068125

Electrical data

Mains voltage (V)	24V
Electrical protection	Class III
Control gear required	Yes
Transformer required	No
Dimmable	Yes
Drive current (mA)	2500
Glow Wire Test (°C)	650
Nominal Frequency (Hz)	DC

Lifetime data

Lifespan L70 B50	30000
Lifespan L70 B10	30000
Lifespan L80 B10	30000
Lifespan L90 B10	30000

Physical data

IP rating	IP20
IK rating	IK00
Diffuser material	None
Nominal Product Length (mm)	5000
Nominal Product Width (mm)	10
Nominal Product Height (mm)	2
Weight (kg)	0.15

Packaging

Single packaging type	Carton
Product EAN number	5410288681252
Packaging single length / height (cm)	23.5
Packaging single width (cm)	22.5
Packaging single depth (cm)	3.0
DUN14 (outer)	15410288681259
Units per outer package	20
Packaging outer length / height (cm)	49.0
Packaging outer width (cm)	34.0
Packaging outer depth (cm)	24.0


PHOTOMETRY


© Feilo Sylvania | Date Printed: 30 Jan 2022


START eco Flex RGB and RGBW


START ECO FLEX IP20 RGB


0068125





















© Feilo Sylvania | Date Printed: 30 Jan 2022

START eco Flex RGB and RGBW

START ECO FLEX IP20 RGB

0068125

TECHNICAL DRAWINGS



© Feilo Sylvania | Date Printed: 30 Jan 2022