Daylightstar T8

F36W/Daylightstar Retail

0000718



Range features

- Reduces algae growth through a special UV-STOP protective sleeve
- Allows fish and plants to be seen in their true colours (high colour rendition)
- 5000K triphosphor lamp with a daylight character
- High colour rendition
- Long life
- Applications
- For use in fresh water aquariums
- In combination with Grolux® it produces a well balanced and optimal aquarium life

UV STOP

PRODUCT OVERVIEW

Ordering number	0000718
Lamp shape	Tubular
Lamp finish	Coated
Dimmable	Yes
Cap/Base	G13
Type	DaylightStar
EAN code	5410288007182
Colour temperature (K)	5000
Luminous flux (Rated) (lm)	3250
Watt (Nominal) (W)	36
Voltage (V)	103

Daylightstar T8

F36W/Daylightstar Retail

0000718

DATA TABLE

General data

Ordering number	0000718
Average life (Nominal) (h)	10000
Lamp shape	Tubular
Lamp finish	Coated
Dimmable	Yes
Cap/Base	G13
Type	DaylightStar
EAN code	5410288007182
E-number SE	8356663
Range features	Reduces algae grow th through a special UV-STOP protective sleeve. Allow s fish and plants to be seen in their true colours (high colour rendition). 5000K triphosphor lamp w ith a daylight character. High colour rendition. Long life. Applications. For use in fresh w ater aquariums. In combination w ith Grolux® it produces a w ell balanced and optimal aquarium life
Product name	F36W/Daylightstar Retail
Lamp mercury content (mg)	10
Control gear required	Yes
Fixture rating	Open
IEC Reference	IEC 60081
IEC Reference 2	IEC 61195
Special purpose lamp	Yes
Transformer required	No
Sales pack quantity	10

Optical data

Colour temperature (K)	5000
Luminous flux (Rated) (lm)	3250
Luminous flux (Nominal) (lm)	3250

Electrical data

Watt (Rated) (W)	36
Watt (Nominal) (W)	36
Voltage (V)	103
Current (A)	0.43

Daylightstar T8

F36W/Daylightstar Retail

0000718

Physical data


Weight (kg)	0.16
Length base to base (mm) - A	1199.4
Length base to pin Min-Max - B	1204.1-1206.5
Lamp Length (mm) - C/L	1213.6
Max. Lamp Diameter (mm) - D	26
Single packaging type	Box/Sleeve
Single package dimensions (L x W x H) (cm)	128.30 x 2.70 x 2.70
Outer package dimensions (L x W x H) (cm)	130.80 x 6.50 x 14.70

Daylightstar T8

F36W/Daylightstar Retail

0000718

PHOTOMETRY



CRI = 1B Tc = 5000K

TECHNICAL DRAWINGS

