Aquastar T8

F30W/Aquastar

0002225



Range features

- Light colour: 10000 Kelvin (simulating the tropical light spectrum)
- Promotes the growth of coral and aquatic plants through natural red and blue sections of the light spectrum
- Excellent lighting performance
- Applications
- For all biological organisms in fresh and marine water aquariums

PRODUCT OVERVIEW

Ordering number	0002225
Lamp shape	Tubular
Lamp finish	Coated
Dimmable	Yes
Cap/Base	G13
Type	AquaStar
EAN code	5410288022253
Colour temperature (K)	10000
Luminous flux (Rated) (lm)	1700
Watt (Nominal) (W)	30
Voltage (V)	96

Aquastar T8

F30W/Aquastar

0002225

DATA TABLE

General data

Ordering number	0002225
Average life (Nominal) (h)	10000
Lamp shape	Tubular
Lamp finish	Coated
Dimmable	Yes
Cap/Base	G13
Type	AquaStar
EAN code	5410288022253
E-number FI	4943010
E-number SE	8356653
Range features	Light colour: 10000 Kelvin (simulating the tropical light spectrum). Promotes the grow th of coral and aquatic plants through natural red and blue sections of the light spectrum. Excellent lighting performance. Applications. For all biological organisms in fresh and marine w ater aquariums
Product name	F30W/Aquastar
Lamp mercury content (mg)	10
Control gear required	Yes
Fixture rating	Open
IEC Reference	IEC 60081
IEC Reference 2	IEC 61195
Special purpose lamp	Yes
Transformer required	No
Sales pack quantity	25

Optical data

Colour temperature (K)	10000
Luminous flux (Rated) (lm)	1700
Luminous flux (Nominal) (lm)	1700

Electrical data

Watt (Rated) (W)	30
Watt (Nominal) (W)	30
Voltage (V)	96
Current (A)	0.37

Physical data

Weight (kg)	0.12
Length base to base (mm) - A	894.4
Length base to pin Min-Max - B	899.3-901.7
Lamp Length (mm) - C/L	908.8
Max. Lamp Diameter (mm) - D	26
Single packaging type	Box/Sleeve

Aquastar T8

F30W/Aquastar


0002225

Aquastar T8

F30W/Aquastar

0002225

PHOTOMETRY



TECHNICAL DRAWINGS

