Aquastar T5

FHO24W/Aquastar

0002741



Range features

- Light colour: 10000 Kelvin (simulating the tropical light spectrum)
- Promotes the growth of coral and aquatic plants through natural red and blue sections of the light spectrum
- Excellent lighting performance
- T5 - FHO: high output and lumen per watt in comparison to T8 versions
- New T5 l8: 50% more light output in comparison to the same length in T8. Ideal for the new generation of aquaria with T5 lamps, but in the length of T8 lamps. The ideal fit of the lamps in the aquarium results in a perfect illumination of the aquarium
- Applications
- For all biological organisms in fresh and marine water aquariums
- Excellent results in combination with Daylightstar

PRODUCT OVERVIEW

Ordering number	0002741
Lamp shape	Tubular
Lamp finish	Coated
Dimmable	Yes
Cap/Base	G5
Type	AquaStar
EAN code	5410288027418
Colour temperature (K)	10000
Luminous flux (Rated) (lm)	1120
Watt (Nominal) (W)	24
Voltage (V)	75

Aquastar T5

FHO24W/Aquastar

0002741

DATA TABLE

General data

Ordering number	0002741
Average life (Nominal) (h)	20000
Lamp shape	Tubular
Lamp finish	Coated
Dimmable	Yes
Cap/Base	G5
Type	AquaStar
EAN code	5410288027418
Range features	Light colour: 10000 Kelvin (simulating the tropical light spectrum). Promotes the grow th of coral and aquatic plants through natural red and blue sections of the light spectrum. Excellent lighting performance. T5 - FHO: high output and lumen per w att in comparison to T8 versions. New T5 l8: 50% more light output in comparison to the same length in T8. Ideal for the new generation of aquaria w ith T5 lamps, but in the length of T8 lamps. The ideal fit of the lamps in the aquarium results in a perfect illumination of the aquarium. Applications. For all biological organisms in fresh and marine w ater aquariums. Excellent results in combination w ith Daylightstar
Product name	FHO24W/Aquastar
Lamp mercury content (mg)	10
Control gear required	Yes
Fixture rating	Open
IEC Reference	IEC 60081
IEC Reference 2	IEC 61195
Special purpose lamp	Yes
Transformer required	No
Sales pack quantity	25

Optical data

Colour temperature (K)	10000
Luminous flux (Rated) (lm)	1120
Luminous flux (Nominal) (lm)	950
Luminous flux (Nominal) at 35°C (lm)	1120

Electrical data

Watt (Rated) (W)	24
Watt (Nominal) (W)	24
Voltage (V)	75
Current (A)	0.3

Aquastar T5

FHO24W/Aquastar

0002741

Physical data


Weight (kg)	0.04
Length base to base (mm) - A	549
Length base to pin Min-Max - B	553.7-556.1
Lamp Length (mm) - C/L	563.2
Max. Lamp Diameter (mm) - D	16
Single packaging type	Box/Sleeve


Aquastar T5

FHO24W/Aquastar

0002741

PHOTOMETRY





TECHNICAL DRAWINGS

