

## Lytebeam 3-circuit Track system - Component - Couplers

*X Coupler\**

**2021311**



### Range features

- X coupler. Polarised couplers supplied pre-wired for ease of installation. Wires can be removed to create mechanical only connections. Once wires are removed couplers can be used to feed power on/off of track



### PRODUCT OVERVIEW

|                 |               |
|-----------------|---------------|
| Ordering number | 2021311       |
| EAN code        | 5025768213115 |

# Lytebeam 3-circuit Track system - Component - Couplers

*X Coupler\**

**2021311**

## DATA TABLE

### General data

|                      |                                                                                                                                                                                                                  |
|----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Ordering number      | 2021311                                                                                                                                                                                                          |
| EAN code             | 5025768213115                                                                                                                                                                                                    |
| E-number FI          | 4270159                                                                                                                                                                                                          |
| E-number SE          | 7437140                                                                                                                                                                                                          |
| Notes                | Wires can be removed to create mechanical only connections. Once wires are removed couplers can be used to feed power on/off of track                                                                            |
| Range features       | X coupler. Polarised couplers supplied pre-wired for ease of installation. Wires can be removed to create mechanical only connections. Once wires are removed couplers can be used to feed power on/off of track |
| Product name         | X Coupler*                                                                                                                                                                                                       |
| General application  | Museum & Gallery                                                                                                                                                                                                 |
| Specific application | Department store, Museum & Gallery, Shop window, Track lighting                                                                                                                                                  |
| Sales pack quantity  | 1                                                                                                                                                                                                                |

### Physical data

|                                            |                       |
|--------------------------------------------|-----------------------|
| Weight (kg)                                | 0.36                  |
| Lamp included                              | No                    |
| Single package dimensions (L x W x H) (cm) | 27.50 x 25.00 x 12.50 |
| Outer package dimensions (L x W x H) (cm)  | 27.50 x 25.00 x 12.50 |

## Lytebeam 3-circuit Track system - Component - Couplers

*X Coupler\**

**2021311**

### TECHNICAL DRAWINGS

---

