Daylightstar T8

F30W/Daylightstar Retail

0000717



Range features

- Reduces algae growth through a special UV-STOP protective sleeve
- Allows fish and plants to be seen in their true colours (high colour rendition)
- 5000K triphosphor lamp with a daylight character
- High colour rendition
- Long life
- Applications
- For use in fresh water aquariums
- In combination with Grolux® it produces a well balanced and optimal aquarium life

UV STOP

PRODUCT OVERVIEW

Ordering number	0000717
Lamp shape	Tubular
Lamp finish	Coated
Dimmable	Yes
Cap/Base	G13
Type	DaylightStar
EAN code	5410288007175
Colour temperature (K)	5000
Luminous flux (Rated) (lm)	2300
Watt (Nominal) (W)	30
Voltage (V)	96

Daylightstar T8

F30W/Daylightstar Retail

0000717

DATA TABLE

General data

Ordering number	0000717
Average life (Nominal) (h)	10000
Lamp shape	Tubular
Lamp finish	Coated
Dimmable	Yes
Cap/Base	G13
Type	DaylightStar
EAN code	5410288007175
E-number SE	8356662
Range features	Reduces algae grow th through a special UV-STOP protective sleeve. Allow s fish and plants to be seen in their true colours (high colour rendition). 5000K triphosphor lamp w ith a daylight character. High colour rendition. Long life. Applications. For use in fresh w ater aquariums. In combination w ith Grolux® it produces a w ell balanced and optimal aquarium life
Product name	F30W/Daylightstar Retail
Lamp mercury content (mg)	10
Control gear required	Yes
Fixture rating	Open
IEC Reference	IEC 60081
IEC Reference 2	IEC 61195
Special purpose lamp	Yes
Transformer required	No
Sales pack quantity	10

Optical data

Colour temperature (K)	5000
Luminous flux (Rated) (lm)	2300
Luminous flux (Nominal) (lm)	2300

Electrical data

Watt (Rated) (W)	30
Watt (Nominal) (W)	30
Voltage (V)	96
Current (A)	0.37

Daylightstar T8

F30W/Daylightstar Retail

0000717

Physical data


Weight (kg)	0.12
Length base to base (mm) - A	894.4
Length base to pin Min-Max - B	899.3-901.7
Lamp Length (mm) - C/L	908.8
Max. Lamp Diameter (mm) - D	26
Single packaging type	Box/Sleeve
Single package dimensions (L x W x H) (cm)	97.70 x 2.70 x 2.70
Outer package dimensions (L x W x H) (cm)	100.80 x 6.50 x 14.70

Daylightstar T8

F30W/Daylightstar Retail

0000717

PHOTOMETRY



CRI = 1B Tc = 5000K

TECHNICAL DRAWINGS

