

Giotto 305 - Surface mounted

Giotto 305 surface TC-F 24W HF

3030740



Range features

- Very low recess depth of 41mm
- Accessories available



PRODUCT OVERVIEW

Ordering number	3030740
EAN code	8711971307402
Certifications	
Mount	Ceiling surface, Wall surface
LOR (%)	58
Voltage (V)	230
Lamps	1 x TC-F 24W 2G10
Colour	White
IP rating	44
IK rating	10

Giotto 305 - Surface mounted

Giotto 305 surface TC-F 24W HF

3030740

DATA TABLE

General data

Ordering number	3030740
EAN code	8711971307402
E-number FI	4275005
Certifications	
Mount	Ceiling surface, Wall surface
Range features	Very low recess depth of 41mm. Accessories available
Product name	Giotto 305 surface TC-F 24W HF
Control gear availability	Included
Control gear mounting	Integral
Control gear type	Electronic
Environment	Interior/exterior
General application	Commercial, Hospitality, Institutional
National safety marks	CE
Specific application	Leisure, Offices, Public Buildings, Retail
Sales pack quantity	1

Optical data

LOR (%)	58
Distribution type	Symmetric

Electrical data

Voltage (V)	230
T Class max (°C)	-1
T Class min (°C)	-1
Electrical protection	Class I
Glow wire test	850°C
Lamps	1 x TC-F 24W 2G10
Number of heads	1

Physical data


Weight (kg)	2.25
Colour	White
Lamp included	No
IP rating	44
IK rating	10
Diameter (mm)	305
Diffuser finish	Opal
Emergency	Without
Single package dimensions (L x W x H) (cm)	33.00 x 33.00 x 11.00
Outer package dimensions (L x W x H) (cm)	33.00 x 33.00 x 11.00

Giotto 305 - Surface mounted

Giotto 305 surface TC-F 24W HF



3030740

PHOTOMETRY



TC-F

24w



TC-DD


28w

Giotto 305 - Surface mounted

Giotto 305 surface TC-F 24W HF

3030740

TECHNICAL DRAWINGS



ENERGY LABEL

