START eco Flex RGB and RGBW

START ECO FLEX IP67 RGB

0068126



Product features

- 5 metre IP67 LED reel with pre-attached 3M adhesive type; equipped with 600 LEDs; 24V; RGB

PRODUCT OVERVIEW

Product name	START ECO FLEX IP67 RGB
Technology	LED
Housing	PVC
Mount	Other
General application	Hospitality, Retail
ETIM Class	EC002706
E-number FI	4276912
Warranty	3 years
Fixture luminous flux (lm)	1500
CRI (Ra)	30
Beam Angle (°)	120
Photobiological Risk Group	RG1
Electrical protection	Class III
Dimmable	Yes
Housing colour	Transparent
IP rating	IP67
IK rating	IK00
Product EAN number	5410288681269

DATA TABLE

General data

Product name	START ECO FLEX IP67 RGB
Technology	LED
Housing	PVC
Mount	Other
General application	Hospitality, Retail
ETIM Class	EC002706
E-number FI	4276912
Warranty	3 years

Optical data

Fixture luminous flux (lm)	1500

© Feilo Sylvania | Date Printed: 30 Jan 2022

START eco Flex RGB and RGBW

START ECO FLEX IP67 RGB

0068126

CRI (Ra)	30
Beam Angle (°)	120
Photobiological Risk Group	RG1

Electrical data

Mains voltage (V)	24V
Electrical protection	Class III
Control gear required	Yes
Transformer required	No
Dimmable	Yes
Drive current (mA)	2500
Glow Wire Test (°C)	650
Nominal Frequency (Hz)	DC

Lifetime data

Lifespan L70 B50	30000
Lifespan L70 B10	30000
Lifespan L80 B10	30000
Lifespan L90 B10	30000

Physical data

Housing colour	Transparent
IP rating	IP67
IK rating	IK00
Diffuser finish	Transparent
Nominal Product Length (mm)	5000
Nominal Product Width (mm)	12
Nominal Product Height (mm)	4.8
Weight (kg)	0.5

Packaging

Single packaging type	Carton
Product EAN number	5410288681269
Packaging single length / height (cm)	29.5
Packaging single width (cm)	27.5
Packaging single depth (cm)	3.0
DUN14 (outer)	15410288681266
Units per outer package	10
Packaging outer length / height (cm)	30.0
Packaging outer width (cm)	34.0
Packaging outer depth (cm)	30.0


PHOTOMETRY


© Feilo Sylvania | Date Printed: 30 Jan 2022


START eco Flex RGB and RGBW


START ECO FLEX IP67 RGB


0068126




















© Feilo Sylvania | Date Printed: 30 Jan 2022

START eco Flex RGB and RGBW

START ECO FLEX IP67 RGB

0068126

TECHNICAL DRAWINGS



© Feilo Sylvania | Date Printed: 30 Jan 2022