

Lyteframe - Wire Suspensions

Single Wire Suspension Length easily adjusted

2035014



Range features

- Rod and Floating suspensions provide rigid fixing up to 1m straight down from ceiling. Required for uneven loads or areas exposed to air movement
- Adjustable 3m wire suspensions provide the flexibility to fix from any angle, ideal for sloping ceilings Longer lengths available as variants
- Clutch adjustment mechanism allows quick and easy installation and levelling. Excess wire can safely be removed
- Twin pivoting suspensions ideal for grids and corners
- Easy to wire mechanical and electrical rod and wire suspensions enable discrete mains supply
- Wall mounting brackets for wall to wall installations (Lytebeam only)



PRODUCT OVERVIEW

Ordering number	2035014
EAN code	5025768350148
Colour	Single Circuit Elec/Mech White

Lyteframe - Wire Suspensions

Single Wire Suspension Length easily adjusted

2035014

DATA TABLE

General data

Ordering number	2035014
EAN code	5025768350148
Range features	Rod and Floating suspensions provide rigid fixing up to 1m straight down from ceiling. Required for uneven loads or areas exposed to air movement. Adjustable 3m wire suspensions provide the flexibility to fix from any angle, ideal for sloping ceilings. Longer lengths available as variants. Clutch adjustment mechanism allows quick and easy installation and levelling. Excess wire can safely be removed. Twin pivoting suspensions ideal for grids and corners. Easy to wire mechanical and electrical rod and wire suspensions enable discrete mains supply. Wall mounting brackets for wall to wall installations (Lytebeam only)
Product name	Single Wire Suspension Length easily adjusted
General application	Museum & Gallery
Specific application	Department store, Museum & Gallery, Shop window, Track lighting
Sales pack quantity	1

Electrical data

Number of circuits	1
---------------------------	---

Physical data

Weight (kg)	0.46
Colour	Single Circuit Elec/Mech White
Lamp included	No
Single package dimensions (L x W x H) (cm)	17.50 x 15.00 x 17.50
Outer package dimensions (L x W x H) (cm)	17.50 x 15.00 x 17.50

Lyteframe - Wire Suspensions

Single Wire Suspension Length easily adjusted

2035014

TECHNICAL DRAWINGS

