



time-delay device fixed delay 24V DC accessory for: 3VA UL undervoltage release

Model		
product brand name	SETRON	
product designation	Accessories	
design of the product	Time-delay device	
accessories	Time-delay device	
General technical data		
OFF-delay time / minimum	100 ms	
Mechanical Design		
height	57.5 mm	
width	44.8 mm	
depth	72.3 mm	
net weight	117 g	
tightening torque / with screw-type terminals / minimum	0.8 N·m	
tightening torque / with screw-type terminals / maximum	1.2 N·m	
Connections according IEC		
stripped length	10 mm	
AWG number / as coded connectable conductor cross section / for auxiliary contacts		
• minimum	20	
• maximum	16	
Connetctions according UL		
stripped length [in]	0.4 in	
tightening torque [lbf·in] / with screw-type terminals / minimum	7.1 lbf·in	
tightening torque [lbf·in] / with screw-type terminals / maximum	10.6 lbf·in	
Certificates		
General Product Approval	EMC	Declaration of Con- formity



[Miscellaneous](#)



Declaration of Con- formity	Test Certificates	Marine / Shipping	other
--------------------------------	-------------------	-------------------	-------



[Type Test Certi-
ficates/Test Report](#)



[Confirmation](#)

[Miscellaneous](#)

[Miscellaneous](#)

Environment

[Environmental Confirmations](#)

Further information

Siemens has decided to exit the Russian market (see here).

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9978-0BF23>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3VA9978-0BF23>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9978-0BF23


CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>





last modified:

12/20/2020 

