

ALPHA CU distribution busbars, 630A insert nuts, 3-pole for NH00 in-line switch disconnecter W=500 mm 30 mm x 10 mm (3 bars)



Model	
product brand name	ALPHA
product designation	CU busbar
design of the product	With press nuts
busbar design	For NH00 switch disconnectors
General technical data	
surface processing tin-plated	No
Main circuit	
operational current rated value	630 A
Product details	
product feature flexible	No
Mechanical Design	
width	30 mm
length	460 mm
thickness of busbar	10 mm
material of the busbar	Cu
Approvals Certificates	
General Product Approval	
Test Certificates	
other	



[Confirmation](#)



[Special Test Certificate](#)

[Miscellaneous](#)

other	Environment
Confirmation	Environmental Confirmations

Further information

Siemens has decided to exit the Russian market (see here).
<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8GK9735-1KK20>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8GK9735-1KK20>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8GK9735-1KK20

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



last modified:

7/6/2021 

