


Terminal, iPo plug-in terminal, installation terminal, N conductor isolating terminal, 2.5 mm², blue



Model			
product brand name		SETRON	
General technical data			
insulation material		thermoplastic	
terminal contact spacing		5.2 mm	
Product details			
product component		No	
• test separator			
Connections			
connectable conductor cross-section solid		0.14 mm ² 4 mm ²	
• minimum			
• maximum			
connectable conductor cross-section stranded		1.5 mm ² 0.14 mm ²	
• minimum			
• maximum			
connectable conductor cross-section finely stranded		0.14 mm ² 2.5 mm ² 0.14 mm ² 4 mm ²	
• with core end processing minimum			
• with core end processing maximum			
• without core end processing minimum			
• without core end processing maximum			
Mechanical Design			
length		59.5 mm	
fastening method		others	
Approvals Certificates			
General Product Approval		other	Environment



[Confirmation](#)




[Miscellaneous](#)

[Confirmation](#)

[Environmental Confirmations](#)

Further information

Information on the packaging
<https://support.industry.siemens.com/cs/ww/en/view/109813875>
Information- and Downloadcenter (Catalogs, Brochures,...)
<http://www.siemens.com/lowvoltage/catalogs>
Industry Mall (Online ordering system)
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8WH6001-0BF01>
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
<https://support.industry.siemens.com/cs/ww/en/ps/8WH6001-0BF01>
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8WH6001-0BF01



last modified:

7/19/2023 

