SIEMENS

Data sheet 3KL7132-4AA00

SECTION FUS-NH 4x 250 A SANS COMM

Model	
product designation	switch disconnector with fuses
design of the product	for NH 1
fuse system	NH 1
Supply voltage	
operating voltage at DC rated value	220 V
Protection class	
protection class IP	IP00
Main circuit	
operational current rated value	250 A
suitability for use	
● safety switch	Yes
Connections	
type of electrical connection for main current circuit	BUSBAR CONNECTION
Mechanical Design	
height	196 m
width	235 m
depth	113 m
fastening method	Surface mounting and installation
net weight	5.3 kg
Environmental conditions	
ambient temperature during operation	
● minimum	-20 °C
● maximum	45 °C
ambient temperature during storage minimum	-25 °C

General Product Approval | **Declaration of Conformity**

Confirmation | Miscellaneous

Test Certificates | **other** | **Environment**

Special Test Certific-ate | Miscellaneous | Confirmation | Environmental Con-firmations

Further information

Siemens has decided to exit the Russian market (see here).
https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business
Siemens is working on the renewal of the current EAC certificates.
Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).
Information on the packaging
https://support.industry.siemens.com/cs/ww/en/view/109813875
Information- and Downloadcenter (Catalogs, Brochures,…)
http://www.siemens.com/lowvoltage/catalogs
Industry Mall (Online ordering system)
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3KL7132-4AA00
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
https://support.industry.siemens.com/cs/ww/en/ps/3KL7132-4AA00
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

Subject to change without notice
© Copyright Siemens

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3KL7132-4AA00

CAx-Online-Generator
http://www.siemens.com/cax

Tender specifications
http://www.siemens.com/specifications

---

last modified: 9/14/2021

Subject to change without notice
© Copyright Siemens

Subject to change without notice
© Copyright Siemens