SIEMENS

Data sheet 5ST3774-0

compact Pin Busbar, 10mm2 connection: 1p/N compact device 1 MW touch protected 1000mm cuttable



Model	
product brand name	SENTRON
product designation	Pin busbar
design of the product	10 mm², 1p+N, 60MW, 12x compact, can be cut
General technical data	
phase number	1
cross-section	10 mm²
operating voltage rated value maximum	230 V
Main circuit	
operational current rated value	63 A
Suitability	
suitability for interaction	
• devices with auxiliary switch	No
• devices with N conductor	Yes
Product details	
product feature insulated	Yes
Number	
number of devices suitable for fitting	60
Connections	
type of electrical connection	Pin
Mechanical Design	
module width	18 mm
height	13 mm
width	40.8 mm
length	1 060 mm
net weight	612 g
Approvals Certificates	


General Product Approval				other
UKCA	CE EG-Konf.	Confirmation	Miscellaneous	EAC Miscellaneous

other	Environment	
Confirmation	Environmental Confirmations	Environmental Confirmations

Subject to change without notice
© Copyright Siemens


Further information

Information on the packaging
https://support.industry.siemens.com/cs/ww/en/view/109813875
Information- and Downloadcenter (Catalogs, Brochures,…)
http://www.siemens.com/lowvoltage/catalogs
Industry Mall (Online ordering system)
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5ST3774-0
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
https://support.industry.siemens.com/cs/ww/en/ps/5ST3774-0
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5ST3774-0
CAx-Online-Generator
http://www.siemens.com/cax
Tender specifications
http://www.siemens.com/specifications



5ST3774-0

Subject to change without notice
© Copyright Siemens



last modified: 7/9/2021

Subject to change without notice
© Copyright Siemens

Subject to change without notice
© Copyright Siemens