

rear connection stud flat horizontal connection 3 units accessory for: 3VA25



Model			
product brand name		SENTRON	
accessories		rear connection stud flat, horizontal	
Connections according IEC			
thickness / of the busbar / maximum		take into account necessary air gap	
width / of the busbar / maximum		90 mm	
Connetctions according UL			
width / of the busbar / maximum		3.5 in	
thickness / of the busbar / minimum		0.2 in	
thickness / of the busbar / maximum		0.5 in	
Certificates			
General Product Approval		Marine / Shipping	other



[Miscellaneous](#)



[Miscellaneous](#)

other	Environment
Confirmation	Environmental Confirmations

Further information

Siemens has decided to exit the Russian market (see here).

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9603-0QE60>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3VA9603-0QE60>


Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9603-0QE60

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications



last modified:

1/13/2023 

