
MIDDELGROTE ABS KLEMMENKAST, SABP



Deze reeks kleine ABS-klemmenkasten, SABP, met beschermingsgraad IP 66/67, is uit voorraad leverbaar in veel verschillende maten. De SABP-reeks is zeer geschikt voor veeleisende omgevingen omdat water en stof de klemmenkast niet kunnen binnendringen, waardoor het risico op schade aan componenten en daarmee onnodige uitvaltijd wordt geëlimineerd.

KENMERKEN

Omschrijving: ABS klemmenkast, halogeenvrij, geschikt voor binnenopstelling. Minder goed bestand tegen UV stralen.
Materiaal: Body: ABS. Standaard deksel: ABS. Transparante kap: Polycarbonaat.
Pakking: Polyurethaan-pakking (PUR), geïntegreerd in de deksel.
Temperatuurbestendigheid: -40 °C to +60 °C.
Ontvlambaarheid: UL94 HB.
Beschermingsklasse: IP 66/67 | IK 06 (-25 °C), IK 07 (+35 °C).
Afwerking: RAL 7035.
Levering: Kastbody, deksel, polyamide dekselschroeven en montageschroeven.
Customers can choose terminal boxes that meet their size requirements, off the shelf
The installed components inside the terminal box will be safe and secure due to the high protection degree
Customers can receive terminal boxes with a short delivery time, that match their size requirements
This will also remove any extra costs due to oversizing
Component failure and unnecessary downtime is avoided as water and dust are prevented from entering the terminal box
The mounting plate, SMP, and DIN profiles, DR, have to be ordered separately, in order to complete the installation of the terminal box
Note: Terminal box, with polycarbonate transparent cover fitted, can be ordered by replacing GE with TE in the item number
erminal box manufactured from polycarbonate can be ordered by replacing SABP with SPCP in the item number

SPECIFICATIES


Table 1/1

Catalogusnummer	Height (H)	Width (W)	Depth (D)	Materiaal	Finish	Kleur
SABP081308GE	75 mm	125 mm	75 mm	ABS	Smooth	Lichtgrijs
SABP081310GE	75 mm	125 mm	100 mm	ABS	Smooth	Lichtgrijs
SABP081313GE	75 mm	125 mm	125 mm	ABS	Smooth	Lichtgrijs
SABP131308GE	125 mm	125 mm	75 mm	ABS	Smooth	Lichtgrijs
SABP131310GE	125 mm	125 mm	100 mm	ABS	Smooth	Lichtgrijs
SABP131313GE	125 mm	125 mm	125 mm	ABS	Smooth	Lichtgrijs
SABP131808GE	125 mm	175 mm	75 mm	ABS	Smooth	Lichtgrijs
SABP131808TE	125 mm	175 mm	75 mm	ABS	Smooth	Lichtgrijs
SABP131810GE	125 mm	175 mm	100 mm	ABS	Smooth	Lichtgrijs
SABP131810TE	125 mm	175 mm	100 mm	ABS	Smooth	Lichtgrijs
SABP131813GE	125 mm	175 mm	125 mm	ABS	Smooth	Lichtgrijs
SABP131813TE	125 mm	175 mm	125 mm	ABS	Smooth	Lichtgrijs
SABP131815GE	125 mm	175 mm	150 mm	ABS	Smooth	Lichtgrijs
SABP131815TE	125 mm	175 mm	150 mm	ABS	Smooth	Lichtgrijs
SABP181808GE	175 mm	175 mm	75 mm	ABS	Smooth	Lichtgrijs
SABP181810GE	175 mm	175 mm	100 mm	ABS	Smooth	Lichtgrijs
SABP181813GE	175 mm	175 mm	125 mm	ABS	Smooth	Lichtgrijs
SABP182508GE	175 mm	250 mm	75 mm	ABS	Smooth	Lichtgrijs
SABP182508TE	175 mm	250 mm	75 mm	ABS	Smooth	Lichtgrijs
SABP181815GE	175 mm	175 mm	150 mm	ABS	Smooth	Lichtgrijs
SABP181815TE	175 mm	175 mm	150 mm	ABS	Smooth	Lichtgrijs
SABP182510GE	175 mm	250 mm	100 mm	ABS	Smooth	Lichtgrijs
SABP182510TE	175 mm	250 mm	100 mm	ABS	Smooth	Lichtgrijs
SABP182515GE	175 mm	250 mm	150 mm	ABS	Smooth	Lichtgrijs
SABP182515TE	175 mm	250 mm	150 mm	ABS	Smooth	Lichtgrijs

ADDITIONAL PRODUCT DETAILS

Opmerking: Klemmenkast met polycarbonaat deksel kan worden besteld door in het artikelnummer GE te vervangen door TE.
Klemmenkast vervaardigd van polycarbonaat kan worden besteld door in het artikelnummer SABP te vervangen door SPCP.

DIAGRAMS



WARNING

nVent products shall be installed and used only as indicated in nVent's product instruction sheets and training materials. Instruction sheets are available at www.nvent.com and from your nVent customer service representative. Improper installation, misuse, misapplication or other failure to completely follow nVent's instructions and warnings may cause product malfunction, property damage, serious bodily injury and death and/or void your warranty.

© 2024 nVent. All nVent marks and logos are owned or licensed by nVent Services GmbH or its affiliates. All other trademarks are the property of their respective owners.

nVent reserves the right to change specifications without notice.