

KÖNIG



SNOW CHAINS CATALOGUE 2017-2018

valid from June, 1st 2017



INDEX

CONSUMER SNOWCHAINS 3

Passenger Cars	4
SUVs	13
Van, Motorhomes	15
SUVs, Van, Motorhomes	16

PROFESSIONAL SNOW CHAINS 19

Offroad	20
Bus	23
Bus, Truck	24
Truck	25
Snow Remover	30
Snow Remover, Tractor	31
Tractor	34
Special Vehicle	36

CONSUMER FITTING GUIDE 40

Reference list for Consumer chains	41
Fitting guide by tyre size	45

PROFESSIONAL FITTING GUIDE 54

Reference list for Professional chains	54
Fitting guide by tyre size	64

CONSUMER SNOW CHAINS



KÖNIG



König Easy-fit CU-9



The revolutionary snow chain: only 12 seconds to fit it offering an excellent driving comfort



TECHNICAL FEATURES



- 9 mm inside and on-the-tread clearance.
- 1** Symmetrical diamond pattern chain.
- 2** The internal rigid arch system makes fitting the chain very intuitive.
- 3** Automatic tensioning system activated by foot.
- 4** External quick release system activated by red buttons on the aluminium bar.
- Alloy wheels protection system with patented solutions.
- Practical and durable bag, with built-in instructions, can be used as a rug during fitting.
- Homologations/certifications/conformity: Ö-Norm 5117, UNI 11313, TÜV.
- Not for off-road use.

ITEM NUMBER	PAIRS / PACK
2004115 050	1
2004115 055	1
2004115 060	1
2004115 065	1
2004115 070	1
2004115 075	1
2004115 080	1
2004115 090	1
2004115 095	1
2004115 097	1
2004115 100	1
2004115 102	1
2004115 103	1
2004115 104	1

König Easy-fit CU-10



The revolutionary snow chain: only 12 seconds to fit it offering high performances on snow and ice



TECHNICAL FEATURES

- 10 mm inside and on-the-tread clearance.
- 1** Asymmetrical diamond pattern chain with icebreaker reinforcements.
- 2** The internal rigid arch system makes fitting the chain very intuitive.
- 3** Automatic tensioning system activated by foot.
- 4** External quick release system activated by red buttons on the aluminium bar.
- Alloy wheels protection system with patented solutions.
- Practical and durable bag, with built-in instructions, can be used as a rug during fitting.
- Homologations/certifications/conformity: Ö-Norm 5117, UNI 11313, TÜV.
- Not for off-road use.

ITEM NUMBER	PAIRS / PACK
2004135 050	1
2004135 055	1
2004135 060	1
2004135 065	1
2004135 070	1
2004135 075	1
2004135 080	1
2004135 090	1
2004135 095	1
2004135 097	1
2004135 100	1
2004135 102	1
2004135 103	1
2004135 104	1
2004135 105	1

KÖNIG

König K-Summit



The most innovative external snow chain for cars, also compatible with vehicles with limited space behind the wheel



TECHNICAL FEATURES

- 0 mm inside the wheel.
- Fitted on the original nut/bolt of the wheel (not the anti-theft one).
- 1 Innovative ratchet system.
- 2 Regulation elements decrease dynamic elevation and enable perfect fitting on several tyre sizes.
- 3 Tread chain with alternation of special injection-moulded plastic plates with hard metal studs and special steel chain.
- Welded bars provide better grip and performance on ice and snow.
- 4 Foldable arms for easy storage in a smart bag.
- No contact with alloy rims.
- 100% compatible with original rims.
- Adapters included for bolt/nut 17,19,21 and 22 mm.
- Homologations/certifications/conformity: Ö-Norm 5117, UNI 11313, TÜV.
- Not for off-road use.


ITEM NUMBER	PAIRS / PACK
2004505 K11	1
2004505 K12	1
2004505 K22	1
2004505 K23	1
2004505 K33	1
2004505 K34	1
2004505 K44	1
2004505 K45	1

KÖNIG

König K-Slim



The snow chain with reduced dynamic elevation while driving also compatible with cars with limited space in the wheel arch



TECHNICAL FEATURES

- 1 The patented design reduces the dynamic elevation and avoids interference between the chain and the wheel arch.
- Manual tensioning system.
- 2 Patented micro-regulation system for perfect tensioning of the chain.
- 3 Closed shortening hooks.
- 4 Patented alloy wheels protection system.
- Approved by car manufacturers as a solution for vehicles with limited space in the wheel arch, like Alfa Romeo Giulia, Citroën C4 Picasso, C3 Picasso, Jeep Renegade, Fiat 500X, Fiat Panda Cross, Peugeot 1007, Peugeot 207, Renault Laguna III.
- Homologations/certifications/conformity: Ö-Norm 5117, UNI 11313, TÜV.

ITEM NUMBER	PAIRS / PACK
2004025 060	3
2004025 065	3
2004025 070	3
2004025 075	3
2004025 080	3
2004025 085	3
2004025 090	3
2004025 095	3
2004025 097	3
2004025 100	3
2004025 102	3
2004025 103	3
2004025 104	3

König CB-7



The manual tensioning snow chain with reduced inner thickness, developed for vehicles with slight limitations to the use of snow chains



TECHNICAL FEATURES

- 7 mm internal cable.
- Manual tensioning system.
- 1 Closed shortening hooks.
- 2 Patented alloy wheels protection system.
- Homologations/certifications/conformity: Ö-Norm 5117, TÜV.


ITEM NUMBER	PAIRS / PACK
2004015 060	3
2004015 065	3
2004015 070	3
2004015 075	3
2004015 080	3
2004015 090	3
2004015 095	3
2004015 097	3
2004015 100	3
2004015 102	3
2004015 103	3
2004015 104	3

KÖNIG

König CS-9



The only self-tensioning snow chain with patented external quick release system



TECHNICAL FEATURES


- 9 mm inside and on-the-tread clearance.
- 1** Self-tensioning system.
- 2** External quick release system: remove the snow chain by pulling on the special device.
- 3** Patented micro-regulation system for perfect tensioning of the chain.
- 4** Patented alloy wheels protection system.
- Homologations/certifications/conformity: Ö-Norm 5117, UNI 11313, TÜV.
- Not for off-road use.

ITEM NUMBER	PAIRS / PACK
2004105 050	1
2004105 060	1
2004105 065	1
2004105 070	1
2004105 080	1
2004105 090	1
2004105 095	1
2004105 097	1
2004105 100	1
2004105 102	1
2004105 103	1
2004105 104	1

König CL-10



The self-tensioning snow chain with high level of performances on ice and snow



TECHNICAL FEATURES

- 10 mm inside and on-the-tread clearance.
- 1** Asymmetrical diamond pattern chain with icebreaker reinforcements.
- 2** Self-tensioning system.
- 3** Patented micro-regulation system for perfect tensioning of the chain.
- 4** Patented alloy wheels protection system.
- Homologations/certifications/conformity: Ö-Norm 5117, UNI 11313, TÜV.


ITEM NUMBER	PAIRS / PACK
2004255 020	3
2004255 030	3
2004255 035	3
2004255 040	3
2004255 045	3
2004255 050	3
2004255 060	3
2004255 065	3
2004255 070	3
2004255 080	3
2004255 090	3
2004255 095	3
2004255 097	3
2004255 100	3
2004255 102	3
2004255 103	3
2004255 104	3
2004255 105	3

KÖNIG

König CG-9



The self-tensioning snow chain offering an excellent driving comfort



TECHNICAL FEATURES

- 9 mm inside and on-the-tread clearance.
- 1** Symmetrical diamond pattern chain.
- 2** Self-tensioning system.
- 3** Patented micro-regulation system for perfect tensioning of the chain.
- 4** Patented alloy wheels protection system.
- Homologations/certifications/conformity: Ö-Norm 5117, UNI 11313, TÜV.

ITEM NUMBER	PAIRS / PACK
2004205 020	3
2004205 030	3
2004205 035	3
2004205 040	3
2004205 045	3
2004205 050	3
2004205 055	3
2004205 060	3
2004205 065	3
2004205 070	3
2004205 075	3
2004205 080	3
2004205 090	3
2004205 095	3
2004205 097	3
2004205 100	3
2004205 102	3
2004205 103	3
2004205 104	3
2004205 105	3
2004205 106	3
2004205 107	3
2004205 117	3

König CD-9



The manual tensioning snow chain with premium features



TECHNICAL FEATURES

- 9 mm inside and on-the-tread clearance.
- 1** Symmetrical diamond pattern chain.
- Manual tensioning system.
- 2** Patented micro-regulation system for perfect tensioning of the chain.
- 3** Closed shortening hooks.
- 4** Patented alloy wheels protection system.
- Homologations/certifications/conformity: Ö-Norm 5117, UNI 11313, TÜV.

ITEM NUMBER	PAIRS / PACK
2004305 010	3
2004305 015	3
2004305 020	3
2004305 030	3
2004305 035	3
2004305 040	3
2004305 045	3
2004305 050	3
2004305 055	3
2004305 060	3
2004305 065	3
2004305 070	3
2004305 075	3
2004305 080	3
2004305 090	3
2004305 095	3
2004305 097	3
2004305 100	3
2004305 102	3
2004305 103	3
2004305 104	3

KÖNIG

König CB-12



The 12mm manual tensioning snow chain:
simple and sturdy



TECHNICAL FEATURES



- 12 mm inside and on-the-tread clearance.
- Manual tensioning system.
- 1** Locking device with wheel protections.
- 2** Closed shortening hooks.
- Homologations/certifications/conformity: Ö-Norm 5117, UNI 11313, TÜV.

ITEM NUMBER	PAIRS / PACK
2004365 020	3
2004365 030	3
2004365 040	3
2004365 050	3
2004365 060	3
2004365 065	3
2004365 070	3
2004365 080	3
2004365 090	3
2004365 095	3
2004365 097	3
2004365 100	3
2004365 102	3
2004365 104	3

König Easy-fit SUV



The revolutionary snow chain for SUVs: only 12 seconds to fit it and, thanks to the reduced internal thickness, can be fitted on the most SUVs and modern crossovers



TECHNICAL FEATURES

- 10 mm inside and on-the-tread clearance.
- 1** Asymmetrical diamond pattern chain with icebreaker reinforcements.
- 2** The internal rigid arch system makes fitting the chain very intuitive.
- 3** Automatic tensioning system activated by foot.
- Automatic tensioning system specially developed for SUVs.
- 4** External quick release system activated by red buttons on the aluminium bar.
- Alloy wheels protection system with patented solutions.
- Practical and durable bag, with built-in instructions, can be used as a rug during fitting.
- Homologations/certifications/conformity: Ö-Norm 5117, UNI 11313, TÜV.
- Not for off-road use.

ITEM NUMBER	PAIRS / PACK
2004735 225	1
2004735 230	1
2004735 235	1
2004735 240	1
2004735 245	1
2004735 247	1
2004735 250	1
2004735 255	1
2004735 265	1
2004735 267	1

KÖNIG

König K-Summit XL

The external snow chain for small SUVs and crossovers max 2,000 kg of empty weight



1



2



3

ITEM NUMBER	PAIRS / PACK
2004535 K55	1
2004535 K56	1

König K-Summit XXL

The external snow chain for big SUVs over 2,000 kg of empty weight



1



2



3

ITEM NUMBER	PAIRS / PACK
2004565 K66	1
2004565 K67	1
2004565 K77	1

TECHNICAL FEATURES

- 0 mm inside the wheel.
- Fitted on the original nut/bolt of the wheel (not the anti-theft one).
- 1 Innovative ratchet system.
- 2 Regulation elements decrease dynamic elevation and enable perfect fitting on several tyre sizes.
- 3 Tread chain with alternation of special injection-moulded plastic plates with hard metal studs and special steel chain.
- Welded bars provide better grip and performance on ice and snow.
- Foldable arms for easy storage in a smart bag.
- No contact with alloy rims.
- 100% compatible with original rims.
- Homologations/certifications/conformity: Ö-Norm 5117, UNI 11313, TÜV.
- Not for off-road use.

König K-Summit VAN

NEW

The external snow chain for VAN and motorhomes max 3,500 kg of gross vehicle weight



TECHNICAL FEATURES

- 0 mm inside the wheel.
- Fitted on the original nut/bolt of the wheel (not the anti-theft one).
- 1** Innovative ratchet system.
- 2** Regulation elements decrease dynamic elevation and enable perfect fitting on several tyre sizes.
- 3** The new design of the plastic plates guarantees high resistance, flexibility and higher grip.
- Welded bars provide better grip and performance on ice and snow.
- 4** Foldable arms for easy storage in a smart bag.
- No contact with alloy rims.
- 100% compatible with original rims.
- Homologations/certifications/conformity: Ö-Norm 5117, UNI 11313, TÜV.
- Not for off-road use.
- Adjustment kit for IVECO Daily (2014-) on demand (art. no. 2000576784).

ITEM NUMBER	PAIRS / PACK
2004576 K81	1
2004576 K84	1
2004576 K87	1
2004576 K89	1

KÖNIG

König XG-12 Pro



The best self-tensioning snow chain for SUVs, VAN and motorhomes



TECHNICAL FEATURES

- 12 mm inside and on-the-tread clearance.
- 1 Special pattern chain design with welded double traction plates.
- 2 Self-tensioning system.
- 3 Patented micro-regulation system for perfect tensioning of the chain.
- 4 Patented alloy wheels protection system.
- Homologations/certifications/conformity: Ö-Norm 5117, Ö-Norm 5119, UNI 11313, TÜV.

ITEM NUMBER	PAIRS / PACK
2004705 210	1
2004705 220	1
2004705 225	1
2004705 227	1
2004705 230	1
2004705 235	1
2004705 240	1
2004705 245	1
2004705 247	1
2004705 250	1
2004705 255	1
2004705 265	1
2004705 267	1

König XD-16



The classic manual tensioning chain with premium features, ideal for 4-wheel drive vehicles and VAN



TECHNICAL FEATURES

- 16 mm inside and on-the-tread clearance.
- Manual tensioning system.
- 1** Patented micro-regulation system for perfect tensioning of the chain.
- 2** Closed shortening hooks.
- 3** Patented alloy wheels protection system.
- 4** Double side springs.
- Homologations/certifications/conformity: Ö-Norm 5117, Ö-Norm 5119, UNI 11313, TÜV.

ITEM NUMBER	PAIRS / PACK
2004805 190	1
2004805 200	1
2004805 210	1
2004805 220	1
2004805 225	1
2004805 227	1
2004805 230	1
2004805 235	1
2004805 240	1
2004805 245	1
2004805 247	1
2004805 250	1
2004805 255	1
2004805 265	1
2004805 266	1
2004805 267	1

König XB-16



The 16mm manual tensioning snow chain: simple and sturdy



TECHNICAL FEATURES

- 16 mm inside and on-the-tread clearance.
- Manual tensioning system.
- 1** Locking device with wheel protections.
- 2** Closed shortening hooks.
- Homologations/certifications/conformity: Ö-Norm 5117, Ö-Norm 5119, UNI 11313, TÜV.

ITEM NUMBER	PAIRS / PACK
2004825 210	1
2004825 220	1
2004825 225	1
2004825 227	1
2004825 230	1
2004825 235	1
2004825 240	1
2004825 245	1
2004825 247	1
2004825 250	1
2004825 255	1
2004825 265	1
2004825 267	1

PROFESSIONAL SNOW CHAINS

KÖNIG



König Polar HD



The reinforced version snow chain for offroad vehicles for heavy usage



TECHNICAL FEATURES

- 1** Single diamond pattern chain.
 - 2** Cross chain with reinforcements on horizontal links providing good traction property and +50% of steel volume.
 - 3** Traditional fitting system with internal side chain makes the chain reliable even in the most extreme conditions.
- 5.70 mm links with reinforcements: make the chain reliable even on deep-tread tyres (i.e. mud terrain).
 - Tensioning by lateral chain and tightening lever.
 - Homologations/Certifications/Conformity: Ö-Norm 5117, Ö-Norm 5119 e TÜV.
 - All offroad König chains can be used on muddy ground too.

ITEM NUMBER	WIRE [mm]
2001613 200	5.70
2001613 205	5.70
2001613 210	5.70
2001613 220	5.70
2001613 225	5.70
2001613 227	5.70
2001613 230	5.70
2001613 235	5.70
2001613 240	5.70
2001613 245	5.70
2001613 246	5.70
2001613 247	5.70
2001613 250	5.70
2001613 255	5.70
2001613 265	5.70
2001613 266	5.70
2001613 267	5.70

König Polar



The snow chain with reinforcements for offroad vehicles and VAN recommended on snow, ice and tough road conditions



TECHNICAL FEATURES

- 1** Single diamond pattern chain.
- 2** Cross chain with reinforcements on horizontal links providing good traction property and +50% of steel volume.
- 3** Traditional fitting system with internal side chain makes the chain reliable even in the most extreme conditions.
- Tensioning by lateral chain and tightening lever.
- Homologations/Certifications/Conformity: Ö-Norm 5117, Ö-Norm 5119 e TÜV.
- All offroad König chains can be used on muddy ground too.

ITEM NUMBER	WIRE [mm]
2001610 200	4.35
2001610 205	4.35
2001610 210	4.35
2001610 220	4.35
2001610 225	4.35
2001610 227	4.35
2001610 230	4.35
2001610 235	4.35
2001610 240	4.35
2001610 245	4.35
2001610 246	4.35
2001610 247	4.35
2001610 250	4.35
2001610 255	4.35
2001610 265	4.35
2001610 267	4.35

König Rallye



The snow chain for offroad vehicles and VAN for standard uses



ITEM NUMBER	WIRE [mm]
2001665 200	4.35
2001665 210	4.35
2001665 220	4.35
2001665 225	4.35
2001665 230	4.35
2001665 235	4.35
2001665 240	4.35
2001665 245	4.35
2001665 247	4.35
2001665 250	4.35
2001665 255	4.35
2001665 265	4.35
2001665 267	4.35

König Rallye D

NEW

The classical twin-tyre snow chain for small, medium and heavy trucks



TECHNICAL FEATURES

- 1** Single diamond pattern chain.
 - 2** Simple link cross chain makes the chain easy to handle.
 - 3** Traditional fitting system with internal side chain makes the chain reliable even in the most extreme conditions.
- Tensioning by lateral chain and tightening lever.
 - Homologations/Certifications/Conformity: Ö-Norm 5117, Ö-Norm 5119 e TÜV.
 - All offroad König chains can be used on muddy ground too.

ITEM NUMBER	WIRE [mm]
2050VV 2109	5.50
2050VV 2202	5.50
2050VV 2204	5.50
2050VV 2206	5.50
2050VV 2207	5.50
20500V 2270	5.50
20500V 5021	5.50
20400V 5041	4.50
205003 7005	5.50

König Coach Master



The rigid arch snow chain for buses



TECHNICAL FEATURES


- The high number of diamonds enables continuous grip.
- 1** Simple link cross-chain with round-shaped cross-section of 6.00 mm offers the best balance between performance and driving comfort.
- 2** The rigid arch fitting system allows the fitting on buses with limited wheelhouse clearance and twin wheels without lifting the vehicle.
- Chain made in K-Premium Steel, guaranteeing optimal performance and durability.
- 3** The closing device of the rigid arch is easily activated from the external side of the wheel avoiding manual operations in the wheelhouse.
- 4** The locking device makes the chain safe and reliable, preventing any accidental unlocking while driving.
- Short pitch tightening chain for a perfect fitting on the tyre.
- Elastic end with a spring and a simplex for an easier retensioning.
- Homologations/Certifications/Conformity: Ö-Norm 5119 e TÜV.

ITEM NUMBER	WIRE [mm]
2001780 901	6.00
2001780 902	6.00
2001780 903	6.00
2001780 904	6.00
2001780 905	6.00
2001780 906	6.00
2001780 907	6.00
2001780 908	6.00
2001780 909	6.00
2001780 910	6.00
2001780 911	6.00
2001780 912	6.00
2001780 913	6.00
2001780 914	6.00
2001780 915	6.00

König T2 PRO



The flexible cable snow chain for trucks and buses



TECHNICAL FEATURES

- Single diamond pattern chain.
- 1** Simple link cross chain makes the chain easy to handle.
- 2** Internal flexible cable for quick, one-stop fitting.
- Chain made in K-Premium Steel, guaranteeing optimal performance and durability.
- 3** Double locking system for perfect fitting.
- 4** Side external chain painted and equipped with steel spring to keep the chain tight close to the tyre.
- Hardened, galvanized steel with D-shaped cross-sections of 5.70 mm and 6.40 mm, and D-plus cross-section of 7.75 mm.
- Tightening chain with elastic end for good tensioning.
- Homologations/Certifications/Conformity: Ö-Norm 5119 e TÜV.

ITEM NUMBER	WIRE [mm]
2001737 260	5.70
2001737 270	5.70
2001737 274	5.70
2001737 275	5.70
2001737 279	5.70
2001737 280	6.40
2001737 290	6.40
2001737 295	7.75
2001737 300	7.75
2001737 305	7.75
2001737 310	7.75
2001737 316	7.75
2001737 320	7.75
2001737 330	7.75
2001737 350	6.40
2001737 370	7.75
2001737 371	7.75

König Polar PRO



The snow chain for trucks with reinforcements



TECHNICAL FEATURES

- 1** Single diamond pattern chain.
 - 2** Cross chain with reinforcements on horizontal links providing good traction property and +50% of steel volume.
 - 3** Traditional fitting system with internal side chain makes the chain reliable even in the most extreme conditions.
- Chain made in K-Premium Steel, guaranteeing optimal performance and durability.
 - Hardened, galvanized steel with D-shaped cross-sections of 5.70 mm and 6.40 mm, and D-plus cross-section of 7.75 mm.
 - Tensioning by lateral chain and tightening lever.
 - Homologations/Certifications/Conformity: Ö-Norm 5119 e TÜV.

ITEM NUMBER	WIRE [mm]
2001807 248	5.70
2001807 249	5.70
2001807 258	5.70
2001807 260	5.70
2001807 261	5.70
2001807 261B	5.70
2001807 262	5.70
2001807 263	5.70
2001807 264	5.70
2001807 268	5.70
2001807 270	5.70
2001807 271	5.70
2001807 274	5.70
2001807 275	5.70
2001807 277	5.70
2001807 280	6.40
2001807 290	6.40
2001807 295	7.75
2001807 296	6.40
2001807 300	7.75
2001807 305	7.75
2001807 310	7.75
2001807 316	7.75
2001807 320	7.75
2001807 330	7.75
2001807 350	6.40
2001807 352	6.40
2001807 358	7.75
2001807 359	7.75
2001807 360	7.75
2001807 364	7.75
2001807 370	7.75
2001807 371	7.75
2001807 380	7.75
2001807 390	7.75
2001807 398	7.75
2001807 520	7.75
2001807 525	7.75
2001807 530	7.75
2001807 770	7.75
2001807 772	7.75
2001807 775	7.75
2001807 780	7.75
2001807 790	7.75
2001807 795	7.75
2001807 810	7.75
2001807 820	7.75
2001807 920	7.75
2001807 930	7.75
2001807 940	7.75

König Rallye PRO



The snow chain for trucks for medium-to-heavy uses



TECHNICAL FEATURES

- 1** Single diamond pattern chain.
- 2** Simple link cross chain makes the chain easy to handle.
- 3** Traditional fitting system with internal side chain makes the chain reliable even in the most extreme conditions.
- Chain made in K-Premium Steel, guaranteeing optimal performance and durability.
- Hardened, galvanized steel with D-shaped cross-sections of 5.70 mm and 6.40 mm, and D-plus cross-section of 7.75 mm.
- Tensioning by lateral chain and tightening lever.
- Homologations/Certifications/Conformity: Ö-Norm 5119 e TÜV.

ITEM NUMBER	WIRE [mm]
2001847 260	5.70
2001847 262	5.70
2001847 270	5.70
2001847 271	5.70
2001847 274	5.70
2001847 275	5.70
2001847 280	6.40
2001847 290	6.40
2001847 295	7.75
2001847 296	6.40
2001847 300	7.75
2001847 305	7.75
2001847 310	7.75
2001847 316	7.75
2001847 320	7.75
2001847 330	7.75
2001847 350	6.40
2001847 360	7.75
2001847 370	7.75
2001847 371	7.75
2001847 390	7.75

König Rallye Pro D

NEW

The classical twin-tyre snow chain for small, medium and heavy trucks



TECHNICAL FEATURES

- 1 Symmetrical, high-coverage, cross-chain pattern manufactured with high quality alloy steel for the best driving comfort.
 - 2 D-Shaped link profile represents the best compromise between traction on the ground and optimal ease of movement of chain links over the tyre.
- Available in a large variety of wire rods to ensure the desired resistance over all possible applications: 5.50 mm and 7.00 mm.
 - The connection between cross-sections and side chains is guaranteed with bent side hooks (5.50 mm wire).
 - To ensure a true life-time resistance, the connection between cross-sections and side chains is guaranteed with welded rings (7.00 mm wire).
 - Homologations: Ö-Norm V5119.



ITEM NUMBER	WIRE [mm]
20500V 2209	5.50
20500V 2301	5.50
20500V 2302	5.50
20500V 2306	5.50
20500V 2400	5.50
20500V 2401	5.50
20700V 2402	7.00
20700V 2403	7.00
20700V 2404	7.00
20700V 2405	7.00
20700V 2406	7.00
20700V 2410	7.00
20700V 2421	7.00
20700V 2430	7.00

König Rallye Pro D Plus

The heavy duty twin-tyre snow chain for small, medium and heavy trucks used in heavy duty conditions (load carrying)

NEW

ITEM NUMBER	WIRE [mm]
2070VV 2209	7.00
2070VV 2301	7.00
2070VV 2302	7.00
2070VV 2306	7.00
2070VV 2401	7.00
2080VV 2402	8.20
2080VV 2403	8.20
2080VV 2404	8.20
2080VV 2405	8.20
2080VV 2406	8.20
2080VV 2410	8.20
2080VV 2430	8.20

KÖNIG

König TM-7



The snow chain for standard uses on medium-to-heavy trucks



TECHNICAL FEATURES

- 1** Single diamond pattern chain.
- 2** Hardened, galvanized steel with D-plus cross-section of 7.75 mm.
- 3** Tensioning by lateral chain and tightening lever.
- The entry-level chain for heavy transport.
- Now with shortening rings and end tightening spring.
- Homologations/Certifications/Conformity: Ö-Norm 5119 e TÜV.

ITEM NUMBER	WIRE [mm]
2001821 295	7.75
2001821 300	7.75
2001821 305	7.75
2001821 310	7.75
2001821 320	7.75
2001821 330	7.75
2001821 370	7.75

König Cingoli X-Press Plus



The easy to handle and to fit emergency devices that do not damage alloy wheels



ITEM NUMBER	CODE	WIRE [mm]
2001913983	A	7.00
2001913984	B	7.00
2001913985	C	6.40

TECHNICAL FEATURES

- 1 Special pattern chain design with welded rings providing great traction property
 - 2 Hardened, galvanized steel with D-shaped cross-sections of 6.40 mm and 7.00 mm.
 - 3 Ratchet system, connected by rapid link to the plate, allows separate replacement of the elements. The ratchet tensioning system makes the fitting/removing quicker and effortless
- For greater safety, König suggests using six "cingoli" (three per wheel).
 - Packaging: 3 pieces per sack

König Cingoli



The classic emergency devices for heavy trucks



ITEM NUMBER	CODE	WIRE [mm]
2001915983	A	7.00
2001915984	B	7.00
2001915985	C	6.40
2001915986	D	5.70
2001915987	E	5.70

TECHNICAL FEATURES


- 1 Ladder pattern chain with simple cross chains.
 - 2 Hardened, galvanized steel with D-shaped cross-sections of 5.70 mm, 6.40 mm and 7.00 mm.
 - 3 Classical hook fixing system.
- For greater safety, König suggests using six "cingoli" (three per wheel).
 - Packaging: 3 pieces per sack.

KÖNIG

König Super Impact

NEW


The most desirable snow chain for extreme winter services, ideal for all-season-long snow clearing services


KWB
KÖNIG

TECHNICAL FEATURES

- 1** Ultra-dense net design, manufactured in high quality alloy steel, enhanced with anti-wear punched elements for the best resistance against breaking and wear, for an increase life-time.
 - 2** D-Shaped link profile represents the best compromise between traction on the ground and optimal ease of movement of chain links over the tyre.
 - 3** To ensure a true life-time resistance, the connection between cross-sections and side chains is guaranteed with welded rings.
- Entirely case-hardened to ensure the maximum resistance and life-time of side elements too.
 - Available in a large variety of wire rods to ensure the desired resistance over all possible applications: 7.00 mm, 8.20 mm and 10 mm.

ITEM NUMBER	WIRE [mm]
2070SE 1402	7.00
2070SE 1403	7.00
2080SE 1404	8.20
2080SE 1405	8.20
2070SE 1406	7.00
2070SE 1408	7.00
2080SE 1408	8.20
2080SE 1409	8.20
2080SE 1430	8.20
2070SE 1430	7.00
2070SE 3005	7.00
2070SE 3006	7.00
2070SE 3100	7.00
2070SE 3101	7.00
2070SE 3102	7.00
2080SE 3102	8.20
2070SE 3106	7.00
2070SE 3161	7.00
2080SE 3171	8.20
2070SE 3201	7.00
2080SE 3205	8.20
2080SE 3206	8.20
2080SE 3260	8.20
2080SE 3304	8.20
2080SE 3306	8.20
2010SE 3307	10.00
2080SE 3340	8.20
2080SE 4060	8.20
2010SE 4061	10.00
2080SE 4062	8.20
2010SE 4064	10.00
2010SE 4065	10.00
2080SE 4066	8.20
2080SE 4160	8.20
2080SE 4161	8.20
2010SE 4163	10.00
2010SE 4165	10.00
208SE6 0670	8.20
207SE6 0850	7.00
207618 3461	7.00
201288 5228	10.00

KÖNIG

König Impact



The double diamond pattern chain suggested for extreme winter services



TECHNICAL FEATURES

- 1** Double diamond pattern chain providing the best traction during winter services.
 - 2** Cross chain with reinforcements and anti-wearing bars - welded both on reinforcements and on vertical links - providing the best traction property and +100% of steel volume.
 - 3** Single cross-chain closing hook, with unlocking system, makes the chain reliable in every use condition.
 - 4** Internal chain with two shackles to regulate the chain and adapt it to different tyres profile/ wearing level.
- Chain made in K-Premium Steel, guaranteeing optimal performance and durability.
 - Special welded rings connecting pattern and lateral chain for high reliability in every situation.
 - Tensioning by lateral chain and tightening lever.
 - Pattern chain made with D shape wire 7.00 mm, 8.00 mm and 9.50 mm.
 - Chain entirely hardened and galvanized.
 - Homologations/Certifications/Conformity: Ö-Norm 5119 e TÜV.


ITEM NUMBER	WIRE [mm]
2001977 300	7.00
2001977 310	7.00
2001977 320	7.00
2001978 320	8.00
2001977 330	7.00
2001978 330	8.00
2001977 358	7.00
2001977 359	7.00
2001977 360	7.00
2001978 360	8.00
2001977 363	7.00
2001977 364	7.00
2001977 370	7.00
2001978 370	8.00
2001977 373	7.00
2001977 380	7.00
2001978 380	8.00
2001978 390	8.00
2001978 500	8.00
2001978 505	8.00
2001978 506	8.00
2001978 510	8.00
2001978 517	8.00
2001978 520	8.00
2001978 522	8.00
2001979 539	9.50
2001979 540	9.50
2001979 550	9.50
2001979 560	9.50
2001979 570	9.50
2001979 575	9.50
2001979 580	9.50
2001979 603	9.50
2001977 770	7.00
2001977 772	7.00
2001977 775	7.00
2001977 780	7.00
2001978 790	8.00
2001978 795	8.00
2001977 810	7.00
2001978 820	8.00
2001979 825	9.50
2001979 830	9.50
2001979 840	9.50
2001979 850	9.50
2001979 860	9.50
2001979 869	9.50
2001979 870	9.50
2001979 875	9.50
2001979 878	9.50
2001979 880	9.50
2001979 885	9.50
2001979 886	9.50
2001979 887	9.50
2001979 900	9.50

ITEM NUMBER	WIRE [mm]
2001978 920	8.00
2001978 940	8.00
2001979 950	9.50
2001979 960	9.50
2001979 970	9.50

König DRS



The triple diamond pattern chain for standard winter services



TECHNICAL FEATURES

- 1** Triple diamond pattern chain wrapping the larger tyre and providing extreme grip and perfect stability.
 - 2** Cross chain with reinforcements on horizontal links providing good traction property and +50% of steel volume.
 - 3** Double cross-chain closing hook, with unlocking system, makes the chain reliable in every use condition.
 - 4** Internal chain with two shackles to regulate the chain and adapt it to different tyres profile/wearing level.
- Chain made in K-Premium Steel, guaranteeing optimal performance and durability.
 - Tensioning by lateral chain and tightening lever.
 - Special welded rings connecting pattern and lateral chain for high reliability in every situation.
 - Pattern chain made with round shape wire 10.00 mm.
 - Chain entirely hardened and galvanized.

ITEM NUMBER	WIRE [mm]
2001961 585	10,00
2001961 590	10,00
2001961 593	10,00
2001961 595	10,00
2001961 598	10,00
2001961 600	10,00
2001961 605	10,00
2001962 620	10,00
2001962 625	10,00
2001962 628	10,00
2001961 875	10,00
2001961 878	10,00
2001961 885	10,00
2001961 900	10,00
2001961 950	10,00
2001961 975	10,00
2001961 980	10,00
2001961 985	10,00
2001961 990	10,00

König DR



The double diamond pattern chain for standard winter services



TECHNICAL FEATURES

- 1** Double diamond pattern chain providing the best traction during winter services.
- 2** Cross chain with reinforcements on horizontal links providing good traction property and +50% of steel volume.
- 3** Single cross-chain closing hook, with unlocking system, makes the chain reliable in every use condition.
- 4** Chain made in K-Premium Steel, guaranteeing optimal performance and durability.
- 4** Internal chain with two shackles to regulate the chain and adapt it to different tyres profile/ wearing level.
- Tensioning by lateral chain and tightening lever.
- Special welded rings connecting pattern and lateral chain for high reliability in every situation.
- Pattern chain made with D shape wire 6.40 mm, 7.00 mm, 8.00 mm and round shape 11.00 mm.
- Chain entirely hardened and galvanized.
- Homologations/Certifications/Conformity: Ö-Norm 5119 e TÜV.

ITEM NUMBER	WIRE [mm]	ITEM NUMBER	WIRE [mm]
2001950 253	6.40	2001950 795	8.00
2001950 254	6.40	2001950 810	7.00
2001950 256	6.40	2001950 820	8.00
2001950 257	6.40	2001950 825	10.00
2001950 258	6.40	2001950 830	10.00
2001950 259	6.40	2001950 840	10.00
2001950 260	6.40	2001950 850	10.00
2001950 261	6.40	2001950 860	10.00
2001950 263	6.40	2001950 869	10.00
2001950 264	6.40	2001950 870	10.00
2001950 265	6.40	2001950 875	10.00
2001950 266	6.40	2001950 878	10.00
2001950 268	6.40	2001950 880	10.00
2001950 270	6.40	2001950 885	10.00
2001950 274	6.40	2001950 886	10.00
2001950 275	6.40	2001950 887	10.00
2001950 277	6.40	2001950 900	10.00
2001950 290	6.40	2001950 920	8.00
2001950 294	6.40	2001950 930	8.00
2001950 296	6.40	2001950 940	8.00
2001950 298	6.40	2001950 950	10.00
2001950 300	7.00	2001950 960	10.00
2001950 310	7.00	2001950 970	10.00
2001950 320	7.00	2001950 975	10.00
2001950 330	7.00		
2001950 358	7.00		
2001950 359	7.00		
2001950 360	7.00		
2001950 363	7.00		
2001950 364	7.00		
2001950 370	7.00		
2001950 373	7.00		
2001950 380	7.00		
2001950 390	8.00		
2001950 500	8.00		
2001950 505	8.00		
2001950 506	8.00		
2001950 510	8.00		
2001950 512	8.00		
2001950 516	8.00		
2001950 517	8.00		
2001950 520	8.00		
2001950 522	8.00		
2001950 539	10.00		
2001950 540	10.00		
2001950 550	10.00		
2001950 560	10.00		
2001950 570	10.00		
2001950 575	10.00		
2001950 580	10.00		
2001950 770	7.00		
2001950 772	7.00		
2001950 775	7.00		
2001950 780	7.00		
2001950 790	8.00		

König Supertractor



The simple diamond pattern chain for standard agricultural uses



TECHNICAL FEATURES




- 1** Lightened double-diamond tread pattern ensures good traction properties.
- 2** Pattern chain made with D shape wire 7.00 mm, 8.00 mm, 9.50 mm and round shape 11.00 mm.
- 3** Single cross-chain closing hook, with unlocking system, makes the chain reliable in every use condition.
- 4** Chain made in K-Premium Steel, guaranteeing optimal performance and durability.
- 4** Internal chain with two shackles to regulate the chain and adapt it to different tyres profile/ wearing level.
- Tensioning by lateral chain and tightening lever.
- Special welded rings connecting pattern and lateral chain for high reliability in every situation.
- Chain entirely hardened and galvanized.
- Homologations/Certifications/Conformity: Ö-Norm 5119 e TÜV.

ITEM NUMBER	WIRE [mm]	ITEM NUMBER	WIRE [mm]
2001940 300	7.00	2001940 987	11.00
2001940 310	7.00	2001940 988	11.00
2001940 320	7.00	2001940 990	11.00
2001940 330	7.00	2001940 992	11.00
2001940 360	7.00	2001940 995	11.00
2001948 360	8.00		
2001940 370	7.00		
2001940 373	7.00		
2001940 390	8.00		
2001940 505	8.00		
2001940 506	8.00		
2001940 520	8.00		
2001940 570	8.00		
2001940 595	9.50		
2001942 605	9.50		
2001940 623	11.00		
2001940 625	11.00		
2001940 627	11.00		
2001940 628	11.00		
2001940 770	7.00		
2001940 771	7.00		
2001940 772	7.00		
2001940 775	7.00		
2001940 780	7.00		
2001940 790	8.00		
2001940 795	8.00		
2001940 810	7.00		
2001940 820	7.00		
2001940 825	8.00		
2001940 830	8.00		
2001948 840	8.00		
2001940 840	9.50		
2001948 850	8.00		
2001940 850	9.50		
2001948 860	8.00		
2001940 860	9.50		
2001948 870	8.00		
2001940 870	9.50		
2001948 875	8.00		
2001940 875	9.50		
2001948 878	8.00		
2001940 878	9.50		
2001948 880	8.00		
2001940 880	9.50		
2001948 885	8.00		
2001940 885	9.50		
2001940 886	9.50		
2001940 887	9.50		
2001940 900	9.50		
2001940 950	9.50		
2001940 960	9.50		
2001940 970	9.50		
2001940 980	9.50		
2001940 982	11.00		
2001940 986	11.00		

König A-Tractor

NEW

The entry level agriculture chain, well-known all over the markets for its convenience



KWB
KÖNIG

TECHNICAL FEATURES

- 1** Special cross-chain design enhanced with multi-position ice-breakers improves traction and keeps product weight at desired values.
- 2** D-Shaped link profile represents the best compromise between traction on the ground and optimal ease of movement of chain links over the tyre.
- 3** The connection between cross-sections and side chains is guaranteed with bent side hooks.
- Available in a large variety of wire rods to ensure the desired resistance over all possible applications: 7.00 mm, 8.20 mm and 10 mm.





ITEM NUMBER	WIRE [mm]
2070DS 3005	7.00
2070DS 3006	7.00
2070DS 3007	7.00
2070DS 3009	7.00
2070DS 3010	7.00
2070DS 3060	7.00
2070DS 3062	7.00
2070DS 3100	7.00
2070DS 3101	7.00
2070DS 3102	7.00
2070DS 3103	7.00
2070DS 3104	7.00
2080DS 3105	8.20
2070DS 3106	7.00
2080DS 3107	8.20
2080DS 3108	8.20
2070DS 3109	7.00
2070DS 3111	7.00
2070DS 3112	7.00
2070DS 3120	7.00
2070DS 3140	7.00
2080DS 3160	8.20
2080DS 3163	8.20
2080DS 3164	8.20
2080DS 3170	8.20
2080DS 3171	8.20
2080DS 3172	8.20
2080DS 3180	8.20
2070DS 3200	7.00
2070DS 3201	7.00
2080DS 3204	8.20
2080DS 3205	8.20
2080DS 3206	8.20
2070DS 3207	7.00
2080DS 3208	8.20
2080DS 3209	8.20
2070DS 3210	7.00
2070DS 3211	7.00
2080DS 3250	8.20
2080DS 3251	8.20
2080DS 3253	8.20
2080DS 3261	8.20
2080DS 3290	8.20
2080DS 3304	8.20
2080DS 3305	8.20
2010DS 3307	10.00
2080DS 3336	8.20
2080DS 3340	8.20
2080DS 3351	8.20
2080DS 3353	8.20
2080DS 3354	8.20
2080DS 3360	8.20
2010DS 3371	10.00
2010DS 3380	10.00
2010DS 3381	10.00
2010DS 3382	10.00
2010DS 3388	10.00
2070DS 3610	7.00

König Load Master

NEW


The snow chain with all the desired features for Forklift applications



TECHNICAL FEATURES

- 1** Light but sturdy, Continuous chain mesh offers a stable and vibrations-free driving, ideal for forklifts loaded with heavy and fragile goods.
 - 2** D-Shaped link profile represents the best compromise between traction on the ground and optimal ease of movement of chain links over the tyre.
 - 3** To ensure a true life-time resistance, the connection between cross-sections and side chains is guaranteed with welded rings.
- Entirely case-hardened to ensure the maximum resistance and life-time of side elements too.
 - Available in a large variety of wire rods to ensure the desired resistance over all possible applications: 4.50 mm, 5.50 mm and 7.00 mm.

ITEM NUMBER	WIRE [mm]
2050SN 6003	5.50
2040SN 6009	4.50
2040SN 6010	4.50
2040SN 6011	4.50
2040SN 6019	4.50
2040SN 6020	4.50
2040SN 6021	4.50
2040SN 6024	4.50
2050SN 6030	5.50
2040SN 6031	4.50
2050SN 6033	5.50
2050SN 6034	5.50
2050SN 6035	5.50
2040SN 6036	4.50
2050SN 6040	5.50
2050SN 6041	5.50
2050SN 6042	5.50
2050SN 6043	5.50
2050SN 6050	5.50
2050SN 6051	5.50
2050SN 6052	5.50
2050SN 6053	5.50
2050SN 6054	5.50
2050SN 6055	5.50
2070SN 6056	7.00
2070SN 6057	7.00
2050SN 6124	5.50
2050SN 6143	5.50
2050SN 6153	5.50
2070SN 6155	7.00
2050SN 6255	5.50

KÖNIG

König Rallye Q



The snow chain recommended for ATVs, UTVs and side-by-sides



TECHNICAL FEATURES

- 1** Single diamond pattern chain.
- 2** Pattern chain made with D shape wire 4.35 mm and 5.70 mm.
- 3** Traditional fitting system with internal side chain makes the chain reliable even in the most extreme conditions.
- Tensioning by lateral chain and tightening lever.

ITEM NUMBER	WIRE [mm]
2001647 449	4.35
2001647 450	4.35
2001647 453	4.35
2001647 457	4.35
2001647 458	4.35
2001647 459	4.35
2001647 461	4.35
2001647 464	4.35
2001647 467	4.35
2001647 470	4.35
2001647 473	4.35
2001647 476	5.70
2001647 479	5.70
2001647 480	5.70
2001647 481	5.70
2001647 482	5.70
2001647 483	5.70
2001647 484	5.70

König Rallye



The snow chain ideal for medium-to-heavy duty uses on gardening vehicles and manual snow blowers



TECHNICAL FEATURES

- 1** Single diamond pattern chain.
- 2** Pattern chain made with D shape wire 3.55 mm and 4.35 mm.
- 3** Traditional fitting system with internal side chain makes the chain reliable even in the most extreme conditions.
- Tensioning by lateral chain and tightening lever.

ITEM NUMBER	WIRE [mm]
2001650 114	3.55
2001650 115	3.55
2001650 116	3.55
2001650 118	3.55
2001650 119	3.55
2001650 120	3.55
2001650 121	3.55
2001650 123	3.55
2001650 124	3.55
2001650 129	3.55
2001650 131	3.55
2001650 132	3.55
2001650 133	3.55
2001650 134	3.55
2001650 135	4,35
2001650 136	3.55
2001650 138	3.55
2001650 139	3.55
2001650 142	3.55
2001650 143	3.55
2001650 149	4,35
2001650 151	3.55
2001650 152	3.55
2001650 157	3.55
2001650 158	3.55
2001650 162	3.55
2001650 163	3.55
2001650 168	4.35

König Unitour



The ladder snow chain for gardening vehicles and manual snow blowers



TECHNICAL FEATURES

- 1** Ladder pattern chain, it's more light and easy to handle.
- 2** Pattern chain made with D shape wire 3.55 mm and 4.35 mm.
- 3** Traditional fitting system with internal side chain makes the chain reliable even in the most extreme conditions.
- Tensioning by lateral chain and tightening lever.

ITEM NUMBER	WIRE [mm]
2001670 004	3.55
2001670 006	3.55
2001670 008	3.55
2001670 119	3.55
2001670 121	3.55
2001670 122	3.55
2001670 125	3.55
2001670 127	3.55
2001670 129	3.55
2001670 131	3.55
2001670 133	3.55
2001670 136	3.55
2001670 137	3.55
2001670 139	3.55
2001670 141	3.55
2001670 158	3.55
2001670 163	4.35

FITTING GUIDE

KÖNIG



Reference list for Easy-fit CU-9, CU-10, Easy-fit SUV

	CHAIN N°	13"	14"	15"	16"	17"	18"	19"	20"	21"
EASY-FIT CU-9 / CU-10 FOR PASSENGER CARS	050	165/80 175/70 185/65	155/80 165/70 175/65 185/60 195/55	155/70 165/60 175/55 195/45						
	055			165/65 175/60						
	060	175/80 185/70 195/65 205/60	165/75 165/80 175/70 185/65 195/60	185/55 195/50	175/55 185/50 195/45					
	065		175/75 185/70 205/55	175/65 185/60 195/55 205/50	175/50 175/60 185/55* 205/45 215/40					
	070	195/70	175/80 195/65 205/60	175/70 185/65 195/60	195/50	205/40				
	075			205/55 215/50	185/55* 185/60 205/50 215/45	225/35				
	080	205/70	185/80 195/70 205/65 225/55	185/70 195/65 205/60	195/55 195/60*	205/45 215/40				
	090		195/80 205/70	195/70 205/65 215/60 225/55	195/60* 195/65 205/55 215/50	195/55 205/50 215/45 235/40	225/35			
	095		235/60	195/75 215/65 225/60 235/55	205/60 215/55 225/50	215/50* 225/45	215/40			
	097				195/70 205/65	205/55 245/40	215/45 225/40 245/35			
	100		215/70	215/70 225/65 235/60	215/60 225/55 235/50 245/45	215/50* 215/55 225/50 235/45	225/45 235/40	235/35		
	102				215/65 225/60	235/50 245/45 255/40	235/45 245/40 255/35	225/40 235/40 245/35 255/30		
	103					215/60 225/55	215/50	245/40		
	104				235/60 245/55	215/65 225/60 235/55 255/45	225/50 225/55 245/45 255/40 255/45	205/55 225/45 235/45 255/35		
CU-10	105					245/55	245/50	245/45		
EASY-FIT SUV FOR SUVs	225			195/80 205/70 205/75	195/70					
	230			215/75 225/70	205/70 215/65					
	235				215/70 235/60	205/65 215/60	215/55			
	240			225/75 235/70	215/75 225/70	215/65 225/60 235/55	225/55 235/50 255/45	225/45 235/45 255/40		
	245			235/75	225/75	225/65 235/60	225/60 235/55 245/50	245/45		
	247				235/70 255/65	225/70 235/65 255/55	235/60	225/55 235/50 255/45	245/40 255/40	
	250				235/75 245/70	245/65	225/65 245/60	235/55 245/50	245/45	
	255			255/75	245/75 255/70	245/70 255/60 255/65	235/65 255/55	255/50	235/55 245/50 255/45	
	265				265/70	265/65	255/60 265/60	255/55 265/50	255/50 265/45	265/40 265/45
	267				265/75	245/75 265/70		265/55	265/50	

* Please refer to Consumer fitting guide.

Reference list for K-Summit, K-Summit XL & K-Summit XXL

	CHAIN N°	13"	14"	15"	16"	17"	18"	19"	20"	21"	22"
K-SUMMIT	K11	175/75 185/70 195/65 205/65 215/60	185/65 195/60 215/55	175/60 185/55 195/55 205/50 215/50 225/45 235/45	185/50 205/45 225/40 255/35	195/40 205/40 225/35	225/30				
	K12	175/80 185/75 195/70 225/60 235/60	175/70 195/65 205/60 215/60 225/55	175/65 185/60 205/55 225/50 245/45 255/45 285/40	175/55 185/55 195/50 205/50 215/45 225/45 245/40 255/40	195/45 215/40 225/40 245/35 255/35	215/35 255/30				
	K22	185/80 195/75 205/70	175/75 185/70 195/70 205/65 225/60	175/70 185/65 195/60 205/60 215/55 225/55 235/50 245/50 265/45 275/45	175/60 185/60 195/55 215/50 235/45 245/45 265/40 275/40	175/55 205/45 215/45 235/40 265/35 275/35	205/40 225/35 235/35 245/35 265/30 285/30	225/30			
	K23	195/80 205/75	175/80 185/75 205/70 215/65 235/60	175/75 185/70 195/65 215/60 235/55	195/60 205/55 215/55 225/50 235/50 255/45	205/50 225/45 235/45 245/40 255/40 265/40	205/45 215/40 225/40 255/35 265/35 295/30	215/35 225/35 245/30 255/30 265/30	225/30		
	K33	205/80	185/80 195/75 215/70 245/60	185/75 195/70 205/65 225/60 265/50 275/50	175/70 185/65 205/60 225/55 245/50	185/60 205/55 215/50 225/50 245/45 275/40	215/45 235/40 245/40 275/35 285/35	235/35 245/35 275/30 285/30	235/30 245/30		
	K34		195/80 205/75 225/70 265/60	175/80 195/75 205/70 215/65 225/65 235/60 285/50	175/75 195/65 205/65 215/60 235/55 255/50 265/50	185/65 195/55 215/55 235/50 255/45 265/45 285/40 295/40	215/50 225/45 235/45 255/40 265/40 295/35	225/40 235/40 255/35 265/35 295/30	225/35 255/30 265/30 275/30		
	K44		205/80 215/75 235/70	185/80 205/75 215/70 245/60 255/60 275/55 295/50	175/80 185/75 195/70 215/65 225/60 235/60 245/55 255/55	205/60 215/60 225/55 245/50 255/50 275/45	205/55 225/50 245/45 255/45 275/40 285/40	225/45 245/40 255/40 275/35 285/35 295/35	225/40 245/35 255/35 285/30 295/30		
	K45		215/80 225/75	195/80 215/75 225/70	195/75 205/70 225/65 245/60 295/50	185/70 205/65 225/60 235/55 245/55	215/55 225/55 235/50 245/50 265/45 275/45 295/40	235/45 245/45 265/40 275/40	235/40 245/40 265/35 275/35	245/35 275/30 285/30	
FOR VEHICLES < 2.000 KG K-SUMMIT XL	K55			205/80 225/75 235/70 275/60	195/80 205/75 215/70 235/65 255/60	205/70 215/65 235/60 255/55 275/50	235/55 255/50 285/45	205/55 235/50 255/45 285/40 295/40	235/45 255/40 265/40 285/35 295/35	255/35	265/30 295/25
	K56			215/80 235/75 245/70	205/80 215/75 225/70 235/70	215/70 225/65 245/60 275/55	225/60 245/55 265/50 275/50 295/45	225/55 265/45 275/45	195/55 245/45 275/40	275/35 285/35	285/30 295/30
FOR VEHICLES > 2.000 KG K-SUMMIT XXL	K66			215/80 225/75 225/80 235/75 245/70 255/70	195/80 205/80 215/75 225/70 225/75 235/70 255/65 275/60	205/70 215/70 225/65 235/65 245/60 255/60 275/55	225/60 235/60 245/55 255/55 265/50 275/50 285/50 295/45	225/55 235/50 235/55 245/50 255/50 265/45 275/45 285/45 295/40	235/45 245/45 255/45 265/40 275/40 285/40 295/40 315/35	255/40 275/35 285/35 295/35 325/30	265/30 265/35 285/30 295/30
	K67			245/75 265/70	215/80 235/75 245/70 265/65	225/70 235/70 245/65 255/65 265/60 275/60	225/65 235/65 245/60 255/60 265/55	255/55 265/50 275/50 295/45	245/50 255/50 265/45 275/45	265/40 275/40 285/40	275/35 285/35
	K77			255/75	225/80 225/85 235/80 245/75 255/70 255/75 265/70 275/70 285/65	225/75 235/75 245/70 255/70 265/65 275/65 285/60	255/65 265/60 275/60 285/55	235/65 265/60 275/55	235/55 255/55 265/50 275/50 285/45 295/45 305/45	255/50 265/45 275/45 285/45 295/40 315/40	265/40 275/40 285/40

Reference list for passenger cars (not for Easy-fit CU-9/CU-10 & K-Summit)

CHAIN N°	10"	12"	13"	14"	15"	16"	17"	18"	19"	20"
010	5.00	4.00 125 135/80 145/70	145/60							
015	145	5.00 165/60	135/70							
020		145/80 155/70	135/80 145/70 155/65 165/55							
030		155/80 165/70	145/80 155/70 165/65 175/60	135/80 175/50	135/70 165/50					
035			185/55	155/65 165/55 165/60	145/65					
040			155/80 165/70 175/65 185/60 195/55	145/80 155/70 165/65	125 165/55					
045				175/60 185/55	155/65 175/50 185/50					
050			165/80 175/70 185/65	155/80 165/70 175/65 185/60 195/55	155/70 165/60 175/55 195/45					
055					165/65 175/60					
060			175/80 185/70 195/65 205/60	165/75 165/80 175/70 185/65 195/60	155 175/65 185/55 195/50	175/55 185/50 195/45				
065				175/75 185/70 205/55	185/60 195/55 205/50	175/50 175/60 185/55* 205/45 215/40				
070			195/70	175/80 195/65 205/60	175/70 185/65 195/60	195/50	205/40			
075					205/55 215/50	185/55* 185/60 205/50 215/45	225/35			
080			205/70	185/80 195/70 205/65 225/55	185/70 195/65 205/60	195/55 195/60*	205/45 215/40			
085				225/60	225/50	225/45		205/40		
090				195/80 205/70	195/70 205/65 215/60 225/55	195/60* 195/65 205/55 215/50	195/55 205/50 215/45 235/40	225/35		
095				235/60	195/75 205/70 215/65 225/60 235/55	205/60 215/55 225/50	215/50* 225/45	215/40		
097						195/70 205/65 215/60*	205/55 245/40	215/45 225/40 245/35		
100				215/70	195/80 215/70 225/65 235/60	215/60* 225/55 235/50 245/45	215/50* 215/55 225/50 235/45	225/45 235/40	235/35	
102						215/65 225/60	235/50 245/45 255/40 265/40	215/50 235/45 245/40 255/35	225/40 235/40 245/35 255/30*	
103							215/60 225/55	215/55 275/35	245/40	
104					235/70	235/60 245/55	215/65 225/60 235/55 255/45 275/40	225/50 225/55 245/45 255/40 255/45 295/30*	205/55 225/45 235/45 255/35 265/35 275/30	195/55* 245/35* 265/30*
105						225/70 235/70	225/65 235/60 245/55	225/60 235/55 245/50	225/55 245/45	245/40 265/35 285/30
106									255/40 275/35	255/35
107								235/50		
117								285/40	275/40 285/35	245/45 255/40 275/35

* Please refer to Consumer fitting guide.

Reference list for SUVs, Vans and Motorhomes (not for Easy-fit SUV & K-Summit XL/XXL)

CHAIN N°	14"	15"	16"	17"	17.5"	18"	19"	20"	21"
190	165/75 165/80 175/75 185/65								
200	6.50 175/80								
210	7.00 185/75 185/80 195/70	6.40 195/65							
220	6.70 195/75 195/80	185/80 195/70 205/65	175/75 175/80 195/65						
225	205/75 205/80	195/75 195/80 205/70 205/75 215/65	185/75 195/70 195/75 205/65 215/60*						
227		215/70	195/75* 215/60*	215/55 225/50					
230	7.50 215/75 215/80	6.70 215/75 225/70	6.00 6.40 185 195/80 215/65 225/60	225/55		215/50*	225/40		
235			205/75 215/70 225/65 235/60	205/65 215/60 215/65		215/55 245/45	225/45		
240		215/80 225/75 235/70 255/60 7.00	6.50 205/80 215/75 225/70 235/65*	225/60 235/55	7 205/65	225/55 235/50 255/45	235/45 255/40		
245		235/75	215/80 215/85 225/75 235/65*	6.50 225/65 235/60		225/60 235/55 245/50	245/45 255/45*	245/40	
247		8.40 30x9.50 255/70	235/70 255/65	225/70 235/65 255/55	205/75	235/60	225/55 235/50 275/40	235/45 255/40 275/35	
250		7.50 9 265/70	235/75 235/80 245/70	235/70 245/65	8 215/75	225/65 245/60	235/55 245/50	245/45	
255		10 31x10.50 255/75 265/75	245/75 255/70	245/70 255/60 255/65 275/55		235/65 255/55 285/50	245/55 255/50 275/45	235/55 245/50* 255/45* 275/40	
265		31x11.50	235/85 265/70	265/65 275/60		255/60 265/60	255/55 265/50 285/45	255/50 265/45 275/45 295/40 315/35	265/40 265/45 295/35
266				255/75 285/65		255/70 285/60	275/55	275/50 285/50	
267		32x11.50	265/75 275/70	245/75 265/70 275/65		265/65 275/60 285/55	265/55	265/50	

* Please refer to Consumer fitting guide.

Consumer fitting guide by tyre size

PLEASE NOTE: The info in this fitting guide are referred to the matching of tyre size and chain size only and are not considering in any case the vehicle's features. Discover the correct snow chain model/size for your vehicle on our "Fit Guide" at www.konigchain.com.

PASSENGER CARS						
TYRE SIZE	König K-Slim	König CB-7	König CS-9	König CL-10	König CG-9	König CD-9
5.00-10						010
145-10						015
4.00-12						010
5.00-12						015

PASSENGER CARS						
TYRE SIZE	König K-Slim	König CB-7	König CS-9	König CL-10	König CG-9	König CD-9
5.00-10						010
145-10						015
4.00-12						010
5.00-12						015

1 Select, in the table heading, the right category for your vehicle. **2** Check your tyre size in the first two columns (sorted by rim dimension). **3** In the columns on the right hand side you will find your snow chain size and you can choose, among the suggested snow chain models, the one most suitable for your needs.

TYRE SIZE	PASSENGER CARS										SUVS			VAN-MOTOR-HOMES	SUV - VAN - MOTORHOMES		
	König Easy-fit CU-9	König Easy-fit CU-10	König K-Summit	König K-Slim	König CB-7	König CS-9	König CL-10	König CG-9	König CD-9	König CB-12	König Easy-fit SUV	König K-Summit XL	König K-Summit XXL	König K-Summit VAN	König XG-12 Pro	König XD-16	König XB-16
5.00-10									010								
145-10									015								
4.00-12									010								
5.00-12									015								
125-10									010								
135/80-10									010								
145/80-10							020	020	020	020							
155/80-10							030	030	030	030							
145/70-10									010								
155/70-10							020	020	020	020							
165/70-10							030	030	030	030							
165/60-10									015								
135/80-13							020	020	020	020							
145/80-13							030	030	030	030							
155/80-13							040	040	040	040							
165/80-13	050	050				050	050	050	050	050							
175/80-13	060	060	K12	060	060	060	060	060	060	060							
185/80-13			K22														
195/80-13			K23														
205/80-13			K33														
175/75-13			K11														
185/75-13			K12														
195/75-13			K22														
205/75-13			K23														
135/70-13									015								
145/70-13							020	020	020	020							
155/70-13							030	030	030	030							
165/70-13							040	040	040	040							
175/70-13	050	050				050	050	050	050	050							
185/70-13	060	060	K11	060	060	060	060	060	060	060							
195/70-13	070	070	K12	070	070	070	070	070	070	070							
205/70-13	080	080	K22	080	080	080	080	080	080	080							
155/65-13							020	020	020	020							
165/65-13							030	030	030	030							
175/65-13							040	040	040	040							
185/65-13	050	050				050	050	050	050	050							
195/65-13	060	060	K11	060	060	060	060	060	060	060							
205/65-13			K11														
145/60-13									010								
175/60-13							030	030	030	030							
185/60-13							040	040	040	040							
205/60-13	060	060		060	060	060	060	060	060	060							
215/60-13			K11														
225/60-13			K12														
235/60-13			K12														
165/55-13							020	020	020	020							

PLEASE NOTE: The info in this fitting guide are referred to the matching of tyre size and chain size only and are not considering in any case the vehicle's features. Discover the correct snow chain model/size for your vehicle on our "Fit Guide" at www.konigchain.com.

TYRE SIZE	PASSENGER CARS										SUVS			VAN-MOTOR-HOMES	SUV - VAN - MOTORHOMES		
	König Easy-fit CU-9	König Easy-fit CU-10	König K-Summit	König K-Slim	König CB-7	König CS-9	König CL-10	König CG-9	König CD-9	König CB-12	König Easy-fit SUV	König K-Summit XL	König K-Summit XXL	König K-Summit VAN	König XG-12 Pro	König XD-16	König XB-16
185/55-13							035	035	035								
195/55-							040	040	040	040							
6.50-14																200	
6.70-															220	220	220
7.00-															210	210	210
7.50-															230	230	230
135/80-							030	030	030	030							
145/80-							040	040	040	040							
155/80-	050	050				050	050	050	050	050							
165/80-	060	060		060	060	060	060	060	060	060						190	
175/80-	070	070	K23	070	070	070	070	070	070	070						200	
185/80-	080	080	K33	080	080	080	080	080	080	080					210	210	210
195/80-	090	090	K34	090	090	090	090	090	090	090				K81	220	220	220
205/80-			K44											K84	225	225	225
215/80-			K45											K84	230	230	230
165/75-	060	060		060	060	060	060	060	060	060						190	
175/75-	065	065	K22	065	065	065	065	065	065	065						190	
185/75-			K23												210	210	210
195/75-			K33												220	220	220
205/75-			K34											K81	225	225	225
215/75-			K44												230	230	230
225/75-			K45														
155/70-							040	040	040	040							
165/70-	050	050				050	050	050	050	050							
175/70-	060	060	K12	060	060	060	060	060	060	060							
185/70-	065	065	K22	065	065	065	065	065	065	065							
195/70-	080	080	K22	080	080	080	080	080	080	080					210	210	210
205/70-	090	090	K23	090	090	090	090	090	090	090							
215/70-	100	100	K33	100	100	100	100	100	100	100							
225/70-			K34														
235/70-			K44														
155/65-							035	035	035								
165/65-							040	040	040	040							
175/65-	050	050				050	050	050	050	050							
185/65-	060	060	K11	060	060	060	060	060	060	060						190	
195/65-	070	070	K12	070	070	070	070	070	070	070							
205/65-	080	080	K22	080	080	080	080	080	080	080							
215/65-			K23														
165/60-							035	035	035								
175/60-							045	045	045								
185/60-	050	050				050	050	050	050	050							
195/60-	060	060	K11	060	060	060	060	060	060	060							
205/60-	070	070	K12	070	070	070	070	070	070	070							
215/60-			K12														
225/60-			K22	085													
235/60-	095	095	K23	095	095	095	095	095	095	095							
245/60-			K33														
265/60-			K34														
165/55-							035	035	035								
185/55-							045	045	045								
195/55-	050	050				050	050	050	050	050							
205/55-	065	065		065	065	065	065	065	065	065							
215/55-			K11														
225/55-	080	080	K12	080	080	080	080	080	080	080							
175/50-							030	030	030	030							
6.40-15															210	210	210
6.70-															230	230	230
7.00-															240	240	240
7.50-															250	250	250
8.40-															247	247	247
9-															250	250	250
10-															255	255	255
30x9.50-															247	247	247
31x10.50-															255	255	255
31x11.50-															265	265	265
32x11.50-															267	267	267

PLEASE NOTE: The info in this fitting guide are referred to the matching of tyre size and chain size only and are not considering in any case the vehicle's features. Discover the correct snow chain model/size for your vehicle on our "Fit Guide" at www.konigchain.com.

TYRE SIZE	PASSENGER CARS										SUVS			VAN-MOTOR-HOMES	SUV - VAN - MOTORHOMES		
	König Easy-fit CU-9	König Easy-fit CU-10	König K-Summit	König K-Slim	König CB-7	König CS-9	König CL-10	König CG-9	König CD-9	König CB-12	König Easy-fit SUV	König K-Summit XL	König K-Summit XXL	König K-Summit VAN	König XG-12 Pro	König XD-16	König XB-16
125-15							040	040	040	040							
175/80-			K34														
185/80-			K44												220	220	220
195/80-			K45	100	100	100	100	100	100	100	225			K84	225	225	225
205/80-												K55		K87			
215/80-												K56	K66	K89	240	240	240
225/80-													K66				
175/75-			K23														
185/75-			K33														
195/75-	095	095	K34	095	095	095	095	095	095	095					225	225	225
205/75-			K44								225			K84	225	225	225
215/75-			K45								230			K87	230	230	230
225/75-											240	K55	K66	K87	240	240	240
235/75-											245	K56	K66		245	245	245
245/75-													K67				
255/75-											255		K77		255	255	255
265/75-															255	255	255
135/70-							030	030	030	030							
155/70-	050	050				050	050	050	050	050							
175/70-	070	070	K22	070	070	070	070	070	070	070							
185/70-	080	080	K23	080	080	080	080	080	080	080							
195/70-	090	090	K33	090	090	090	090	090	090	090					220	220	220
205/70-			K34	095	095	095	095	095	095	095	225			K81	225	225	225
215/70-	100	100	K44	100	100	100	100	100	100	100				K84	227	227	227
225/70-			K45								230			K84	230	230	230
235/70-				104	104	104	104	104	104	104	240	K55		K87	240	240	240
245/70-												K56	K66				
255/70-													K66		247	247	247
265/70-													K67		250	250	250
145/65-							035	035	035								
155/65-							045	045	045								
155-				060	060	060	060	060	060	060							
165/65-	055	055						055	055								
175/65-	065	065	K12	060	060	060	060	060	060	060							
185/65-	070	070	K22	070	070	070	070	070	070	070							
195/65-	080	080	K23	080	080	080	080	080	080	080					210	210	210
205/65-	090	090	K33	090	090	090	090	090	090	090					220	220	220
215/65-	095	095	K34	095	095	095	095	095	095	095				K81	225	225	225
225/65-	100	100	K34	100	100	100	100	100	100	100							
165/60-	050	050				050	050	050	050	050							
175/60-	055	055	K11					055	055								
185/60-	065	065	K12	065	065	065	065	065	065	065							
195/60-	070	070	K22	070	070	070	070	070	070	070							
205/60-	080	080	K22	080	080	080	080	080	080	080							
215/60-	090	090	K23	090	090	090	090	090	090	090							
225/60-	095	095	K33	095	095	095	095	095	095	095							
235/60-	100	100	K34	100	100	100	100	100	100	100				K81			
245/60-			K44														
255/60-			K44												240	240	240
275/60-												K55					
165/55-							040	040	040	040							
175/55-	050	050				050	050	050	050	050							
185/55-	060	060	K11	060	060	060	060	060	060	060							
195/55-	065	065	K11	065	065	065	065	065	065	065							
205/55-	075	075	K12	075	075			075	075								
215/55-			K22														
225/55-	090	090	K22	090	090	090	090	090	090	090							
235/55-	095	095	K23	095	095	095	095	095	095	095							
275/55-			K44														
165/50-							030	030	030	030							
175/50-							045	045	045								
185/50-							045	045	045								
195/50-	060	060		060	060	060	060	060	060	060							
205/50-	065	065	K11	065	065	065	065	065	065	065							
215/50-	075	075	K11	075	075			075	075								
225/50-			K12	085													

PLEASE NOTE: The info in this fitting guide are referred to the matching of tyre size and chain size only and are not considering in any case the vehicle's features. Discover the correct snow chain model/size for your vehicle on our "Fit Guide" at www.konigchain.com.

TYRE SIZE	PASSENGER CARS										SUVS			VAN-MOTOR-HOMES	SUV - VAN - MOTORHOMES		
	König Easy-fit CU-9	König Easy-fit CU-10	König K-Summit	König K-Slim	König CB-7	König CS-9	König CL-10	König CG-9	König CD-9	König CB-12	König Easy-fit SUV	König K-Summit XL	König K-Summit XXL	König K-Summit VAN	König XG-12 Pro	König XD-16	König XB-16
235/50-15			K22														
245/50-			K22														
265/50-			K33														
275/50-			K33														
285/50-			K34														
295/50-			K44														
195/45-	050	050				050	050	050	050	050							
225/45-			K11														
235/45-			K11														
245/45-			K12														
255/45-			K12														
265/45-			K22														
275/45-			K22														
285/40-			K12														
6.00-16																	
6.40-															230	230	230
6.50-															230	230	230
175/80-			K44												240	240	240
175/75-			K34												220	220	220
185-															220	220	220
215/85-															230	230	230
225/85-															245	245	245
235/85-																	
195/80-															265	265	265
205/80-												K55	K66	K87	230	230	230
215/80-												K56	K66	K89	240	240	240
225/80-													K67		245	245	245
235/80-													K77				
185/75-			K44												250	250	250
195/75-			K45												225	225	225
195/75 ⁻¹⁾			K45												K84	227	227
195/75 ⁻²⁾			K45												K84	225	225
195/75 ⁻³⁾			K45												K84	225	225
205/75-															K84	225	225
215/75-												K55		K87	235	235	235
225/75-											240	K56	K66	K89	240	240	240
235/75-											245		K66	K89	245	245	245
245/75-											250		K67		250	250	250
255/75-											255		K77		255	255	255
265/75-													K77				
175/70-			K33								267				267	267	267
195/70-	097	097	K44	097	097	097	097	097	097	097	225				225	225	225
205/70-			K45								230			K84			
215/70-											235	K55		K87	235	235	235
225/70-							105	105			240	K56	K66		240	240	240
235/70-							105	105			247	K56	K66		247	247	247
245/70-											250		K67		250	250	250
255/70-											255		K77		255	255	255
265/70-											265		K77		265	265	265
275/70-													K77		267	267	267
185/65-			K33														
195/65-	090	090	K34	090	090	090	090	090	090	090				K81	220	220	220
205/65-	097	097	K34	097	097	097	097	097	097	097				K81	225	225	225
215/65-	102	102	K44	102	102	102	102	102	102	102	230			K84	230	230	230
225/65-			K45											K84	235	235	235
235/65-														K87	245	245	245
235/65 ⁻¹⁾												K55		K87	240	240	240
235/65 ⁻⁴⁾												K55		K87	240	240	240
255/65-											247		K66		247	247	247
265/65-													K67				
285/65-													K77				
175/60-	065	065	K22	065	065	065	065	065	065	065							
185/60-	075	075	K22	075	075			075	075								
195/60-	080	080	K23	080	080	080	080	080	080	080							
195/60 ⁻⁵⁾	090	090	K23	090	090	090	090	090	090	090							
205/60-	095	095	K33	095	095	095	095	095	095	095							

1) Continental Vanco2 2) Kleber Transpro 3) Michelin Agilis Alpin 4) Goodyear Cargo Ultra Grip 2 5) Michelin Alpin 5

PLEASE NOTE: The info in this fitting guide are referred to the matching of tyre size and chain size only and are not considering in any case the vehicle's features. Discover the correct snow chain model/size for your vehicle on our "Fit Guide" at www.konigchain.com.

TYRE SIZE	PASSENGER CARS										SUVS			VAN-MOTOR-HOMES	SUV - VAN - MOTORHOMES		
	König Easy-fit CU-9	König Easy-fit CU-10	König K-Summit	König K-Slim	König CB-7	König CS-9	König CL-10	König CG-9	König CD-9	König CB-12	König Easy-fit SUV	König K-Summit XL	König K-Summit XXL	König K-Summit VAN	König XG-12 Pro	König XD-16	König XB-16
215/60- 16	100	100	K34	100	100	097	097	097	097	097				K81	225	225	225
215/60-⁶⁾			K34											K81	227	227	227
215/60-⁷⁾	100	100	K34	100	100	100	100	100	100	100				K81			
215/60-⁸⁾	100	100	K34	100	100	100	100	100	100	100				K81			
225/60-	102	102	K44	102	102	102	102	102	102	102				K81	230	230	230
235/60-	104	104	K44	104	104	104	104	104	104	104	235			K84	235	235	235
245/60-			K45														
255/60-												K55					
275/60-													K66				
175/55-	060	060	K12	060	060	060	060	060	060	060							
185/55-	075	075	K12	075	075			075	075								
185/55-⁹⁾	065	065	K12	065	065	065	065	065	065	065							
195/55-	080	080	K22	080	080	080	080	080	080	080							
205/55-	090	090	K23	090	090	090	090	090	090	090							
215/55-	095	095	K23	095	095	095	095	095	095	095							
225/55-	100	100	K33	100	100	100	100	100	100	100							
235/55-			K34														
245/55-	104	104	K44	104	104	104	104	104	104	104							
255/55-			K44														
175/50-	065	065		065	065	065	065	065	065	065							
185/50-	060	060	K11	060	060	060	060	060	060	060							
195/50-	070	070	K12	070	070	070	070	070	070	070							
205/50-	075	075	K12	075	075			075	075								
215/50-	090	090	K22	090	090	090	090	090	090	090							
225/50-	095	095	K23	095	095	095	095	095	095	095							
235/50-	100	100	K23	100	100	100	100	100	100	100							
245/50-			K33														
255/50-			K34														
265/50-			K34														
295/50-			K45														
195/45-	060	060		060	060	060	060	060	060	060							
205/45-	065	065	K11	065	065	065	065	065	065	065							
215/45-	075	075	K12	075	075			075	075								
225/45-			K12	085													
235/45-			K22														
245/45-	100	100	K22	100	100	100	100	100	100	100							
255/45-			K23														
215/40-	065	065		065	065	065	065	065	065	065							
225/40-			K11														
245/40-			K12														
255/40-			K12														
265/40-			K22														
275/40-			K22														
255/35-			K11														
6.50- 17															245	245	245
225/75-													K77				
235/75-													K77				
245/75-											267				267	267	267
255/75-															266		
185/70-			K45														
205/70-												K55	K66	K87			
215/70-												K56	K66				
225/70-											247		K67		247	247	247
235/70-													K67		250	250	250
245/70-											255		K77		255	255	255
255/70-													K77				
265/70-											267				267	267	267
185/65-			K34														
205/65-			K45								235			K84	235	235	235
215/65-	104	104		104	104	104	104	104	104	104	240	K55			235	235	235
225/65-							105	105			245	K56	K66		245	245	245
235/65-											247		K66		247	247	247
245/65-											250		K67		250	250	250
255/65-											255		K67		255	255	255
265/65-											265		K77		265	265	265
275/65-													K77		267	267	267

6) Bridgestone Duravis 7) Continental Premium Contact 2 8) Michelin Primacy Energy Saver 9) Pirelli Winter 190

PLEASE NOTE: The info in this fitting guide are referred to the matching of tyre size and chain size only and are not considering in any case the vehicle's features. Discover the correct snow chain model/size for your vehicle on our "Fit Guide" at www.konigchain.com.

TYRE SIZE	PASSENGER CARS										SUVS			VAN-MOTOR-HOMES	SUV - VAN - MOTORHOMES		
	König Easy-fit CU-9	König Easy-fit CU-10	König K-Summit	König K-Slim	König CB-7	König CS-9	König CL-10	König CG-9	König CD-9	König CB-12	König Easy-fit SUV	König K-Summit XL	König K-Summit XXL	König K-Summit VAN	König XG-12 Pro	König XD-16	König XB-16
285/65-17																266	
185/60-			K33														
205/60-			K44														
215/60-	103	103	K44	103	103	103	103	103	103		235			K84	235	235	235
225/60-	104	104	K45	104	104	104	104	104	104	104	240			K87	240	240	240
235/60-							105	105			245	K55		K87	245	245	245
245/60-												K56	K66				
255/60-											255		K66		255	255	255
265/60-													K67				
275/60-													K67		265	265	265
285/60-													K77				
175/55-			K22														
195/55-	090	090	K34	090	090	090	090	090	090	090							
205/55-	097	097	K33	097	097	097	097	097	097	097							
215/55-	100	100	K34	100	100	100	100	100	100	100					227	227	227
225/55-	103	103	K44	103	103	103	103	103	103					K84	230	230	230
235/55-	104	104	K45	104	104	104	104	104	104	104	240			K84	240	240	240
245/55-		105	K45				105	105									
255/55-											247	K55			247	247	247
275/55-												K56	K66		255	255	255
205/50-	090	090	K23	090	090	090	090	090	090	090							
215/50-	095	095	K33	095	095	095	095	095	095	095							
215/50- ¹⁰⁾	100	100	K33	100	100	100	100	100	100	100							
225/50-	100	100	K33	100	100	100	100	100	100	100					227	227	227
235/50-	102	102	K34	102	102	102	102	102	102	102							
245/50-			K44														
255/50-			K44														
275/50-												K55					
195/45-			K12														
205/45-	080	080	K22	080	080	080	080	080	080	080							
215/45-	090	090	K22	090	090	090	090	090	090	090							
225/45-	095	095	K23	095	095	095	095	095	095	095							
235/45-	100	100	K23	100	100	100	100	100	100	100							
245/45-	102	102	K33	102	102	102	102	102	102	102							
255/45-	104	104	K34	104	104	104	104	104	104	104							
265/45-			K34														
275/45-			K44														
195/40-			K11														
205/40-	070	070	K11	070	070	070	070	070	070	070							
215/40-	080	080	K12	080	080	080	080	080	080	080							
225/40-			K12														
235/40-	090	090	K22	090	090	090	090	090	090	090							
245/40-	097	097	K23	097	097	097	097	097	097	097							
255/40-	102	102	K23	102	102	102	102	102	102	102							
265/40-			K23	102	102	102	102	102	102	102							
275/40-			K33	104	104	104	104	104	104	104							
285/40-			K34														
295/40-			K34														
225/35-	075	075	K11	075	075			075	075								
245/35-			K12														
255/35-			K12														
265/35-			K22														
275/35-			K22														
7-17.5															240	240	240
8-															250	250	250
205/75-															247	247	247
215/75-															250	250	250
205/65-															240	240	240
255/70-18											250		K67			266	
225/65-											255		K67		250	250	250
235/65-													K77		255	255	255
255/65-																	
265/65-															267	267	267
225/60-							105	105			245	K56	K66		245	245	245
235/60-											247		K66	K89	247	247	247
245/60-											250		K67		250	250	250

10) Kleber Krisalp

PLEASE NOTE: The info in this fitting guide are referred to the matching of tyre size and chain size only and are not considering in any case the vehicle's features. Discover the correct snow chain model/size for your vehicle on our "Fit Guide" at www.konigchain.com.

	PASSENGER CARS											SUVS			VAN-MOTOR-HOMES	SUV - VAN - MOTORHOMES		
TYRE SIZE	König Easy-fit CU-9	König Easy-fit CU-10	König K-Summit	König K-Slim	König CB-7	König CS-9	König CL-10	König CG-9	König CD-9	König CB-12	König Easy-fit SUV	König K-Summit XL	König K-Summit XXL	König K-Summit VAN	König XG-12 Pro	König XD-16	König XB-16	
255/60-18											265		K67		265	265	265	
265/60-											265		K77		265	265	265	
275/60-													K77		267	267	267	
285/60-																266		
205/55-			K44															
215/55-			K45	103	103	103	103	103	103	103	235			K84	235	235	235	
225/55-	104	104	K45	104	104	104	104	104	104	104	240				240	240	240	
235/55-							105	105			245	K55		K87	245	245	245	
245/55-												K56	K66					
255/55-											255		K66		255	255	255	
265/55-													K67					
285/55-													K77		267	267	267	
215/50-	103	103	K34	102	102	102	102	102	102	102					230			
225/50-	104	104	K44	104	104	104	104	104	104	104								
235/50-			K45					107			240			K84	240	240	240	
245/50-		105	K45				105	105			245				245	245	245	
255/50-												K55						
265/50-												K56	K66					
275/50-												K56	K66					
285/50-													K66		255	255	255	
205/45-			K23															
215/45-	097	097	K33	097	097	097	097	097	097	097								
225/45-	100	100	K34	100	100	100	100	100	100	100								
235/45-	102	102	K34	102	102	102	102	102	102	102								
245/45-	104	104	K44	104	104	104	104	104	104	104				K81	235	235	235	
255/45-	104	104	K44	104	104	104	104	104	104	104	240			K84	240	240	240	
265/45-			K45															
275/45-			K45															
285/45-												K55						
295/45-												K56	K66					
205/40-			K22	085														
215/40-	095	095	K23	095	095	095	095	095	095	095								
225/40-	097	097	K23	097	097	097	097	097	097	097								
235/40-	100	100	K33	100	100	100	100	100	100	100								
245/40-	102	102	K33	102	102	102	102	102	102	102								
255/40-	104	104	K34	104	104	104	104	104	104	104								
265/40-			K34															
275/40-			K44															
285/40-			K44					117										
295/40-			K45															
215/35-			K12															
225/35-	090	090	K22	090	090	090	090	090	090	090								
235/35-			K22															
245/35-	097	097	K22	097	097	097	097	097	097	097								
255/35-	102	102	K23	102	102	102	102	102	102	102								
265/35-			K23															
275/35-			K33	103	103	103	103	103	103									
285/35-			K33															
295/35-			K34															
225/30-			K11															
255/30-			K12															
265/30-			K22															
285/30-			K22															
295/30-			K23						104									
235/65-19													K77					
205/55-	104	104		104	104	104	104	104	104	104		K55						
225/55-							105	105			247	K56	K66		247	247	247	
235/55-											250		K66		250	250	250	
245/55-															255	255	255	
255/55-											265		K67		265	265	265	
265/55-											267		K77		267	267	267	
275/55-													K77			266		
235/50-											247	K55	K66		247	247	247	
245/50-											250		K66		250	250	250	
255/50-											255		K66		255	255	255	
265/50-											265		K67		265	265	265	

PLEASE NOTE: The info in this fitting guide are referred to the matching of tyre size and chain size only and are not considering in any case the vehicle's features. Discover the correct snow chain model/size for your vehicle on our "Fit Guide" at www.konigchain.com.

TYRE SIZE	PASSENGER CARS										SUVS			VAN-MOTOR-HOMES	SUV - VAN - MOTORHOMES		
	König Easy-fit CU-9	König Easy-fit CU-10	König K-Summit	König K-Slim	König CB-7	König CS-9	König CL-10	König CG-9	König CD-9	König CB-12	König Easy-fit SUV	König K-Summit XL	König K-Summit XXL	König K-Summit VAN	König XG-12 Pro	König XD-16	König XB-16
275/50-19													K67				
225/45-	104	104	K44	104	104	104	104	104	104	104	240				235	235	235
235/45-	104	104	K45	104	104	104	104	104	104	104	240				240	240	240
245/45-		105	K45				105	105			245			K87	245	245	245
255/45-											247	K55			245	245	245
265/45-												K56	K66				
275/45-												K56	K66		255	255	255
285/45-													K66		265	265	265
295/45-													K67				
225/40-	102	102	K34	102	102	102	102	102	102	102					230	230	230
235/40-	102	102	K34	102	102	102	102	102	102	102							
245/40-	103	103	K44	103	103	103	103	103	103								
255/40-			K44					106			240				240		
265/40-			K45														
275/40-			K45					117							247	247	247
285/40-												K55					
295/40-												K55	K66				
215/35-			K23														
225/35-			K23														
235/35-	100	100	K33	100	100	100	100	100	100	100							
245/35-	102	102	K33	102	102	102	102	102	102	102							
255/35-	104	104	K34	104	104	104	104	104	104	104							
265/35-			K34					104	104								
275/35-			K44					106									
285/35-			K44					117									
295/35-			K44														
225/30-			K22														
245/30-			K23														
255/30-	102	102	K23			102	102	102	102	102							
265/30-			K23														
275/30-			K33	104	104	104	104	104	104	104							
285/30-			K33														
295/30-			K34														
195/55-20				104	104			104	104			K56					
235/55-											255		K77		255	255	255
255/55-													K77				
245/50-											255		K67		255	255	
255/50-											265		K67		265	265	265
265/50-											267		K77		267	267	267
275/50-													K77		266		
285/50-															266		
235/45-												K55	K66		247	247	247
245/45-								117			250	K56	K66		250	250	250
255/45-											255		K66		255		
265/45-											265		K67		265	265	265
275/45-													K67		265	265	265
285/45-													K77				
295/45-													K77				
305/45-													K77				
225/40-			K44														
235/40-			K45														
245/40-			K45				105	105			247				245	245	245
255/40-								117			247	K55			247	247	247
265/40-												K55	K66				
275/40-												K56	K66		255	255	255
285/40-													K66				
295/40-													K66		265	265	265
225/35-			K34														
245/35-			K44	104	104												
255/35-			K44					106									
265/35-			K45				105	105									
275/35-			K45					117							247	247	247
285/35-												K55					
295/35-												K55					
315/35-													K66		265	265	265
225/30-			K23														

PLEASE NOTE: The info in this fitting guide are referred to the matching of tyre size and chain size only and are not considering in any case the vehicle's features. Discover the correct snow chain model/size for your vehicle on our "Fit Guide" at www.konigchain.com.

TYRE SIZE	PASSENGER CARS										SUVS			VAN-MOTOR-HOMES	SUV - VAN - MOTORHOMES		
	König Easy-fit CU-9	König Easy-fit CU-10	König K-Summit	König K-Slim	König CB-7	König CS-9	König CL-10	König CG-9	König CD-9	König CB-12	König Easy-fit SUV	König K-Summit XL	König K-Summit XXL	König K-Summit VAN	König XG-12 Pro	König XD-16	König XB-16
235/30-20			K33														
245/30-			K33														
255/30-			K34														
265/30-			K34	104	104		104	104	104	104							
275/30-			K34														
285/30-			K44				105	105									
295/30-			K44														
255/50-21													K77				
265/45-											265		K77		265	265	265
275/45-													K77				
285/45-													K77				
255/40-													K66				
265/40-											265		K67		265	265	265
275/40-													K67				
285/40-													K67				
295/40-													K77				
315/40-													K77				
245/35-			K45														
255/35-												K55					
275/35-												K56	K66				
285/35-												K56	K66				
295/35-													K66		265	265	265
275/30-			K45														
285/30-			K45														
325/30-													K66				
265/40-22													K77				
275/40-													K77				
285/40-													K77				
265/35-													K66				
275/35-													K67				
285/35-													K67				
265/30-												K55	K66				
285/30-												K56	K66				
295/30-												K56	K66				
295/25-												K55					

PLEASE NOTE: The info in this fitting guide are referred to the matching of tyre size and chain size only and are not considering in any case the vehicle's features. Discover the correct snow chain model/size for your vehicle on our "Fit Guide" at www.konigchain.com.

Reference list for Professional chains

König Polar HD	
CHAIN	TYRE SIZE
200	6.50-14 175/80-14
205	6.70-13 24x8.50-12 24x8.50-14
210	6.40-15 7-14 7.00-14 185/80-14 185/75-14 195/70-14 195/65-15
220	6.70-14 25x8.50-14 175/80-16 185/80-15 195/80-14 175/75-16 195/75-14 195/70-15 200/70-16 195/65-16 205/65-15
225	195/80-15 205/80-14 185/75-16 195/75-15 205/75-14 205/75-15 205/70-15 205/65-16 215/65-15 215/60-16*
227	195/75-16* 215/70-15 215/60-16*
230	6.00-16 6.40-16 6.70-15 7-16 7.50-14 185-16 195/80-16 215/80-14 215/75-14 215/75-15 225/70-15 215/65-16 225/60-16 225/55-17 225/40-19
235	205/75-16 215/70-16 225/65-16 215/60-17 235/60-16 215/55-18 245/45-18
240	6.50-16 7.00-15* 7-17.5 205/80-16 215/80-15 215/75-16 225/75-15 225/70-16 235/70-15 205/65-17.5 225/60-17 255/60-15 225/55-18 235/55-17 235/50-18 255/45-18
245	6.50-17 28x9-15* 215/85-16 215/80-16 225/75-16 235/75-15 225/65-17 235/65-16* 235/60-17 235/55-18 245/50-18 245/45-19
246	27x8.50-15
247	8.40-15 30x9.50-15 205/75-17.5 235/70-16 255/70-15 235/65-17 225/60-18 235/60-18 255/55-17 255/40-20
250	7.00-16 7.50-15 8-17.5 9-15 235/80-16 9.0/75-16 215/75-17.5 235/70-17 245/70-16 265/70-15 225/65-18 245/65-17 255/65-16 245/60-18 235/55-19
255	10-15 31x10.50-15 245/75-16 255/75-15 265/75-15 245/70-17 255/70-16 235/65-18 255/65-17 255/60-17 235/55-20 255/55-18 275/55-17 255/50-19 285/50-18 275/45-19 275/40-20
265	9.5-16 31x11.50-15 235/85-16 265/70-16 280/70-16 265/65-17 255/60-18 265/60-18 275/60-17 255/55-19 255/50-20 265/50-19 275/45-20 285/45-19 295/35-21
266	285/65-17 285/60-18
267	32x11.50-15 245/75-17 265/75-16 265/70-17 275/70-16 265/65-18 275/65-17 285/65-16 275/60-18 265/55-19 285/55-18 265/50-20

* Please refer to Professional fitting guide.

König Polar	
CHAIN	TYRE SIZE
200	6.50-14 175/80-14
205	6.70-13 24x8.50-12 24x8.50-14
210	6.40-15 7-14 7.00-14 185/80-14 185/75-14 195/70-14 195/65-15
220	6.70-14 25x8.50-14 175/80-16 185/80-15 195/80-14 175/75-16 195/75-14 195/70-15 200/70-16 195/65-16 205/65-15
225	195/80-15 205/80-14 185/75-16 195/75-15 205/75-14 205/75-15 205/70-15 205/65-16 215/65-15 215/60-16*
227	195/75-16* 215/70-15 215/60-16*
230	6.00-16 6.40-16 6.70-15 7-16 7.50-14 185-16 195/80-16 215/80-14 215/75-14 215/75-15 225/70-15 215/65-16 225/60-16 225/55-17 225/40-19
235	205/75-16 215/70-16 225/65-16 215/60-17 235/60-16 215/55-18 245/45-18
240	6.50-16 7.00-15* 7-17.5 205/80-16 215/80-15 215/75-16 225/75-15 225/70-16 235/70-15 205/65-17.5 225/60-17 255/60-15 225/55-18 235/55-17 235/50-18 255/45-18
245	6.50-17 28x9-15* 215/85-16 215/80-16 225/75-16 235/75-15 225/65-17 235/65-16* 235/60-17 235/55-18 245/50-18 245/45-19
246	27x8.50-15
247	8.40-15 30x9.50-15 205/75-17.5 235/70-16 255/70-15 235/65-17 225/60-18 235/60-18 255/55-17 255/40-20
250	7.00-16 7.50-15 8-17.5 9-15 235/80-16 9.0/75-16 215/75-17.5 235/70-17 245/70-16 265/70-15 225/65-18 245/65-17 255/65-16 245/60-18 235/55-19
255	10-15 31x10.50-15 245/75-16 255/75-15 265/75-15 245/70-17 255/70-16 235/65-18 255/65-17 255/60-17 235/55-20 255/55-18 275/55-17 255/50-19 285/50-18 275/45-19 275/40-20
265	9.5-16 31x11.50-15 235/85-16 265/70-16 280/70-16 265/65-17 255/60-18 265/60-18 275/60-17 255/55-19 255/50-20 265/50-19 275/45-20 285/45-19 295/35-21
267	32x11.50-15 245/75-17 265/75-16 265/70-17 275/70-16 265/65-18 275/65-17 285/65-16 275/60-18 265/55-19 285/55-18 265/50-20

* Please refer to Professional fitting guide.

König Rallye

CHAIN	TYRE SIZE
200	6.50-14 175/80-14
210	6.40-15 7-14 7.00-14 185/80-14 185/75-14 195/70-14 195/65-15
220	6.70-14 25x8.50-14 175/80-16 185/80-15 195/80-14 175/75-16 195/75-14 195/70-15 200/70-16 195/65-16 205/65-15
225	195/80-15 205/80-14 185/75-16 195/75-15 205/75-14 205/75-15 205/70-15 205/65-16 215/65-15 215/60-16*
230	6.00-16 6.40-16 6.70-15 7-16 7.50-14 185-16 195/80-16 215/80-14 215/75-14 215/75-15 225/70-15 215/65-16 225/60-16 225/55-17 225/40-19
235	205/75-16 215/70-16 225/65-16 215/60-17 235/60-16 215/55-18 245/45-18
240	6.50-16 7.00-15* 7-17.5 205/80-16 215/80-15 215/75-16 225/75-15 225/70-16 235/70-15 205/65-17.5 225/60-17 255/60-15 225/55-18 235/55-17 235/50-18 255/45-18
245	6.50-17 28x9-15* 215/85-16 215/80-16 225/75-16 235/75-15 225/65-17 235/65-16* 235/60-17 235/55-18 245/50-18 245/45-19
247	8.40-15 30x9.50-15 205/75-17.5 235/70-16 255/70-15 235/65-17 225/60-18 235/60-18 255/55-17 255/40-20
250	7.00-16 7.50-15 8-17.5 9-15 235/80-16 9.0/75-16 215/75-17.5 235/70-17 245/70-16 265/70-15 225/65-18 245/65-17 255/65-16 245/60-18 235/55-19
255	10-15 31x10.50-15 245/75-16 255/75-15 265/75-15 245/70-17 255/70-16 235/65-18 255/65-17 255/60-17 235/55-20 255/55-18 275/55-17 255/50-19 285/50-18 275/45-19 275/40-20
265	9.5-16 31x11.50-15 235/85-16 265/70-16 280/70-16 265/65-17 255/60-18 265/60-18 275/60-17 255/55-19 255/50-20 265/50-19 275/45-20 285/45-19 295/35-21
267	32x11.50-15 245/75-17 265/75-16 265/70-17 275/70-16 265/65-18 275/65-17 285/65-16 275/60-18 265/55-19 285/55-18 265/50-20

* Please refer to Professional fitting guide.

König Rallye D

CHAIN	TYRE SIZE
2109	7.00-14 175-15 185/80-14 175/75-16 195/75-14 185/70-15 195/70-14 195/55-16
2202	6.70-14 7.50-14 175-16 185/80-15 195/80-14 185/75-16 195/75-15 205/75-14 185/70-16 195/70-15 205/70-14 195/65-16
2204	6.00-16 6.40-16 6.70-15 27x8.50-14 185/80-16 195/80-15 195/80-16 205/80-14 215/80-14 195/75-16* 205/75-15 205/75-16 215/75-14 215/75-15 195/70-16 205/70-15 215/70-14 215/70-15 225/70-15
2206	6.50-16 6.50-17 7-17.5 205/80-16 215/80-15 215/75-16 225/75-15 235/70-15
2207	7.00-16 7.50-15 225/75-16
2270	8-17.5 205/75-17.5 215/75-17.5
5021	6.00-9
5041	145-12 145-13 155-12
37005	5.00-12*

* Please refer to Professional fitting guide.

König Coach Master

CHAIN	TYRE SIZE
901	225/75-17.5
902	9.5-17.5 235/75-17.5 245/75-17.5
903	265/70-19.5
904	255/70-22.5
905	275/70-22.5* 295/70-22.5
906	315/60-22.5
907	275/80-22.5 315/70-22.5*
908	385/55-22.5
909	315/80-22.5*
910	315/80-22.5*
911	275/70-19.5 285/70-19.5
912	295/80-22.5* 315/75-22.5 315/70-22.5*
913	295/80-22.5*
914	295/60-22.5
915	245/70-19.5

* Please refer to Professional fitting guide.

König T2 PRO

CHAIN	TYRE SIZE
260	7.50-16 7-19.5 8.5-17.5 225/75-17.5
270	6.50-20 7.00-20 7.50-18 8.25-15* 8.25-16 8-19.5 9.5-17.5 235/75-17.5 245/75-17.5 245/70-17.5
274	10-17.5 245/70-19.5 265/70-17.5 275/65-18 285/65-18 275/55-20
275	295/75-16 265/70-19.5
279	285/75-16 285/70-17 275/60-20
280	7.50-20 8.00-20 8.25-17 8-22.5 9.5-19.5 9-19.5 225/90-20
290	8.3-24 8.25-20 9-22.5 255/70-22.5
295	11.00-16 305/70-19.5 285/60-22.5 295/60-22.5
300	9.00-20 9.5-24 10-22.5 11/70-22.5 275/70-22.5* 295/70-22.5 305/60-22.5
305	315/60-22.5
310	10.00-20 11-22.5 12/80-20 275/80-22.5 300/70-24 305/70-22.5 315/70-22.5*
316	385/55-22.5
320	11.00-20 315/80-22.5* 305/75-24.5
330	10.00-24 11.00-22 12.00-20 13-22.5 315/80-22.5* 315/75-24.5
350	9.00-16 12.0-16 35x12.50-15 35x12.50-16 35x12.50-17 255/100-16 275/70-19.5 285/70-19.5 315/70-17 275/65-20
370	12-22.5* 12/80-22.5 295/80-22.5* 13/75-22.5 315/75-22.5 315/70-22.5*
371	12-22.5* 295/80-22.5*

* Please refer to Professional fitting guide.

König Polar PRO

CHAIN	TYRE SIZE
248	250-15* 250/70-15
249	8-16 320/60-12
258	10-16.5 10.0/80-12 250/80-16* 10.0/75-15.3 250/75-16* 270/75-15* 260/70-16
260	7.50-16 7-19.5 8.5-17.5 9.50-16.5 225/75-17.5
261	320/55-15
261B	29x12.50-15*
262	280/60-15.5
263	29x12.00-15 29x12.50-15* 315/55-16
264	29x13.50-15
268	31x15.50-15
270	6.50-20 7.00-20 7.50-18 8.25-15* 8.25-16 8-19.5 9.5-17.5 250/80-16* 235/75-17.5 245/75-17.5 245/70-17.5
271	9.5-18 33x10.50-15 255/85-16
274	10-17.5 250/80-18 245/70-19.5 265/70-17.5 285/70-17 275/65-18 285/65-18 275/55-20
275	295/75-16 260/70-20 265/70-19.5
277	9.5-20 10.5-18 10.5/80-18 275/80-18
280	7.50-20 8.00-20 8.25-17 8-22.5 9.5-19.5 9-19.5 35x11.50-16 225/90-20 315/75-16 280/70-20
290	8.3-24 8.25-20 9.5-22 9-22.5 255/70-22.5
295	11.00-16 12.4-16 305/70-19.5 285/60-22.5 295/60-22.5
296	33x12.50-15 33x12.50-16 33x12.50-17 33x12.50-18 11.5/80-15.3 300/80-15.3 285/75-16 315/75-15 300/65-18 320/65-16 300/50-18
300	9.00-20 9.5-24 10-22.5 13.6-16 11/70-22.5 275/70-22.5* 295/70-22.5 305/60-22.5
305	315/60-22.5
310	8.3-28 10.00-20 11-22.5 12/80-20 275/80-22.5 300/70-24 305/70-22.5 315/70-22.5*
316	385/55-22.5
320	11.00-20 315/80-22.5* 305/75-24.5
330	10.00-24 11.00-22 12.00-20 13-22.5 315/80-22.5* 315/75-24.5
350	9.00-16 12.0-16 35x12.50-15 35x12.50-16 35x12.50-17 255/100-16 315/80-16 275/70-19.5 285/70-19.5 315/70-17 275/65-20 295/55-22.5
352	37x12.50-16 37x12.50-16.5 37x12.50-17
358	10.5-20 12.0/12.5-18 275/80-20 320/80-18* 300/70-20
359	11.2-20 280/85-20
360	12.5-18 36x13.50-15 38x14.00-20 12.5/80-18* 335/80-18 340/80-18 320/70-20 365/70-18
364	385/55-19.5 425/55-17 450/55-17* 355/50-22.5
370	11.2-24 12.4-20 12.5-20 12-22.5* 280/85-24 320/85-20* 12/80-22.5 12.5/80-20 13/80-20 295/80-22.5* 300/80-24* 335/80-20* 340/80-20 13/75-22.5 315/75-22.5 315/70-22.5*
371	12-22.5* 295/80-22.5*
380	13.00-20 365/85-20 14.75/80-20 360/80-24
390	14.00-20*
398	12.00-24 14/80-24
520	14.5-20 14.9-20* 15-22.5* 14/80-20 355/80-20 360/80-20* 365/80-20 375/75-20 380/75-20 320/70-24 385/65-22.5
525	16.5-22.5 425/65-22.5
530	18-22.5 445/65-22.5

CHAIN	TYRE SIZE
770	12.4-24 320/85-24*
772	11.2-28 320/85-24* 340/80-24* 320/70-28 400/60-26.5
775	360/70-24
780	13.6-24 340/85-24*
790	14.5-24 14.9-24 44x18.00-20 380/85-24* 14.9/80-24 15.5/80-24 400/80-24 360/70-28 440/65-24
795	395/85-20 15.5/80-20 16.5/75-20 425/75-20* 16/70-24 380/70-24* 400/70-24 405/70-24 420/65-24
810	12.4-28 320/85-28
820	12.4-32 13.6-28* 340/85-28
920	12.4-36
930	13.6-36
940	13.6-38

* Please refer to Professional fitting guide.

König Rallye PRO

CHAIN	TYRE SIZE
260	7.50-16 7-19.5 8.5-17.5 9.50-16.5 225/75-17.5
262	280/60-15.5
270	6.50-20 7.00-20 7.50-18 8.25-15* 8.25-16 8-19.5 9.5-17.5 250/80-16* 235/75-17.5 245/75-17.5 245/70-17.5
271	9.5-18 33x10.50-15 255/85-16
274	10-17.5 250/80-18 245/70-19.5 265/70-17.5 285/70-17 275/65-18 285/65-18 275/55-20
275	295/75-16 260/70-20 265/70-19.5
280	7.50-20 8.00-20 8.25-17 8-22.5 9.5-19.5 9-19.5 35x11.50-16 225/90-20 315/75-16 280/70-20
290	8.3-24 8.25-20 9-22.5 255/70-22.5
295	11.00-16 12.4-16 305/70-19.5 285/60-22.5 295/60-22.5
296	33x12.50-15 33x12.50-16 33x12.50-17 33x12.50-18 11.5/80-15.3 300/80-15.3 285/75-16 315/75-15 300/65-18 320/65-16 300/50-18
300	9.00-20 9.5-24 10-22.5 13.6-16 11/70-22.5 275/70-22.5* 295/70-22.5 305/60-22.5
305	315/60-22.5
310	8.3-28 10.00-20 11-22.5 12/80-20 275/80-22.5 300/70-24 305/70-22.5 315/70-22.5*
316	385/55-22.5
320	11.00-20 315/80-22.5* 305/75-24.5
330	10.00-24 11.00-22 12.00-20 13-22.5 315/80-22.5* 315/75-24.5
350	9.00-16 12.0-16 35x12.50-15 35x12.50-16 35x12.50-17 255/100-16 315/80-16 275/70-19.5 285/70-19.5 315/70-17 275/65-20 295/55-22.5
360	12.5-18 36x13.50-15 38x14.00-20 12.5/80-18* 335/80-18 340/80-18 320/70-20 365/70-18
370	11.2-24 12.4-20 12.5-20 12-22.5* 280/85-24 320/85-20* 12/80-22.5 12.5/80-20 13/80-20 295/80-22.5* 300/80-24* 335/80-20* 340/80-20 13/75-22.5 315/75-22.5 315/70-22.5*
371	12-22.5* 295/80-22.5*
390	14.00-20*

* Please refer to Professional fitting guide.

König Rallye Pro D

CHAIN	TYRE SIZE
2209	7.50-16 8.5-17.5 225/75-17.5
2301	8.25-15* 8-19.5 235/75-17.5
2302	8.25-16 9.5-17.5 10-17.5 245/70-19.5
2306	265/70-19.5
2400	7.50-20 8-22.5 9.00-16 9.5-19.5 275/70-19.5
2401	8.25-20 9-22.5 10.00-16 235/80-22.5 285/70-19.5
2402	9.00-20 10-22.5 11.00-16 11/70-22.5 275/70-22.5* 285/70-22.5 295/70-22.5
2403	10.00-20 11-22.5 275/80-22.5 285/75-22.5 275/70-22.5* 305/70-22.5
2404	10.00-22 11.00-20 11-24.5 12.5-22.5 12-22.5* 285/80-24.5 305/75-24.5 315/75-22.5
2405	315/80-22.5*
2406	11.00-22 12.00-20 12-24.5 13-22.5
2410	305/70-19.5 285/65-22.5
2421	315/60-22.5
2430	12/80-22.5 275/80-24.5 295/80-22.5* 285/75-24.5 295/75-22.5 315/70-22.5*

* Please refer to Professional fitting guide.

König Rallye Pro D Plus

CHAIN	TYRE SIZE
2209	7.50-16 8.5-17.5 225/75-17.5
2301	8.25-15* 8-19.5 235/75-17.5
2302	8.25-16 9.5-17.5 10-17.5 245/70-19.5
2306	265/70-19.5
2401	8.25-20 9-22.5 10.00-16 235/80-22.5 285/70-19.5
2402	9.00-20 10-22.5 11.00-16 11/70-22.5 275/70-22.5* 285/70-22.5 295/70-22.5
2403	10.00-20 11-22.5 275/80-22.5 285/75-22.5 305/70-22.5
2404	10.00-22 11.00-20 11-24.5 12.5-22.5 12-22.5* 285/80-24.5 315/80-22.5* 305/75-24.5 315/75-22.5
2405	315/80-22.5*
2406	11.00-22 12.00-20 12-24.5 13-22.5
2410	305/70-19.5 285/65-22.5
2430	12/80-22.5 295/80-22.5* 295/75-22.5 315/70-22.5*

* Please refer to Professional fitting guide.

König TM-7

CHAIN	TYRE SIZE
295	11.00-16 12.4-16 305/70-19.5 285/60-22.5 295/60-22.5
300	9.00-20 9.5-24 10-22.5 13.6-16 11/70-22.5 275/70-22.5* 295/70-22.5 305/60-22.5
305	315/60-22.5
310	10.00-20 11-22.5 12/80-20 275/80-22.5 300/70-24 305/70-22.5 315/70-22.5*
320	11.00-20 315/80-22.5* 305/75-24.5
330	10.00-24 11.00-22 12.00-20 13-22.5 315/80-22.5* 315/75-24.5
370	11.2-24 12.5-20 12-22.5* 280/85-24 320/85-20* 12/80-22.5 12.5/80-20 13/80-20 295/80-22.5* 300/80-24* 335/80-20* 13/75-22.5 315/75-22.5 315/70-22.5*

* Please refer to Professional fitting guide.

König Cingoli X-Press Plus

CHAIN	TYRE SIZE
A	10.00-20 11.00-20 11.00-22 11.2-24 11-22.5 12.00-20 12.5-20 12-22.5* 13-22.5 12/80-20 12/80-22.5 12.5/80-20 13/80-20 275/80-22.5 295/80-22.5* 300/80-24* 315/80-22.5* 335/80-20* 305/75-24.5 315/75-22.5 315/75-24.5 305/70-22.5 315/70-22.5* 315/60-22.5
B	9.00-20 9.5-24 10-22.5 275/70-22.5* 295/70-22.5 305/70-19.5 295/60-22.5 305/60-22.5
C	7.50-20 8.25-17 8.25-20 8-22.5 9.5-19.5 9.5-20 9-19.5 9-22.5 225/70-22.5 245/70-19.5 265/70-19.5 275/70-19.5 285/70-19.5

* Please refer to Professional fitting guide.

König Cingoli

CHAIN	TYRE SIZE
A	10.00-20 11.00-20 11.00-22 11.2-24 11-22.5 12.00-20 12.5-20 12-22.5* 13-22.5 12/80-20 12/80-22.5 12.5/80-20 13/80-20 275/80-22.5 295/80-22.5* 300/80-24* 315/80-22.5* 335/80-20* 305/75-24.5 315/75-22.5 315/75-24.5 305/70-22.5 315/70-22.5* 315/60-22.5
B	9.00-20 9.5-24 10-22.5 275/70-22.5* 295/70-22.5 305/70-19.5 295/60-22.5 305/60-22.5
C	7.50-20 8.25-17 8.25-20 8-22.5 9.5-19.5 9.5-20 9-19.5 9-22.5 225/70-22.5 245/70-19.5 265/70-19.5 275/70-19.5 285/70-19.5
D	6.50-20 7.00-16 7.00-18 7.50-16 7-19.5 8.5-17.5 8.25-16 8-17.5 8-19.5 9.5-17.5 205/75-17.5 215/75-17.5 225/75-17.5 235/75-17.5 245/75-17.5 245/70-17.5
E	4.00-19 6.00-16 6.40-16 6.50-16 7-17.5 185-16 215/85-16 195/80-16 205/80-16 215/80-16 185/75-16 195/75-16* 205/75-16 215/75-16 225/75-16

* Please refer to Professional fitting guide.

König Super Impact

CHAIN	TYRE SIZE
1402	10-22.5
1403	11-22.5
1404	11.00-20 12-22.5*
1405	315/80-22.5*
1406	12.00-20 13-22.5
1408	13.00-20 365/85-20 14.75/80-20 360/70-24
1409	16.5-22.5 425/65-22.5
1430	275/80-24.5 295/80-22.5* 295/75-22.5 315/70-22.5*
3005	10.5-18 10.5/80-18
3006	12.5-18 12.5/80-18* 320/80-18* 335/80-18
3100	10.5-20
3101	12.5-20 335/80-20* 340/80-18
3102	14.5-20 15-22.5* 360/80-20* 365/80-20 375/75-20 385/65-22.5
3106	13.6-24
3161	12.4-24
3171	380/70-28*
3201	12.4-28
3205	16.9-34*
3206	16.9-24* 440/80-24*
3260	16.9-24* 440/80-24*
3304	14.9-28*
3306	16.9-28* 440/80-28*
3307	18.4-38
3340	14.9-28* 420/70-28*
4060	14.00-20*
4061	16.00-24 16.00-25*
4062	17.5-24 17.5-25
4064	20.5-25 540/65-30
4065	23.5-25*
4066	14.00-24 14.00-25
4160	15.5-25 15.5/80-24
4161	16/70-24 405/70-24
4163	20-24 22/70-24
4165	26.5-25*
60670	16/70-20 405/70-20
60850	10-16.5
83461	380/70-20
85228	26.5-25*

* Please refer to Professional fitting guide.

König Impact

CHAIN	TYRE SIZE
300	9.00-20 9.5-24 10-22.5 11/70-22.5 275/70-22.5* 295/70-22.5 305/60-22.5
310	8.3-28 10.00-20 11-22.5 12/80-20 275/80-22.5 300/70-24 305/70-22.5 315/70-22.5*
320	11.00-20 11.2-24 12-22.5* 280/85-24 300/80-24* 315/80-22.5* 305/75-24.5
330	10.00-24 11.00-22 12.00-20 13-22.5 315/75-24.5
358	10.5-20 12.0-18 12.0/12.5-18 275/80-20 320/80-18* 300/70-20
359	11.2-20 280/85-20 340/65-20
360	12.5-18 36x13.50-15 38x14.00-20 12.5/80-18* 335/80-18 340/80-18 320/70-20 365/70-18
363	14-17.5 33x15.50-15 35x14.50-16.5 400-15.5 400/60-15.5 15.0/55-17* 15.5/55-17* 15.5/55-18 385/55-18 400/55-17.5
364	425/55-17 450/55-17* 19.0/45-17
370	12.00-18 12.4-20 12.5-20 12-22.5* 320/85-20* 12/80-22.5 12.5/80-20 13/80-20 295/80-22.5* 335/80-20* 340/80-20 13/75-22.5 315/75-22.5 340/75-20 315/70-22.5* 400/55-22.5
373	41x14.00-20 360/70-20 360/60-24
380	13.00-20 365/85-20 14.75/80-20 360/80-24
390	14.00-20*
500	15-19.5 375/70-20* 425/55-19.5 500/55-17 500/50-17
505	15-22.5* 16-20 16/70-20 380/70-20 400/70-20 405/70-20 420/65-20*
506	440/65-20 445/65-19.5
510	18-19.5 17.5/70-20 455/70-20 475/65-20 550/45-22.5 560/45-22.5
517	500/60-22.5
520	14.5-20 14.9-20* 15-22.5* 14/80-20 355/80-20 360/80-20* 365/80-20 375/75-20 380/75-20 320/70-24 385/65-22.5
522	405/70-18
539	19.5-24 500/70-24
540	14.00-24 14.00-25 16.00-20 385/95-24 385/95-25 480/70-24* 480/60-28
550	17.5-24 17/80-24 440/80-24* 445/70-24 460/70-24
560	18.00-25
570	15.5-25 16.9-24* 420/75-24 380/70-28* 455/70-24 480/65-24* 525/65-20.5
575	16.00-25* 445/95-25*
580	17.5-25 445/80-25
603	600/60-30.5
770	12.4-24 320/85-24*
772	11.2-28 320/85-24* 340/80-24* 320/70-28 400/60-26.5
775	360/70-24
780	13.6-24 340/85-24*
790	14.5-24 14.9-24 18-22.5 44x18.00-20 380/85-24* 14.9/80-24 15.5/80-24 400/80-24 360/70-28 440/65-24 445/65-22.5
795	395/85-20 15.5/80-20 16.5/75-20 425/75-20* 16/70-24 380/70-24* 400/70-24 405/70-24 420/65-24
810	12.00-24 12.4-28 320/85-28
820	12.4-32 13.6-28* 340/85-28
825	13.00-24 14.9-26 380/70-28* 420/70-24*

König Impact

CHAIN	TYRE SIZE
830	14.9-28* 16.9-24* 16.5/85-24 380/85-28* 420/85-24* 400/80-28* 440/80-24* 440/65-28 480/65-24* 500/60-26.5
840	16.9-28* 16.5/85-28 420/85-28* 440/80-28* 420/70-30
850	14.9-30 380/85-28* 380/85-30 420/70-28*
860	16.00-24 16.9-30 420/85-30 440/80-30
869	15.5-38 18.4-30* 480/80-30*
870	14.9-38 16.9-34* 18.4-30* 420/85-34* 460/85-30 440/80-34*
875	480/70-34
878	480/70-26 480/65-28 500/65-28 540/65-24
880	18.4-26 480/80-26 480/70-28* 540/65-26 520/60-28
885	480/70-30 540/65-28
886	540/70-30* 540/65-30
887	520/70-30
900	18.4-34 460/85-34 480/80-34 520/70-34* 540/65-34 600/65-30
920	12.4-36
940	13.6-38
950	16.9-38 420/85-38 480/80-38* 520/75-34 480/70-38* 520/70-34* 540/65-38
960	18.4-38 460/85-38 620/75-30 520/70-38* 600/70-34 600/60-38*
970	18.4-42 20.8-38 460/85-42 520/85-38* 540/80-38

* Please refer to Professional fitting guide.

König DRS

CHAIN	TYRE SIZE
585	20-24 550/65-25 600/55-26.5 710/45-26.5
590	20.5-25 525/80-25 520/70-30 540/65-30 600/60-28 710/50-26.5
593	18.4-26 480/80-26 540/65-26
595	600/65-28 600/60-30
598	600/70-28 650/65-25
600	23.1-26 23.5-25* 620/75-26 600/70-30
605	18.4-38 23.5-25* 28-26 28.1-26 460/85-38 520/70-38* 600/70-34 30/65-25 600/65-34 650/65-34 750/65-25 600/60-38*
620	24.5-32 26.5-25* 650/75-32 650/60-38
625	26.5-25* 580/70-42 650/65-38
628	650/65-42
875	480/70-34
878	480/70-26 480/65-28 500/65-28 540/65-24
885	480/70-30 540/65-28
900	18.4-34 460/85-34 480/80-34 520/70-34* 540/65-34 600/65-30
950	16.9-38 420/85-38 480/80-38* 520/75-34 480/70-38* 520/70-34* 540/65-38
975	20.8-42 520/85-42
980	20.8-38 520/85-38* 520/70-38* 600/65-38
985	580/70-38
990	650/85-38 710/70-42

* Please refer to Professional fitting guide.

König DR

CHAIN	TYRE SIZE
253	26x12.00-12 27x10.50-15 11.0/65-12
254	205/80-16 225/75-16
256	240/70-16
257	280/60-15.5
258	10-16.5 10.0/80-12 250/80-16* 10.0/75-15.3 250/75-16* 270/75-15* 260/70-16
259	27x8.50-15 215/70-15
260	7.50-16 7-19.5 8.5-17.5 9.50-16.5 225/75-17.5
261	320/55-15
263	29x12.00-15 29x12.50-15*
264	29x13.50-15 315/55-16
265	9.5-16 31x11.50-15 235/85-16 265/75-16 265/70-16 280/70-16 265/65-17 285/65-16 255/60-18
266	300/65-16 285/60-18
268	31x15.50-15
270	6.50-20 7.00-20 7.50-18 8.25-15* 8.25-16 8-19.5 9.5-17.5 250/80-16* 235/75-17.5 245/75-17.5 245/70-17.5
274	10-17.5 250/80-18 245/70-19.5 265/70-17.5 285/65-18
275	295/75-16 260/70-20 265/70-19.5
277	9.5-20 10.5-18 10.5/80-18 275/80-18 280/70-20
290	8.3-24 8.25-20 9.5-22 9-22.5 260/80-20 255/70-22.5
294	11-16 12-16.5 31x13.50-15 280/70-18
296	33x12.50-15 33x12.50-16 33x12.50-17 33x12.50-18 35x11.50-16 11.5/80-15.3 300/80-15.3 285/75-16 315/75-15 315/75-16 300/65-18 320/65-16 300/50-18
298	9.00-16 35x12.50-16.5 315/80-16 12.0/75-18 285/70-19.5 325/70-18 13.0/65-18 320/65-18 340/65-18 295/60-22.5
300	9.00-20 9.5-24 10-22.5 11/70-22.5 275/70-22.5* 295/70-22.5 305/60-22.5
310	8.3-28 10.00-20 11-22.5 12/80-20 275/80-22.5 300/70-24 305/70-22.5 315/70-22.5*
320	11.00-20 11.2-24 12-22.5* 280/85-24 300/80-24* 315/80-22.5* 305/75-24.5
330	10.00-24 11.00-22 12.00-20 13-22.5 315/75-24.5
358	10.5-20 12.0-18 12.0/12.5-18 275/80-20 320/80-18* 300/70-20
359	11.2-20 280/85-20 340/65-20
360	12.5-18 36x13.50-15 38x14.00-20 12.5/80-18* 335/80-18 340/80-18 320/70-20 365/70-18
363	14-17.5 33x15.50-15 35x14.50-16.5 400-15.5 400/60-15.5 15.0/55-17* 15.5/55-17* 15.5/55-18 385/55-18 400/55-17.5
364	425/55-17 450/55-17* 19.0/45-17
370	12.00-18 12.4-20 12.5-20 12-22.5* 320/85-20* 12/80-22.5 12.5/80-20 13/80-20 295/80-22.5* 335/80-20* 340/80-20 13/75-22.5 315/75-22.5 340/75-20 315/70-22.5* 400/55-22.5
373	41x14.00-20 360/70-20 360/60-24
380	13.00-20 365/85-20 14.75/80-20 360/80-24
390	14.00-20*
500	15-19.5 375/70-20* 425/55-19.5 500/55-17 500/50-17
505	15-22.5* 16-20 16/70-20 380/70-20 400/70-20 405/70-20 420/65-20*
506	440/65-20 445/65-19.5

* Please refer to Professional fitting guide.

König DR

CHAIN	TYRE SIZE
510	18-19.5 17.5/70-20 455/70-20 475/65-20 550/45-22.5 560/45-22.5
512	600/50-22.5
516	560/60-22.5 600/55-22.5
517	500/60-22.5
520	14.5-20 14.9-20* 15-22.5* 14/80-20 355/80-20 360/80-20* 365/80-20 375/75-20 380/75-20 320/70-24 385/65-22.5
522	405/70-18
539	19.5-24 500/70-24
540	14.00-24 14.00-25 16.00-20 385/95-24 385/95-25 480/70-24* 480/60-28
550	17.5-24 17/80-24 440/80-24* 445/70-24 460/70-24
560	18.00-25
570	15.5-25 16.9-24* 420/75-24 380/70-28* 455/70-24 480/65-24* 525/65-20.5
575	16.00-25* 445/95-25*
580	17.5-25 445/80-25
770	12.4-24 320/85-24*
772	11.2-28 320/85-24* 340/80-24* 320/70-28 400/60-26.5
775	360/70-24
780	13.6-24 340/85-24*
790	14.5-24 14.9-24 18-22.5 44x18.00-20 380/85-24* 14.9/80-24 15.5/80-24 400/80-24 360/70-28 440/65-24 445/65-22.5
795	395/85-20 15.5/80-20 16.5/75-20 425/75-20* 16/70-24 380/70-24* 400/70-24 405/70-24 420/65-24
810	12.00-24 12.4-28 320/85-28
820	12.4-32 13.6-28* 340/85-28
825	13.00-24 14.9-26 380/70-28* 420/70-24*
830	14.9-28* 16.9-24* 16.5/85-24 380/85-28* 420/85-24* 400/80-28* 440/80-24* 440/65-28 480/65-24* 500/60-26.5
840	16.9-28* 16.5/85-28 420/85-28* 440/80-28* 420/70-30
850	14.9-30 380/85-28* 380/85-30 420/70-28*
860	16.00-24 16.9-30 420/85-30 440/80-30
869	15.5-38 18.4-30* 480/80-30*
870	14.9-38 16.9-34* 18.4-30* 420/85-34* 460/85-30 440/80-34*
875	480/70-34
878	480/70-26 480/65-28 500/65-28 540/65-24
880	18.4-26 480/80-26 480/70-28* 540/65-26 520/60-28
885	480/70-30 540/65-28
886	540/70-30* 540/65-30
887	520/70-30
900	18.4-34 460/85-34 480/80-34 520/70-34* 540/65-34 600/65-30
920	12.4-36
930	13.6-36
940	13.6-38
950	16.9-38 420/85-38 480/80-38* 520/75-34 480/70-38* 520/70-34* 540/65-38
960	18.4-38 460/85-38 620/75-30 520/70-38* 600/70-34 600/60-38*
970	18.4-42 20.8-38 460/85-42 520/85-38* 540/80-38
975	20.8-42 520/85-42

* Please refer to Professional fitting guide.

König Supertractor

CHAIN	TYRE SIZE
300	9.00-20 9.5-24 10-22.5 11/70-22.5 275/70-22.5* 295/70-22.5 305/60-22.5
310	8.3-28 10.00-20 11-22.5 12/80-20 275/80-22.5 300/70-24 305/70-22.5 315/70-22.5*
320	11.00-20 11.2-24 12-22.5* 280/85-24 300/80-24* 315/80-22.5* 305/75-24.5
330	10.00-24 11.00-22 12.00-20 13-22.5 315/75-24.5
360	12.5-18 36x13.50-15 38x14.00-20 12.5/80-18* 335/80-18 340/80-18 320/70-20 365/70-18
370	12.00-18 12.4-20 12.5-20 12-22.5* 15-19.5 320/85-20* 12/80-22.5 12.5/80-20 13/80-20 295/80-22.5* 335/80-20* 340/80-20 13/75-22.5 315/75-22.5 340/75-20 315/70-22.5* 375/70-20* 400/55-22.5 425/55-19.5 500/50-17
373	360/70-20 360/60-24
390	14.00-20*
505	15-22.5* 16-20 16/70-20 380/70-20 400/70-20 405/70-18 405/70-20 420/65-20*
506	17.5/65-20 440/65-20
520	14.5-20 14.9-20* 15-22.5* 14/80-20 355/80-20 360/80-20* 365/80-20 375/75-20 380/75-20 320/70-24 385/65-22.5
570	14.00-20* 16.9-24* 380/70-28* 460/70-24 480/65-24*
595	600/65-28
605	600/70-30 600/65-34 650/65-34
623	650/60-38
625	580/70-38 650/65-38
627	620/70-42
628	650/65-42
770	12.4-24 320/85-24*
771	500/45-20
772	11.2-28 320/85-24* 340/80-24* 320/70-28 400/60-26.5
775	360/70-24
780	13.6-24 340/85-24*
790	14.5-24 14.9-24 18-22.5 44x18.00-20 380/85-24* 14.9/80-24 15.5/80-24 400/80-24 360/70-28 440/65-24 445/65-22.5
795	395/85-20 15.5/80-20 16.5/75-20 425/75-20* 16/70-24 380/70-24* 400/70-24 405/70-24 420/65-24
810	12.4-28 320/85-28
820	12.4-32 13.6-28* 340/85-28
825	13.00-24 14.9-26 17.5-24 380/70-28* 420/70-24* 445/70-24
830	14.9-28* 16.9-24* 16.5/85-24 380/85-28* 420/85-24* 440/80-24* 440/65-28 480/65-24* 500/60-26.5
840	16.9-28* 16.5/85-28 420/85-28* 440/80-28* 420/70-30
850	14.9-30 380/85-28* 380/85-30 420/70-28*
860	16.00-24 16.9-30 420/85-30 440/80-30
870	14.9-38 16.9-34* 18.4-30* 420/85-34* 460/85-30 440/80-34*
875	480/70-34
878	480/70-26 480/65-28 500/65-28 540/65-24
880	18.4-26 480/80-26 480/70-28* 540/65-26 520/60-28
885	480/70-30 540/65-28
886	540/70-30* 540/65-30
887	520/70-30

* Please refer to Professional fitting guide.

König Supertractor

CHAIN	TYRE SIZE
900	18.4-34 460/85-34 480/80-34 520/70-34* 540/65-34 600/65-30
950	16.9-38 420/85-38 480/80-38* 520/75-34 480/70-38* 520/70-34* 540/65-38
960	18.4-38 460/85-38 620/75-30 520/70-38* 600/70-34 600/60-38*
970	18.4-42 20.8-38 460/85-42 520/85-38* 540/80-38
980	600/65-38
982	710/60-30
986	710/60-38
987	30.5-32 800/65-32
988	650/75-38 710/70-38
990	650/85-38 710/70-42
992	710/75-42
995	800/70-38 900/60-38

* Please refer to Professional fitting guide.

König A-Tractor

CHAIN	TYRE SIZE
3005	9.5-18 10.5-18 10.5/80-18 275/80-18 280/80-18 280/70-20 320/65-18
3006	12-18 12.5-18 335/80-18 340/70-20
3007	31x15.50-15
3009	400-15.5 400/60-15.5 15.0/55-17* 15.5/55-17* 400/55-17.5
3010	8.3-24 10.5-20 12.4-16 275/80-20 300/70-20 13.0/65-18
3060	12.0-18 12.5/80-18*
3062	13.6-16 320/70-20 340/70-18 15.5/55-18 385/55-18
3100	11.2-20 280/85-20
3101	12.5-20 12.5/80-20 335/80-20* 300/70-24
3102	14.9-20* 41x14.00-20 360/80-20* 375/75-20 380/75-20 340/70-24 375/70-20* 420/65-20*
3103	340/80-20 375/70-20* 400/70-18
3104	9.00-24 11.2-24 280/85-24 320/85-20*
3105	16-20 16/70-20 16.0/70-20 400/70-20 405/70-18 405/70-20 400/55-22.5
3106	10.5-16 11.2-16 11.5/80-15.3 295/80-15.3 280/70-18 300/65-18
3107	14.9-24 380/85-24* 360/70-28
3108	400/80-24 420/75-24 425/75-24 420/70-24* 420/65-28
3109	15.0/55-17* 15.5/55-17* 425/55-17 450/55-17* 425/50-18
3111	12.4-20 320/85-20* 335/80-20* 340/75-20 360/70-20
3112	340/80-18 365/70-18
3120	14.5-20 14.9-20* 365/80-20 380/70-20
3140	340/80-24* 320/70-24
3160	16.5/75-20 420/75-20 425/75-20* 425/70-20 455/70-20 17.5/65-20 440/65-20
3163	17.5-24 420/70-24* 440/70-24 445/70-24 455/70-24 460/70-24 480/65-24*
3164	400/80-28* 480/70-24* 480/65-24* 480/65-26 500/65-24 480/60-28 500/60-26.5
3170	380/70-24* 440/65-24 445/65-22.5
3171	380/85-24* 380/70-28*
3172	14.9/80-24

* Please refer to Professional fitting guide.

König A-Tractor

CHAIN	TYRE SIZE
3180	400/70-24 405/70-24 420/65-24 425/65-24
3200	11.2-28 12.4-24 280/85-28 320/85-24* 320/80-24 320/70-28
3201	13.6-24 340/85-24* 360/70-26
3204	14.9-30 16.9-28* 16.5/85-28 380/85-30 420/85-28* 420/70-30
3205	16.9-34* 18.4-30* 420/85-34* 460/85-30 440/80-34* 480/80-30*
3206	16.9-24* 16.5/85-24 420/85-24* 440/80-24* 420/70-28*
3207	12.4-32 13.6-28* 320/85-32 340/85-28
3208	16.9-26 17.5-25 420/85-26 420/70-28*
3209	18.4-34
3210	360/80-24 360/70-24 380/70-24* 400/65-24
3211	12.4-28 325/95-24 320/85-28 340/85-24*
3250	420/85-34* 480/80-30* 480/70-34
3251	500/75-26.5 520/75-26 520/70-28 520/70-30 540/65-30
3253	20-24 480/70-28* 540/65-28 540/60-30
3261	440/65-28
3290	16.9-38 480/70-34
3304	14.00-24 14.00-25 14.9-28* 380/85-28*
3305	16.9-30 18.4-26 420/85-28* 440/80-28* 440/80-30 460/80-28 420/70-34
3307	18.4-38 460/85-38 480/70-38* 520/70-38*
3336	600/50-22.5
3340	13.6-28* 380/85-28* 380/70-28* 420/70-28*
3351	16.9-28* 440/80-28* 480/70-28* 480/65-30 500/65-28
3353	19.5-24 420/85-24* 480/70-24* 480/70-26 495/70-24 500/70-24 500/65-26.5 540/65-24
3354	16.9-34* 420/85-30 480/80-26 480/70-30
3360	480/75-24 480/65-28
3371	460/85-34 480/80-38* 520/65-38 540/65-38
3380	520/70-34*
3381	18.4-34 480/70-38*
3382	540/65-34
3388	650/65-38
3610	420/65-20*

* Please refer to Professional fitting guide.

König Load Master

CHAIN	TYRE SIZE
6003	11.0/65-12
6009	18x8.50-8 18x8.50-10
6010	18x7-8* 180/70-8
6011	18x7-8* 18x8-10
6019	200/50-10
6020	5.70-12 6.00-9
6021	21x8-9 200/75-9
6024	20.5x8.00-10
6030	6.50-10 23x8.50-12 185/70-13
6031	8.5-14 22x10-8 22x10-9 22x10-10 23x9-10 24x8.50-14 225/75-10
6033	26x12.00-12
6034	23x10.50-12
6035	25x10-12
6036	6.00-12
6040	7.00-12*
6041	7.00-12* 700/180-12
6042	8.00-12 8.15-15* 27x10-12* 27x10.50-15 250/75-12*
6043	23x10-12*
6050	8.15-15* 27x10-12* 28x9-15* 200-15 250/75-12*
6051	8.25-12 250-15*
6052	28x9-15* 250-15* 250/70-15
6053	7.00-15*
6054	7.50-15
6055	8.25-15*
6056	11.5-15 32x12.1-15 300-15 315/70-15 355/65-15*
6057	350-15 355/65-15*
6124	27x8.50-15
6143	23x10-12*
6153	7.00-15*
6155	7.50-16
6255	8.25-15*

* Please refer to Professional fitting guide.

König Rallye Q

CHAIN	TYRE SIZE
449	17x8.00-8
450	19x7-8
453	18x9.50-8 195/55-10
457	20x8.00-8 20x8.00-10 21x7-10
458	21x8.00-10
459	20x10-9
461	20x11.00-9 21x10-8 22x9-8 22x9-11 22x10-8 22x10-9 22x10-10 220/60-12
464	22x8-10 23x7-10
467	22x11-8 22x11-9 22x11-10
470	22x12-10 23x10-12*
473	25x8-12
476	24x11-10 25x10-10 25x10-12 26x9-12
479	24x12.00-12 25x11-10 25x11-12 26x10-12 26x10-14
480	24x9-11 24x9.50-10 26x8-12 26x8-14
481	25x12-10 25x12.50-12 26x11-12 26x11.00-14
482	26x12-14 26x12.00-12 305/50-14
483	24x13.00-12
484	27x10.50-15 28x10-12

* Please refer to Professional fitting guide.

König Rallye

CHAIN	TYRE SIZE
114	14x4.00-6 14x5-6
115	11x4.00-5
116	4.00-4
118	4.10-4
119	4.10/3.50-6* 13x4.00-6*
120	4.10-6
121	3.50-6 13x4.00-6* 13x4.10-6
123	13x5.00-6
124	6.00-6 15x6.00-6* 15x6.50-7 16x5.00-7
129	16x6.50-8
131	18x7.50-8 18x8.50-8 18x8.50-10
132	4.00-8*
133	4.00-8* 4.80/4.00-8
134	4.80-8
135	20x10.00-8
136	16x7.50-8
138	5.00-8
139	4.0-10* 4.00-10*
142	20x8.00-8 20x8.00-10
143	4.0-10*
149	20x10.00-10
151	13x6.00-6 15x5.00-6
152	15x6.00-6*
157	4.50-10* 5.00-10*
158	5.00-12* 6.00-12
162	6-12
163	6.50/80-12
168	23x10.50-12 24x10-11

* Please refer to Professional fitting guide.

König Unitour	
CHAIN	TYRE SIZE
004	3.50-10 4.50-8 100/90-10
006	4.00-10*
008	4.50-10*
119	3.00-4
121	3.50-6 13x4.00-6*
122	4.10/3.50-6*
125	4.00-6
127	3.50-8
129	16x6.50-8
131	18x7.50-8 18x8.50-8 18x8.50-10
133	4.00-8* 4.80/4.00-8
136	16x7.50-8
137	18x6.50-8
139	4.0-10* 4.00-10*
141	18x9.50-8 205/50-10
158	5.00-12* 6.00-12
163	6.50/80-12

* Please refer to Professional fitting guide.

Professional fitting guide by tyre size

PLEASE NOTE: to make easier the reading of the fit guide, the same tyre sizes are written in the first column of the right and left page.

		OFFROAD				BUS	BUS / TRUCK	TRUCK						
TYRE SIZE		König Polar HD	König Polar	König Rallye	König Rallye D	König Coach Master	König T2 PRO	König Polar PRO	König Rallye PRO	König Rallye Pro D	König Rallye Pro D Plus	König TM-7	König Cingoli X-Press Plus	König Cingoli
3.00-4.00-4.10-	4													
11x4.00-	5													
3.50-	6													
4.00-														

2. Check your tyre size in the first two columns (sorted by rim dimension).

		OFFROAD				BUS	BUS / TRUCK	TRUCK						
TYRE SIZE		König Polar HD	König Polar	König Rallye	König Rallye D	König Coach Master	König T2 PRO	König Polar PRO	König Rallye PRO	König Rallye Pro D	König Rallye Pro D Plus	König TM-7	König Cingoli X-Press Plus	König Cingoli
3.00-	4													
4.00-														
4.10-														
11x4.00-	5													
3.50-	6													
4.00-														
4.10-														
4.10/3.50-														
4.10/3.50-Snow Pro														
6.00-														
13x4.00-														
13x4.00-Carlisle X Trac														
13x4.10-														
13x5.00-														
13x6.00-														
14x4.00-														
14x5-														
15x5.00-														
15x6.00-														
15x6.00-Carlisle Turf Master														
15x6.50-	7													
16x5.00-														
3.50-	8													
4.00-														
4.00-Trak														
4.50-														
4.80-														
4.80/4.00-														
5.00-														
16x6.50-														
16x7.50-														
17x8.00-														
18x6.50-														
18x7-														
18x7-Superelastic														
18x7.50-														
18x8.50-														
18x9.50-														
19x7-														
20x8.00-														
20x10.00-														
21x10-														
22x9-														
22x10-														
22x11-														
180/70-														
6.00-	9				5021									

1. Select, in the table heading, the right category for your vehicle.

		SNOW REM.	SNOW REMOVER / TRACTOR				TRACTOR		SPECIAL VEHICLES			
Tyre Size		König Super Impact	König Impact	König DRS	König DR	König Supertractor	König A-Tractor	König Load Master	König Rallye Q	König Rallye	König Unitour	
3.00-	4											
4.00-										116		
4.10-										118		
11x4.00-	5									115		
3.50-	6									121		
4.00-											125	

3. In the columns on the right hand side you will find your snow chain size and you can choose, among the suggested snow chain models, the one most suitable for your needs.

		SNOW REM.	SNOW REMOVER / TRACTOR				TRACTOR		SPECIAL VEHICLES			
Tyre Size		König Super Impact	König Impact	König DRS	König DR	König Supertractor	König A-Tractor	König Load Master	König Rallye Q	König Rallye	König Unitour	
3.00-	4										119	
4.00-										116		
4.10-										118		
11x4.00-	5									115		
3.50-	6									121	121	
4.00-											125	
4.10-										120		
4.10/3.50-											122	
4.10/3.50-Snow Pro										119		
6.00-										124		
13x4.00-										121	121	
13x4.00-Carlisle X Trac										119		
13x4.10-										121		
13x5.00-										123		
13x6.00-										151		
14x4.00-										114		
14x5-										114		
15x5.00-										151		
15x6.00-										124		
15x6.00-Carlisle Turf Master										152		
15x6.50-	7									124		
16x5.00-										124		
3.50-	8										127	
4.00-										132		
4.00-Trak										133	133	
4.50-											004	
4.80-										134		
4.80/4.00-										133	133	
5.00-										138		
16x6.50-										129	129	
16x7.50-										136	136	
17x8.00-									449			
18x6.50-											137	
18x7-								6011				
18x7-Superelastic								6010				
18x7.50-										131	131	
18x8.50-								6009		131	131	
18x9.50-									453		141	
19x7-									450			
20x8.00-									457	142		
20x10.00-										135		
21x10-									461			
22x9-									461			
22x10-								6031	461			
22x11-									467			
180/70-								6010				
6.00-	9							6020				

	OFFROAD				BUS	BUS / TRUCK	TRUCK						
TYRE SIZE	König Polar HD	König Polar	König Rallye	König Rallye D	König Coach Master	König T2 PRO	König Polar PRO	König Rallye PRO	König Rallye Pro D	König Rallye Pro D Plus	König TM-7	König Cingoli X-Press Plus	König Cingoli
20x10-9													
20x11.00-													
21x8-													
22x10-													
22x11-													
200/75-													
3.50-10													
4.0-													
4.0-Mitas													
4.00-													
4.00-Trak													
4.50-													
4.50-Trak													
5.00-Trak													
6.50-													
18x8-													
18x8.50-													
20x8.00-													
20x10.00-													
20.5x8.00-													
21x7-													
21x8.00-													
22x8-													
22x10-													
22x11-													
22x12-													
23x7-													
23x9-													
24x9.50-													
24x11-													
25x10-													
25x11-													
25x12-													
100/90-													
225/75-													
195/55-													
200/50-													
205/50-													
22x9-11													
24x9-													
24x10-													
5.00-12				37005									
5.00-Trak													
5.70-													
6-													
6.00-													
7.00-													
7.00-Superelastic													
8.00-													
8.25-													
23x8.50-													
23x10-													
23x10-Superelastic													
23x10.50-													
24x8.50-	205	205											
24x12.00-													
24x13.00-													
25x8-													
25x10-													
25x11-													
25x12.50-													
26x8-													
26x9-													
26x10-													
26x11-													
26x12.00-													
27x10-													

	SNOW REM.	SNOW REMOVER / TRACTOR				TRACTOR		SPECIAL VEHICLES			
Tyre Size	König Super Impact	König Impact	König DRS	König DR	König Supertractor	König A-Tractor	König Load Master	König Rallye Q	König Rallye	König Unitour	
20x10-	9							459			
20x11.00-								461			
21x8-							6021				
22x10-							6031	461			
22x11-								467			
200/75-								6021			
3.50-	10									004	
4.0-									139	139	
4.0-Mitas									143		
4.00-										006	
4.00-Trak									139	139	
4.50-										008	
4.50-Trak									157		
5.00-Trak									157		
6.50-								6030			
18x8-								6011			
18x8.50-								6009		131	
20x8.00-									457		
20x10.00-										142	
20.5x8.00-									149		
21x7-								6024			
21x8.00-									457		
22x8-									458		
22x8-									464		
22x10-								6031	461		
22x11-									467		
22x12-									470		
23x7-									464		
23x9-								6031			
24x9.50-									480		
24x11-									476		
25x10-									476		
25x11-									479		
25x12-									481		
100/90-										004	
225/75-								6031			
195/55-									453		
200/50-								6019			
205/50-									141		
22x9-	11							461			
24x9-								480			
24x10-									168		
5.00-	12										
5.00-Trak									158	158	
5.70-								6020			
6-									162		
6.00-								6036	158	158	
7.00-								6041			
7.00-Superelastic								6040			
8.00-								6042			
8.25-								6051			
23x8.50-								6030			
23x10-								6043	470		
23x10-Superelastic								6143			
23x10.50-								6034		168	
24x8.50-											
24x12.00-									479		
24x13.00-									483		
25x8-									473		
25x10-								6035	476		
25x11-									479		
25x12.50-									481		
26x8-									480		
26x9-									476		
26x10-									479		
26x11-									481		
26x12.00-					253			6033	482		
27x10-								6042			

	OFFROAD				BUS	BUS / TRUCK	TRUCK						
TYRE SIZE	König Polar HD	König Polar	König Rallye	König Rallye D	König Coach Master	König T2 PRO	König Polar PRO	König Rallye PRO	König Rallye Pro D	König Rallye Pro D Plus	König TM-7	König Cingoli X-Press Plus	König Cingoli
27x10-Continental IC40													
28x10-													
145-				5041									
155-				5041									
700/180-													
6.50/80-													
10.0/80-							258						
250/75-													
250/75-Continental IC40													
11.0/65-													
220/60-													
320/60-							249						
6.70-	205	205											
145-				5041									
185/70-													
6.50-	200	200	200										
6.70-	220	220	220	2202									
7-	210	210	210										
7.00-	210	210	210	2109									
7.50-	230	230	230	2202									
8.5-													
24x8.50-	205	205											
25x8.50-	220	220	220										
26x8-													
26x10-													
26x11.00-													
26x12-													
27x8.50-				2204									
175/80-	200	200	200										
185/80-	210	210	210	2109									
195/80-	220	220	220	2202									
205/80-	225	225	225	2204									
215/80-	230	230	230	2204									
185/75-	210	210	210										
195/75-	220	220	220	2109									
205/75-	225	225	225	2202									
215/75-	230	230	230	2204									
195/70-	210	210	210	2109									
205/70-				2202									
215/70-				2204									
305/50-													
6.40-	210	210	210										
6.70-	230	230	230	2204									
7.00-	240	240	240										
7.00-Superelastic													
7.50-	250	250	250	2207									
8.15-													
8.15-Superelastic													
8.25-						270	270	270	2301	2301			
8.25-Superelastic													
8.40-	247	247	247										
9-	250	250	250										
10-	255	255	255										
11.5-													
27x8.50-	246	246											
27x10.50-													
28x9-	245	245	245										
28x9-Magna SE													
28x9-Superelastic													
29x12.00-							263						
29x12.50-							263						
29x12.50-Goodyear Super Terra Grip							261B						
29x13.50-							264						
30x9.50-	247	247	247										
31x10.50-	255	255	255										
31x11.50-	265	265	265										
31x13.50-													

		SNOW REM.	SNOW REMOVER / TRACTOR				TRACTOR		SPECIAL VEHICLES			
Tyre Size		König Super Impact	König Impact	König DRS	König DR	König Supertractor	König A-Tractor	König Load Master	König Rallye Q	König Rallye	König Unitour	
27x10-Continental IC40	12							6050				
28x10-									484			
145-												
155-												
700/180-								6041				
6.50/80-										163	163	
10.0/80-					258							
250/75-								6042				
250/75-Continental IC40								6050				
11.0/65-						253		6003				
220/60-									461			
320/60-												
6.70-	13											
145-												
185/70-								6030				
6.50-	14											
6.70-												
7-												
7.00-												
7.50-												
8.5-								6031				
24x8.50-								6031				
25x8.50-												
26x8-									480			
26x10-									479			
26x11.00-									481			
26x12-									482			
27x8.50-												
175/80-												
185/80-												
195/80-												
205/80-												
215/80-												
185/75-												
195/75-												
205/75-												
215/75-												
195/70-												
205/70-												
215/70-												
305/50-										482		
6.40-		15										
6.70-												
7.00-								6053				
7.00-Superelastic								6153				
7.50-								6054				
8.15-								6050				
8.15-Superelastic								6042				
8.25-					270			6055				
8.25-Superelastic								6255				
8.40-												
9-												
10-												
11.5-								6056				
27x8.50-					259			6124				
27x10.50-					253			6042	484			
28x9-								6050				
28x9-Magna SE								6052				
28x9-Superelastic								6050				
29x12.00-					263							
29x12.50-					263							
29x12.50-Goodyear Super Terra Grip												
29x13.50-					264							
30x9.50-												
31x10.50-												
31x11.50-					265							
31x13.50-					294							

	OFFROAD				BUS	BUS / TRUCK	TRUCK						
TYRE SIZE	König Polar HD	König Polar	König Rallye	König Rallye D	König Coach Master	König T2 PRO	König Polar PRO	König Rallye PRO	König Rallye Pro D	König Rallye Pro D Plus	König TM-7	König Cingoli X-Press Plus	König Cingoli
31x15.50- 15							268						
32x11.50-	267	267	267										
32x12.1-													
33x10.50-							271	271					
33x12.50-							296	296					
33x15.50-													
35x12.50-						350	350	350					
36x13.50-							360	360					
175-				2109									
200-													
250-							248						
250-Continental IC10													
250-Superelastic													
300-													
350-													
185/80-	220	220	220	2202									
195/80-	225	225	225	2204									
215/80-	240	240	240	2206									
195/75-	225	225	225	2202									
205/75-	225	225	225	2204									
215/75-	230	230	230	2204									
225/75-	240	240	240	2206									
235/75-	245	245	245										
255/75-	255	255	255										
265/75-	255	255	255										
270/75-Nokian TRI 2							258						
315/75-							296	296					
185/70-				2109									
195/70-	220	220	220	2202									
205/70-	225	225	225	2204									
215/70-	227	227		2204									
225/70-	230	230	230	2204									
235/70-	240	240	240	2206									
250/70-							248						
255/70-	247	247	247										
265/70-	250	250	250										
315/70-													
195/65-	210	210	210										
205/65-	220	220	220										
215/65-	225	225	225										
355/65-													
355/65-Superelastic													
255/60-	240	240	240										
320/55-							261						
11.5/80- 15.3							296	296					
295/80-													
300/80-							296	296					
10.0/75-							258						
400- 15.5													
280/60-							262	262					
400/60-													
6.00- 16	230	230	230	2204									E
6.40-	230	230	230	2204									E
6.50-	240	240	240	2206									E
7-	230	230	230										
7.00-	250	250	250	2207									D
7.50-						260	260	260	2209	2209			D
8-							249						
8.25-						270	270	270	2302	2302			D
9.00-						350	350	350	2400				
9.5-	265	265	265										
10.00-									2401	2401			
10.5-													
11-													
11.00-						295	295	295	2402	2402	295		
11.2-													
12.0-						350	350	350					

Tyre Size		SNOW REM.	SNOW REMOVER / TRACTOR				TRACTOR		SPECIAL VEHICLES			
		König Super Impact	König Impact	König DRS	König DR		König Supertractor	König A-Tractor	König Load Master	König Rallye Q	König Rallye	König Unitour
31x15.50-	15				268			3007				
32x11.50-												
32x12.1-									6056			
33x10.50-												
33x12.50-					296							
33x15.50-			363		363							
35x12.50-												
36x13.50-			360		360	360						
175-												
200-									6050			
250-									6052			
250-Continental IC10									6051			
250-Superelastic									6051			
300-									6056			
350-									6057			
185/80-												
195/80-												
215/80-												
195/75-												
205/75-												
215/75-												
225/75-												
235/75-												
255/75-												
265/75-												
270/75-Nokian TRI 2					258							
315/75-					296							
185/70-												
195/70-												
205/70-												
215/70-					259							
225/70-												
235/70-												
250/70-									6052			
255/70-												
265/70-												
315/70-									6056			
195/65-												
205/65-												
215/65-												
355/65-									6057			
355/65-Superelastic									6056			
255/60-												
320/55-					261							
11.5/80-	15.3				296			3106				
295/80-								3106				
300/80-					296							
10.0/75-					258							
400-	15.5		363		363			3009				
280/60-					257							
400/60-			363		363			3009				
6.00-	16											
6.40-												
6.50-												
7-												
7.00-												
7.50-					260				6155			
8-												
8.25-					270							
9.00-					298							
9.5-					265							
10.00-												
10.5-								3106				
11-					294							
11.00-												
11.2-								3106				
12.0-												

TYRE SIZE	OFFROAD				BUS	BUS / TRUCK	TRUCK						
	König Polar HD	König Polar	König Rallye	König Rallye D	König Coach Master	König T2 PRO	König Polar PRO	König Rallye PRO	König Rallye Pro D	König Rallye Pro D Plus	König TM-7	König Cingoli X-Press Plus	König Cingoli
12.4- 13.6- 33x12.50- 35x11.50- 35x12.50- 37x12.50- 175- 185- 255/100- 215/85- 235/85- 255/85- 175/80- 185/80- 195/80- 205/80- 215/80- 235/80- 250/80- 250/80-Nokian TRI 2 315/80- 9.0/75- 175/75- 185/75- 195/75- 205/75- 215/75- 225/75- 245/75- 250/75-Nokian TRI 2 265/75- 285/75- 295/75- 315/75- 185/70- 195/70- 200/70- 215/70- 225/70- 235/70- 240/70- 245/70- 255/70- 260/70- 265/70- 275/70- 280/70- 195/65- 205/65- 215/65- 225/65- 235/65- 255/65- 285/65- 300/65- 320/65- 215/60- 215/60-Bridgestone Duravis 225/60- 235/60- 195/55- 315/55- 9.50- 10- 12- 35x12.50- 35x14.50-	16						295 300 296 280 350 352	295 300 296 280 350			295 300		
		230	230	230	2202								E
		245	245	245		350	350	350					E
		265	265	265									
							271	271					
		220	220	220									
					2204								
		230	230	230	2204								E
		240	240	240	2206								E
		245	245	245									E
		250	250	250									
							258						
							270	270					
							350	350					
		250	250	250									
		220	220	220	2109								
		225	225	225	2202								E
		227	227		2204								E
		235	235	235	2204								E
		240	240	240	2206								E
		245	245	245	2207								E
		255	255	255									
							258						
		267	267	267									
						279	296	296					
						275	275	275					
							280	280					
					2202								
					2204								
		220	220	220									
		235	235	235									
		240	240	240									
		247	247	247									
		250	250	250									
		255	255	255									
							258						
		265	265	265									
		267	267	267									
		265	265	265									
		220	220	220	2202								
		225	225	225									
		230	230	230									
		235	235	235									
		245	245	245									
		250	250	250									
		267	267	267									
							296	296					
		225	225	225									
		227	227										
		230	230	230									
		235	235	235									
					2109								
							263						
	16.5						260	260					
							258						

Tyre Size		SNOW REM.	SNOW REMOVER / TRACTOR				TRACTOR		SPECIAL VEHICLES			
		König Super Impact	König Impact	König DRS	König DR		König Supertractor	König A-Tractor	König Load Master	König Rallye Q	König Rallye	König Unitour
12.4-	16							3010				
13.6-								3062				
33x12.50-					296							
35x11.50-					296							
35x12.50-												
37x12.50-												
175-												
185-												
255/100-												
215/85-												
235/85-					265							
255/85-												
175/80-												
185/80-												
195/80-												
205/80-					254							
215/80-												
235/80-												
250/80-					258							
250/80-Nokian TRI 2					270							
315/80-					298							
9.0/75-												
175/75-												
185/75-												
195/75-												
205/75-												
215/75-												
225/75-					254							
245/75-												
250/75-Nokian TRI 2					258							
265/75-					265							
285/75-					296							
295/75-					275							
315/75-					296							
185/70-												
195/70-												
200/70-												
215/70-												
225/70-												
235/70-												
240/70-					256							
245/70-												
255/70-												
260/70-					258							
265/70-					265							
275/70-												
280/70-					265							
195/65-												
205/65-												
215/65-												
225/65-												
235/65-												
255/65-												
285/65-					265							
300/65-					266							
320/65-					296							
215/60-												
215/60-Bridgestone Duravis												
225/60-												
235/60-												
195/55-												
315/55-					264							
9.50-	16.5				260							
10-		60850			258							
12-					294							
35x12.50-					298							
35x14.50-			363		363							

	OFFROAD				BUS	BUS / TRUCK	TRUCK							
TYRE SIZE	König Polar HD	König Polar	König Rallye	König Rallye D	König Coach Master	König T2 PRO	König Polar PRO	König Rallye PRO	König Rallye Pro D	König Rallye Pro D Plus	König TM-7	König Cingoli X-Press Plus	König Cingoli	
37x12.50-16.5							352							
6.50-17	245	245	245	2206										
8.25-						280	280	280				C	C	
33x12.50-							296	296						
35x12.50-						350	350	350						
37x12.50-							352							
245/75-	267	267	267											
235/70-	250	250	250											
245/70-	255	255	255											
265/70-	267	267	267											
285/70-						279	274	274						
315/70-						350	350	350						
225/65-	245	245	245											
235/65-	247	247	247											
245/65-	250	250	250											
255/65-	255	255	255											
265/65-	265	265	265											
275/65-	267	267	267											
285/65-	266													
215/60-	235	235	235											
225/60-	240	240	240											
235/60-	245	245	245											
255/60-	255	255	255											
275/60-	265	265	265											
15.0/55-														
15.0/55-Continental A1W-Farmer														
15.5/55-														
15.5/55-Continental AS Farmer														
225/55-	230	230	230											
235/55-	240	240	240											
255/55-	247	247	247											
275/55-	255	255	255											
425/55-							364							
450/55-Alliance Flotation 221							364							
500/55-														
500/50-														
19.0/45-														
7-17.5	240	240	240	2206									E	
8-	250	250	250	2270									D	
8.5-						260	260	260	2209	2209			D	
9.5-					902	270	270	270	2302	2302			D	
10-						274	274	274	2302	2302				
14-														
205/75-	247	247	247	2270									D	
215/75-	250	250	250	2270									D	
225/75-					901	260	260	260	2209	2209			D	
235/75-					902	270	270	270	2301	2301			D	
245/75-					902	270	270	270					D	
245/70-						270	270	270					D	
265/70-						274	274	274						
205/65-	240	240	240											
400/55-														
7.00-18													D	
7.50-						270	270	270						
9.5-							271	271						
10.5-							277							
12.0-														
12.0/12.5-							358							
12-														
12.00-														
12.5-							360	360						
33x12.50-							296	296						
10.5/80-							277							
12.5/80-							360	360						
12.5/80-BKT AW 702														
250/80-							274	274						
275/80-							277							

Tyre Size		SNOW REM.	SNOW REMOVER / TRACTOR			TRACTOR		SPECIAL VEHICLES			
		König Super Impact	König Impact	König DRS	König DR	König Supertractor	König A-Tractor	König Load Master	König Rallye Q	König Rallye	König Unitour
37x12.50-	16.5										
6.50-	17										
8.25-											
33x12.50-					296						
35x12.50-											
37x12.50-											
245/75-											
235/70-											
245/70-											
265/70-											
285/70-											
315/70-											
225/65-											
235/65-											
245/65-											
255/65-											
265/65-					265						
275/65-											
285/65-											
215/60-											
225/60-											
235/60-											
255/60-											
275/60-											
15.0/55-			363		363		3009				
15.0/55-Continental AW-Farmer							3109				
15.5/55-			363		363		3009				
15.5/55-Continental AS Farmer							3109				
225/55-											
235/55-											
255/55-											
275/55-											
425/55-			364		364		3109				
450/55-Alliance Flotation 221			364		364		3109				
500/55-			500		500						
500/50-			500		500	370					
19.0/45-			364		364						
7-	17.5										
8-											
8.5-					260						
9.5-					270						
10-					274						
14-			363		363						
205/75-											
215/75-											
225/75-					260						
235/75-					270						
245/75-					270						
245/70-					270						
265/70-					274						
205/65-											
400/55-			363		363		3009				
7.00-	18										
7.50-					270						
9.5-							3005				
10.5-		3005			277		3005				
12.0-			358		358		3060				
12.0/12.5-			358		358						
12-							3006				
12.00-			370		370	370					
12.5-		3006	360		360	360	3006				
33x12.50-					296						
10.5/80-		3005			277		3005				
12.5/80-			360		360	360	3060				
12.5/80-BKT AW 702		3006									
250/80-					274						
275/80-					277		3005				

	OFFROAD				BUS	BUS / TRUCK	TRUCK						
TYRE SIZE	König Polar HD	König Polar	König Rallye	König Rallye D	König Coach Master	König T2 PRO	König Polar PRO	König Rallye PRO	König Rallye Pro D	König Rallye Pro D Plus	König TM-7	König Cingoli X-Press Plus	König Cingoli
280/80-18													
320/80- Goodyear IT530							358						
335/80-							360	360					
340/80-							360	360					
12.0/75-													
280/70-													
325/70-													
340/70-													
365/70-							360	360					
400/70-													
405/70-													
13.0/65-													
225/65-	250	250	250										
235/65-	255	255	255										
265/65-	267	267	267										
275/65-						274	274	274					
285/65-						274	274	274					
300/65-							296	296					
320/65-													
340/65-													
225/60-	247	247	247										
235/60-	247	247	247										
245/60-	250	250	250										
255/60-	265	265	265										
265/60-	265	265	265										
275/60-	267	267	267										
285/60-	266												
15.5/55-													
215/55-	235	235	235										
225/55-	240	240	240										
235/55-	245	245	245										
255/55-	255	255	255										
285/55-	267	267	267										
385/55-													
235/50-	240	240	240										
245/50-	245	245	245										
285/50-	255	255	255										
300/50-							296	296					
425/50-													
245/45-	235	235	235										
255/45-	240	240	240										
4.00-19													E
235/55-	250	250	250										
255/55-	265	265	265										
265/55-	267	267	267										
255/50-	255	255	255										
265/50-	265	265	265										
245/45-	245	245	245										
275/45-	255	255	255										
285/45-	265	265	265										
225/40-	230	230	230										
7-19.5						260	260	260					D
8-						270	270	270	2301	2301			D
9-						280	280	280				C	C
9.5-						280	280	280	2400			C	C
15-													
18-													
245/70-					915	274	274	274	2302	2302		C	C
265/70-					903	275	275	275	2306	2306		C	C
275/70-					911	350	350	350	2400			C	C
285/70-					911	350	350	350	2401	2401		C	C
305/70-						295	295	295	2410	2410	295	B	B
445/65-													
385/55-							364						
425/55-													
6.50-20						270	270	270					D
7.00-						270	270	270					

Tyre Size	SNOW REM.		SNOW REMOVER / TRACTOR		TRACTOR		SPECIAL VEHICLES			
	König Super Impact	König Impact	König DRS	König DR	König Supertractor	König A-Tractor	König Load Master	König Rallye Q	König Rallye	König Unitour
280/80-18						3005				
320/80- Goodyear IT530	3006	358		358						
335/80-	3006	360		360	360	3006				
340/80-	3101	360		360	360	3112				
12.0/75-				298						
280/70-				294		3106				
325/70-				298						
340/70-						3062				
365/70-		360		360	360	3112				
400/70-						3103				
405/70-		522		522	505	3105				
13.0/65-				298		3010				
225/65-										
235/65-										
265/65-										
275/65-										
285/65-				274						
300/65-				296		3106				
320/65-				298		3005				
340/65-				298						
225/60-										
235/60-										
245/60-										
255/60-				265						
265/60-										
275/60-										
285/60-				266						
15.5/55-		363		363		3062				
215/55-										
225/55-										
235/55-										
255/55-										
285/55-										
385/55-		363		363		3062				
235/50-										
245/50-										
285/50-										
300/50-				296						
425/50-						3109				
245/45-										
255/45-										
4.00-19										
235/55-										
255/55-										
265/55-										
255/50-										
265/50-										
245/45-										
275/45-										
285/45-										
225/40-										
7-19.5				260						
8-				270						
9-										
9.5-										
15-		500		500	370					
18-		510		510						
245/70-				274						
265/70-				275						
275/70-										
285/70-				298						
305/70-										
445/65-		506		506						
385/55-										
425/55-		500		500	370					
6.50-20				270						
7.00-				270						

	OFFROAD				BUS	BUS / TRUCK	TRUCK						
TYRE SIZE	König Polar HD	König Polar	König Rallye	König Rallye D	König Coach Master	König T2 PRO	König Polar PRO	König Rallye PRO	König Rallye Pro D	König Rallye Pro D Plus	König TM-7	König Cingoli X-Press Plus	König Cingoli
7.50-20						280	280	280	2400			C	C
8.00-						280	280	280					
8.25-						290	290	290	2401	2401		C	C
9.00-						300	300	300	2402	2402	300	B	B
9.5-							277					C	C
10.00-						310	310	310	2403	2403	310	A	A
10.5-							358						
11.00-						320	320	320	2404	2404	320	A	A
11.2-							359						
12.00-						330	330	330	2406	2406	330	A	A
12.4-							370	370					
12.5-							370	370			370	A	A
13.00-							380						
14.00-							390	390					
14.00-Michelin XZL							390	390					
14.5-							520						
14.9-							520						
14.9-Kleber Super G													
16-													
16.00-													
38x14.00-							360	360					
41x14.00-													
44x18.00-							790						
225/90-						280	280	280					
280/85-							359						
320/85-							370	370			370		
320/85-Kleber Traker							370	370			370		
365/85-							380						
395/85-							795						
12/80-						310	310	310			310	A	A
12.5/80-							370	370			370	A	A
13/80-							370	370			370	A	A
14/80-							520						
14.75/80-							380						
15.5/80-							795						
260/80-													
275/80-							358						
335/80-							370	370			370	A	A
335/80-Continental/Mitas AC70G													
340/80-							370	370					
355/80-							520						
360/80-Nokian TRI 2							520						
365/80-							520						
16.5/75-							795						
340/75-													
375/75-							520						
380/75-							520						
420/75-													
425/75-							795						
16/70-													
16.0/70-													
17.5/70-													
260/70-							275	275					
280/70-							280	280					
300/70-							358						
320/70-							360	360					
340/70-													
360/70-													
375/70-													
375/70-Continental/Mitas AC70G													
380/70-													
400/70-													
405/70-													
425/70-													
455/70-													
17.5/65-													
275/65-						350	350	350					

	SNOW REM.	SNOW REMOVER / TRACTOR			TRACTOR		SPECIAL VEHICLES			
Tyre Size	König Super Impact	König Impact	König DRS	König DR	König Supertractor	König A-Tractor	König Load Master	König Rallye Q	König Rallye	König Unitour
7.50-	20									
8.00-										
8.25-				290						
9.00-		300		300	300					
9.5-				277						
10.00-		310		310	310					
10.5-	3100	358		358		3010				
11.00-	1404	320		320	320					
11.2-		359		359		3100				
12.00-	1406	330		330	330					
12.4-		370		370	370	3111				
12.5-	3101	370		370	370	3101				
13.00-	1408	380		380						
14.00-	4060	390		390	390					
14.00-Michelin XZL	4060	390		390	570					
14.5-	3102	520		520	520	3120				
14.9-		520		520	520	3102				
14.9-Kleber Super G						3120				
16-		505		505	505	3105				
16.00-		540		540						
38x14.00-		360		360	360					
41x14.00-		373		373		3102				
44x18.00-		790		790	790					
225/90-										
280/85-		359		359		3100				
320/85-		370		370	370	3111				
320/85-Kleber Traker		370		370	370	3104				
365/85-	1408	380		380						
395/85-		795		795	795					
12/80-		310		310	310					
12.5/80-		370		370	370	3101				
13/80-		370		370	370					
14/80-		520		520	520					
14.75/80-	1408	380		380						
15.5/80-		795		795	795					
260/80-				290						
275/80-		358		358		3010				
335/80-	3101	370		370	370	3101				
335/80-Continental/Mitas AC70G						3111				
340/80-		370		370	370	3103				
355/80-		520		520	520					
360/80-Nokian TRI 2	3102	520		520	520	3102				
365/80-	3102	520		520	520	3120				
16.5/75-		795		795	795	3160				
340/75-		370		370	370	3111				
375/75-	3102	520		520	520	3102				
380/75-		520		520	520	3102				
420/75-						3160				
425/75-		795		795	795	3160				
16/70-	60670	505		505	505	3105				
16.0/70-						3105				
17.5/70-		510		510						
260/70-				275						
280/70-				277		3005				
300/70-		358		358		3010				
320/70-		360		360	360	3062				
340/70-						3006				
360/70-		373		373	373	3111				
375/70-						3103				
375/70-Continental/Mitas AC70G		500		500	370	3102				
380/70-	83461	505		505	505	3120				
400/70-		505		505	505	3105				
405/70-	60670	505		505	505	3105				
425/70-						3160				
455/70-		510		510		3160				
17.5/65-					506	3160				
275/65-										

	OFFROAD				BUS	BUS / TRUCK	TRUCK						
TYRE SIZE	König Polar HD	König Polar	König Rallye	König Rallye D	König Coach Master	König T2 PRO	König Polar PRO	König Rallye PRO	König Rallye Pro D	König Rallye Pro D Plus	König TM-7	König Cingoli X-Press Plus	König Cingoli
340/65-20													
420/65-													
420/65- Continental/Mitas AC65													
440/65-													
475/65-													
275/60-						279							
235/55-	255	255	255										
275/55-						274	274	274					
255/50-	265	265	265										
265/50-	267	267	267										
275/45-	265	265	265										
500/45-													
255/40-	247	247	247										
275/40-	255	255	255										
525/65-20.5													
295/35-21	265	265	265										
9.5-22							290						
10.00-									2404	2404			
11.00-						330	330	330	2406	2406	330	A	A
8-22.5						280	280	280	2400			C	C
9-						290	290	290	2401	2401		C	C
10-						300	300	300	2402	2402	300	B	B
11-						310	310	310	2403	2403	310	A	A
12-						370	370	370	2404	2404	370	A	A
12-Michelin XD...						371	371	371	2404	2404		A	A
12-Michelin XZ...						371	371	371	2404	2404		A	A
12.5-									2404	2404			
13-						330	330	330	2406	2406	330	A	A
15-							520						
15-Michelin XF													
16.5-							525						
18-							530						
12/80-						370	370	370	2430	2430	370	A	A
235/80-									2401	2401			
275/80-					907	310	310	310	2403	2403	310	A	A
295/80-					912	370	370	370	2430	2430	370	A	A
295/80-Bridgestone M...					913	371	371	371	2430	2430		A	A
295/80-Michelin XD...					913	371	371	371	2430	2430		A	A
315/80-					909	320	320	320	2405	2405	320	A	A
315/80-Continental									2405	2404			
315/80-Michelin					910	330	330	330	2405	2405	330	A	A
13/75-						370	370	370			370		
285/75-									2403	2403			
295/75-									2430	2430			
315/75-					912	370	370	370	2404	2404	370	A	A
11/70-						300	300	300	2402	2402	300		
225/70-												C	C
255/70-					904	290	290	290					
275/70-					905	300	300	300	2402	2402	300	B	B
275/70-Pirelli MC88									2403				
285/70-									2402	2402			
295/70-					905	300	300	300	2402	2402	300	B	B
305/70-						310	310	310	2403	2403	310	A	A
315/70-					907	310	310	310	2430	2430	310	A	A
315/70-Bridgestone M...					912	370	370	370	2430	2430	370	A	A
315/70-Michelin					912	370	370	370	2430	2430	370	A	A
285/65-									2410	2410			
385/65-							520						
425/65-							525						
445/65-							530						
285/60-						295	295	295			295		
295/60-					914	295	295	295			295	B	B
305/60-						300	300	300			300	B	B
315/60-					906	305	305	305	2421		305	A	A
500/60-													
560/60-													
295/55-							350	350					

Tyre Size		SNOW REM.	SNOW REMOVER / TRACTOR			TRACTOR		SPECIAL VEHICLES			
		König Super Impact	König Impact	König DRS	König DR	König Supertractor	König A-Tractor	König Load Master	König Rallye Q	König Rallye	König Unitour
340/65-	20		359		359						
420/65-			505		505	505	3102				
420/65-Continental/Mitas AC65							3610				
440/65-			506		506	506	3160				
475/65-			510		510						
275/60-											
235/55-											
275/55-											
255/50-											
265/50-											
275/45-											
500/45-						771					
255/40-											
275/40-											
525/65-	20.5		570		570						
295/35-	21										
9.5-	22				290						
10.00-											
11.00-			330		330	330					
8-	22.5										
9-					290						
10-		1402	300		300	300					
11-		1403	310		310	310					
12-		1404	370		370	370					
12-Michelin XD...		1404	320		320	320					
12-Michelin XZ...		1404	320		320	320					
12.5-											
13-		1406	330		330	330					
15-		3102	520		520	520					
15-Michelin XF		3102	505		505	505					
16.5-		1409									
18-			790		790	790					
12/80-			370		370	370					
235/80-											
275/80-			310		310	310					
295/80-		1430	370		370	370					
295/80-Bridgestone M...		1430									
295/80-Michelin XD...		1430									
315/80-		1405	320		320	320					
315/80-Continental		1405									
315/80-Michelin		1405	320		320	320					
13/75-			370		370	370					
285/75-											
295/75-		1430									
315/75-			370		370	370					
11/70-			300		300	300					
225/70-											
255/70-					290						
275/70-			300		300	300					
275/70-Pirelli MC88											
285/70-											
295/70-			300		300	300					
305/70-			310		310	310					
315/70-		1430	310		310	310					
315/70-Bridgestone M...		1430	370		370	370					
315/70-Michelin		1430	370		370	370					
285/65-											
385/65-		3102	520		520	520					
425/65-		1409									
445/65-			790		790	790	3170				
285/60-											
295/60-					298						
305/60-			300		300	300					
315/60-											
500/60-			517		517						
560/60-					516						
295/55-											

TYRE SIZE	OFFROAD				BUS	BUS / TRUCK	TRUCK						
	König Polar HD	König Polar	König Rallye	König Rallye D	König Coach Master	König T2 PRO	König Polar PRO	König Rallye PRO	König Rallye Pro D	König Rallye Pro D Plus	König TM-7	König Cingoli X-Press Plus	König Cingoli
385/55-					908	316	316	316					
400/55-													
600/55-													
355/50-							364						
600/50-													
550/45-													
560/45-													
8.3-						290	290	290					
9.00-													
9.5-						300	300	300			300	B	B
10.00-						330	330	330			330		
11.2-							370	370			370	A	A
12.00-							398						
12.4-							770						
13.00-													
13.6-							780						
14.00-													
14.5-							790						
14.9-							790						
16.00-													
16.9-													
16.9-Michelin AgriBib													
16.9-Nokian TRI 2													
17.5-													
19.5-													
20-													
325/95-													
385/95-													
16.5/85-													
280/85-							370	370			370		
320/85-							770						
320/85-Continental/Mitas AC85							772						
340/85-							780						
340/85-Continental/Mitas AC85													
380/85-							790						
380/85-Continental/Mitas AC85							790						
420/85-													
420/85-Continental/Mitas AC85													
14/80-							398						
14.9/80-							790						
15.5/80-							790						
17/80-													
300/80-Nokian TRI 2							370	370			370	A	A
320/80-													
340/80-Nokian TRI 2							772						
360/80-							380						
400/80-							790						
440/80-													
440/80-Alliance 550													
440/80-Nokian TRI 2													
420/75-													
425/75-													
480/75-													
16/70-							795						
22/70-													
300/70-						310	310	310			310		
320/70-							520						
340/70-													
360/70-							775						
380/70-							795						
380/70-Kleber Fitker													
400/70-							795						
405/70-							795						
420/70-													
420/70-Pirelli/Trelleborg TM700													
440/70-													
445/70-													

	SNOW REM.	SNOW REMOVER / TRACTOR			TRACTOR		SPECIAL VEHICLES			
Tyre Size	König Super Impact	König Impact	König DRS	König DR	König Supertractor	König A-Tractor	König Load Master	König Rallye Q	König Rallye	König Unitour
385/55-	22.5									
400/55-		370		370	370	3105				
600/55-				516						
355/50-										
600/50-				512		3336				
550/45-		510		510						
560/45-		510		510						
8.3-	24			290		3010				
9.00-						3104				
9.5-		300		300	300					
10.00-		330		330	330					
11.2-		320		320	320	3104				
12.00-		810		810						
12.4-	3161	770		770	770	3200				
13.00-		825		825	825					
13.6-	3106	780		780	780	3201				
14.00-	4066	540		540		3304				
14.5-		790		790	790					
14.9-		790		790	790	3107				
16.00-	4061	860		860	860					
16.9-	3206	830		830	830	3206				
16.9-Michelin AgriBib	3260					3206				
16.9-Nokian TRI 2	3260	570		570	570	3206				
17.5-	4062	550		550	825	3163				
19.5-		539		539		3353				
20-	4163		585			3253				
325/95-						3211				
385/95-		540		540						
16.5/85-		830		830	830	3206				
280/85-		320		320	320	3104				
320/85-		770		770	770	3200				
320/85-Continental/Mitas AC85		772		772	772					
340/85-		780		780	780	3201				
340/85-Continental/Mitas AC85						3211				
380/85-		790		790	790	3107				
380/85-Continental/Mitas AC85		790		790	790	3171				
420/85-		830		830	830	3206				
420/85-Continental/Mitas AC85		830		830	830	3353				
14/80-										
14.9/80-		790		790	790	3172				
15.5/80-	4160	790		790	790					
17/80-		550		550						
300/80-Nokian TRI 2		320		320	320					
320/80-						3200				
340/80-Nokian TRI 2		772		772	772	3140				
360/80-		380		380		3210				
400/80-		790		790	790	3108				
440/80-	3206	550		550		3206				
440/80-Alliance 550	3260	830		830	830	3206				
440/80-Nokian TRI 2	3260	830		830	830	3206				
420/75-		570		570		3108				
425/75-						3108				
480/75-						3360				
16/70-	4161	795		795	795					
22/70-	4163									
300/70-		310		310	310	3101				
320/70-		520		520	520	3140				
340/70-						3102				
360/70-	1408	775		775	775	3210				
380/70-		795		795	795	3210				
380/70-Kleber Fitker						3170				
400/70-		795		795	795	3180				
405/70-	4161	795		795	795	3180				
420/70-		825		825	825	3163				
420/70-Pirelli/Trelleborg TM700						3108				
440/70-						3163				
445/70-		550		550	825	3163				

		OFFROAD				BUS	BUS / TRUCK	TRUCK							
TYRE SIZE		König Polar HD	König Polar	König Rallye	König Rallye D	König Coach Master	König T2 PRO	König Polar PRO	König Rallye PRO	König Rallye Pro D	König Rallye Pro D Plus	König TM-7	König Cingoli X-Press Plus	König Cingoli	
455/70-	24														
460/70-															
480/70-															
480/70-Kleber Fitker															
495/70-															
500/70-															
400/65-															
420/65-									795						
425/65-															
440/65-									790						
480/65-															
480/65-Continental/Mitas AC65															
480/65-Michelin MultiBib/XM108															
500/65-															
540/65-															
360/60-															
11-	24.5									2404	2404				
12-										2406	2406				
275/80-										2430					
285/80-										2404	2404				
285/75-										2430					
305/75-							320	320	320	2404	2404	320	A	A	
315/75-							330	330	330			330	A	A	
14.00-	25														
15.5-															
16.00-															
17.5-															
18.00-															
20.5-															
23.5-															
23.5-L4/L5															
26.5-															
26.5-L4/L5															
385/95-															
445/95-															
445/80-															
525/80-															
30/65-															
550/65-															
650/65-															
750/65-															
14.9-	26														
16.9-															
18.4-															
23.1-															
28-															
28.1-															
420/85-															
480/80-															
520/75-															
620/75-															
360/70-															
480/70-															
480/65-															
540/65-															
500/75-		26.5													
500/65-															
400/60-								772							
500/60-															
600/55-															
710/50-															
710/45-															
8.3-	28							310	310						
11.2-								772							
12.4-								810							
13.6-								820							
13.6-Michelin AgriBib															
14.9-															

		SNOW REM.	SNOW REMOVER / TRACTOR		TRACTOR		SPECIAL VEHICLES				
Tyre Size		König Super Impact	König Impact	König DRS	König DR	König Supertractor	König A-Tractor	König Load Master	König Rallye Q	König Rallye	König Unitour
455/70-	24		570		570		3163				
460/70-			550		550	570	3163				
480/70-			540		540		3164				
480/70-Kleber Fitker							3353				
495/70-							3353				
500/70-			539		539		3353				
400/65-							3210				
420/65-			795		795	795	3180				
425/65-							3180				
440/65-			790		790	790	3170				
480/65-			570		570	570	3163				
480/65-Continental/Mitas AC65			830		830	830					
480/65-Michelin MultiBib/XM108			570		570	570	3164				
500/65-							3164				
540/65-			878	878	878	878	3353				
360/60-			373		373	373					
11-	24.5										
12-											
275/80-		1430									
285/80-											
285/75-											
305/75-			320		320	320					
315/75-			330		330	330					
14.00-	25	4066	540		540		3304				
15.5-		4160	570		570						
16.00-		4061	575		575						
17.5-		4062	580		580		3208				
18.00-			560		560						
20.5-		4064		590							
23.5-		4065		600							
23.5-L4/L5				605							
26.5-		4165		620							
26.5-L4/L5		85228		625							
385/95-			540		540						
445/95-			575		575						
445/80-			580		580						
525/80-				590							
30/65-				605							
550/65-				585							
650/65-				598							
750/65-				605							
14.9-	26		825		825	825					
16.9-							3208				
18.4-			880	593	880	880	3305				
23.1-				600							
28-				605							
28.1-				605							
420/85-							3208				
480/80-			880	593	880	880	3354				
520/75-							3251				
620/75-				600							
360/70-							3201				
480/70-			878	878	878	878	3353				
480/65-							3164				
540/65-			880	593	880	880					
500/75-	26.5						3251				
500/65-							3353				
400/60-			772		772	772					
500/60-			830		830	830	3164				
600/55-				585							
710/50-				590							
710/45-				585							
8.3-	28		310		310	310					
11.2-			772		772	772	3200				
12.4-		3201	810		810	810	3211				
13.6-			820		820	820	3207				
13.6-Michelin AgriBib							3340				
14.9-		3304	830		830	830	3304				

	OFFROAD				BUS	BUS / TRUCK	TRUCK						
TYRE SIZE	König Polar HD	König Polar	König Rallye	König Rallye D	König Coach Master	König T2 PRO	König Polar PRO	König Rallye PRO	König Rallye Pro D	König Rallye Pro D Plus	König TM-7	König Cingoli X-Press Plus	König Cingoli
14.9-Goodyear28													
16.9-													
16.9-Nokian TRI 2													
16.5/85-													
280/85-													
320/85-													
340/85-							810						
380/85-							820						
380/85-Continental/Mitas AC85													
420/85-													
420/85-Continental/Mitas AC85													
420/85-Kleber Traker													
400/80-Nokian TRI 2													
440/80-													
440/80-Nokian TRI 2													
460/80-													
320/70-							772						
360/70-							790						
380/70-													
380/70-BKT Agrimax RT 765													
380/70-Continental/Mitas AC70T													
380/70-Goodyear Optitrac 812													
380/70-Kleber Fitker													
380/70-Michelin OmniBib													
420/70-													
420/70-Continental/Mitas AC70T													
420/70-Kleber Fitker													
420/70-Mitas/Cultor RD-02													
480/70-													
480/70-Continental/Mitas AC70T													
520/70-													
600/70-													
420/65-													
440/65-													
480/65-													
500/65-													
540/65-													
600/65-													
480/60-													
520/60-													
600/60-													
14.9-30													
16.9-													
18.4-													
18.4-Nokian TRI 2													
380/85-													
420/85-													
460/85-													
440/80-													
480/80-Nokian TRI 2													
620/75-													
420/70-													
480/70-													
520/70-													
540/70-Nokian Forest King T													
600/70-													
480/65-													
540/65-													
600/65-													
540/60-													
600/60-													
710/60-													
600/60-30.5													
12.4-32							820						
24.5-													
30.5-													
320/85-													

Tyre Size		SNOW REM.	SNOW REMOVER / TRACTOR			TRACTOR		SPECIAL VEHICLES			
		König Super Impact	König Impact	König DRS	König DR	König Supertractor	König A-Tractor	König Load Master	König Rallye Q	König Rallye	König Unitour
14.9-Goodyear	28	3340	830		830	830					
16.9-		3306	840		840	840	3204				
16.9-Nokian TRI 2		3306	840		840	840	3351				
16.5/85-			840		840	840	3204				
280/85-							3200				
320/85-			810		810	810	3211				
340/85-			820		820	820	3207				
380/85-			830		830	830	3304				
380/85-Continental/Mitas AC85			850		850	850	3340				
420/85-			840		840	840	3204				
420/85-Continental/Mitas AC85			840		840	840	3305				
420/85-Kleber Traker			840		840	840	3305				
400/80-Nokian TRI 2			830		830		3164				
440/80-		3306	840		840	840	3305				
440/80-Nokian TRI 2		3306	840		840	840	3351				
460/80-							3305				
320/70-			772		772	772	3200				
360/70-			790		790	790	3107				
380/70-		3171	570		570	570	3171				
380/70-BKT Agrimax RT 765			570		570	570	3340				
380/70-Continental/Mitas AC70T			825		825	825	3340				
380/70-Goodyear Optitrac 812			825		825	825	3171				
380/70-Kleber Fitker			825		825	825	3340				
380/70-Michelin OmniBib			570		570	570	3340				
420/70-		3340	850		850	850	3340				
420/70-Continental/Mitas AC70T							3206				
420/70-Kleber Fitker							3208				
420/70-Mitas/Cultor RD-02							3206				
480/70-			880		880	880	3351				
480/70-Continental/Mitas AC70T							3253				
520/70-							3251				
600/70-				598							
420/65-							3108				
440/65-			830		830	830	3261				
480/65-			878	878	878	878	3360				
500/65-			878	878	878	878	3351				
540/65-			885	885	885	885	3253				
600/65-				595		595					
480/60-			540		540		3164				
520/60-			880		880	880					
600/60-				590							
14.9-	30		850		850	850	3204				
16.9-			860		860	860	3305				
18.4-			870		870	870	3205				
18.4-Nokian TRI 2			869		869		3205				
380/85-			850		850	850	3204				
420/85-			860		860	860	3354				
460/85-			870		870	870	3205				
440/80-			860		860	860	3305				
480/80-Nokian TRI 2			869		869		3205				
620/75-			960		960	960					
420/70-			840		840	840	3204				
480/70-			885	885	885	885	3354				
520/70-			887	590	887	887	3251				
540/70-Nokian Forest King T			886		886	886					
600/70-				600		605					
480/65-							3351				
540/65-		4064	886	590	886	886	3251				
600/65-			900	900	900	900					
540/60-							3253				
600/60-				595							
710/60-						982					
600/60-	30.5		603								
12.4-	32		820		820	820	3207				
24.5-				620							
30.5-						987					
320/85-							3207				

		OFFROAD				BUS	BUS / TRUCK	TRUCK						
TYRE SIZE		König Polar HD	König Polar	König Rallye	König Rallye D	König Coach Master	König T2 PRO	König Polar PRO	König Rallye PRO	König Rallye Pro D	König Rallye Pro D Plus	König TM-7	König Cingoli X-Press Plus	König Cingoli
650/75- 800/65-	32													
16.9- 16.9-Nokian TRI 2 18.4- 420/85- 420/85-Continental/Mitas AC85 460/85- 440/80-Nokian TRI 2 480/80- 520/75- 420/70- 480/70- 520/70- 520/70-Continental/Mitas HC70 600/70- 540/65- 600/65- 650/65-	34													
12.4- 13.6-	36							920 930						
13.6- 14.9- 15.5- 16.9- 18.4- 20.8- 420/85- 460/85- 520/85- 650/85- 480/80-Nokian TRI 2 540/80- 650/75- 480/70- 480/70-Continental/Mitas HC70 520/70- 520/70-Pirelli/Trelleborg TM700 580/70- 710/70- 800/70- 520/65- 540/65- 600/65- 650/65- 600/60- 650/60- 710/60- 900/60-	38							940						
18.4- 20.8- 460/85- 520/85- 710/75- 580/70- 620/70- 710/70- 650/65-	42													

Tyre Size		SNOW REM.	SNOW REMOVER / TRACTOR			TRACTOR		SPECIAL VEHICLES			
		König Super Impact	König Impact	König DRS	König DR	König Supertractor	König A-Tractor	König Load Master	König Rallye Q	König Rallye	König Unitour
650/75-	32			620							
800/65-						987					
16.9-	34	3205	870		870	870	3205				
16.9-Nokian TRI 2			870		870	870	3354				
18.4-			900	900	900	900	3209*				
420/85-			870		870	870	3205				
420/85-Continental/Mitas AC85			870		870	870	3250				
460/85-			900	900	900	900	3371				
440/80-Nokian TRI 2			870		870	870	3205				
480/80-			900	900	900	900					
520/75-			950	950	950	950					
420/70-							3305				
480/70-			875	875	875	875	3290				
520/70-			900	900	900	900	3380				
520/70-Continental/Mitas HC70			950	950	950	950	3380				
600/70-			960	605	960	960					
540/65-			900	900	900	900	3382				
600/65-				605		605					
650/65-				605		605					
12.4-	36		920		920						
13.6-					930						
13.6-	38		940		940						
14.9-			870		870	870					
15.5-			869		869						
16.9-			950	950	950	950	3290				
18.4-		3307	960	605	960	960	3307				
20.8-			970	980	970	970					
420/85-			950	950	950	950					
460/85-			960	605	960	960	3307				
520/85-			970	980	970	970					
650/85-				990		990					
480/80-Nokian TRI 2			950	950	950	950	3371				
540/80-			970		970	970					
650/75-						988					
480/70-			950	950	950	950	3381				
480/70-Continental/Mitas HC70							3307				
520/70-			960	605	960	960	3307				
520/70-Pirelli/Trelleborg TM700				980							
580/70-				985		625					
710/70-						988					
800/70-						995					
520/65-							3371				
540/65-			950	950	950	950	3371				
600/65-				980		980					
650/65-				625		625	3388				
600/60-			960	605	960	960					
650/60-				620		623					
710/60-						986					
900/60-						995					
18.4-	42		970		970	970					
20.8-				975	975						
460/85-			970		970	970					
520/85-				975	975						
710/75-						992					
580/70-				625							
620/70-						627					
710/70-				990		990					
650/65-				628		628					

* Available also in 10,00 mm - A-Tractor 3381 (2010DS3381)

www.konigchain.com



KÖNIG



