Illustrated Parts List

Pressure Washer / Lavadora de Presión



This pressure washer is rated in accordance to the Pressure Washer Manufacture Association (PWMA) Standard PW101 (Testing and Rating Performance of Pressure Washers).

Questions? Help is just a moment away!
Preguntas? La ayuda es justa un momento lejos!
Call: Pressure Washer Helpline
Llame: Línea Directa del Lavadora a Presión - 1-800-743-4115 M-F 8-5 CT

Model / Modelo

Mfg. No.	**Description / Descripción**
020595-00	3,400 PSI Briggs & Stratton

Manual Part No. 1759334
Revision -
Rev. Date: 12/8/2014

Not for
Reproduction

PRODUCT COMPONENTS **PAGES**


Main Unit 4
Pump 6
Torque Specification Chart ..... Inside Back Cover

Not for Reproduction

Main Unit

NOTE: Unless noted otherwise, use the standard hardware torque specification chart.

80011963



REF.	PART NO.	DESCRIPTION	REF.	PART NO.	DESCRIPTION
1	314587GS	BASE	--	195983AAGS	NOZZLE-QC RED
2	201499BRGS	HANDLE	--	198841GS	NOZZLE-QC BLACK
3	706877	BILLBOARD	14	706878	KIT-GARDEN HOSE
--	B1797GS	CLIP	--	192014GS	FITTING-H0SE, 1/2
4	202005GS	PUMP	--	192015GS	FITTING-HOSE, 3/4
--	23139DGS	KEY	--	95456GS	QUICK CONNECT
5	95457GS	ADAPTER	15	209568GS	KIT-WHEEL
6	194004GS	CONNECTOR-GRDN HOSE	--	192050GS	E-RING
7	696516	GUARD-MUFFLER	16	201661GS	WIREFORM
8	699204	SCREW	17	B2203GS	KIT-HARDWARE HANDLE
9	207785GS	EXTENSION-QC	18	192131GS	KIT-HARDWARE, PUMP MOUNTING
10	209283GS	HOSE	19	705001	KIT-O-RING
11	706879	GUN	20	192134GS	KIT- VIBRATION MOUNT
12	192553GS	MOUNT-VIBRATION	900	-----	* ENGINE
13	706880	KIT-QC NOZZLES	--	705076	HOSE-CHEMICAL (Not Illustrated)
--	195983TGS	NOZZLE-QC YELLOW	--	201314GS	AXLE (Not Illustrated)
--	195983RGS	NOZZLE-QC WHITE			

Footnotes

Note:* Contact engine manufacturer for parts & service.

The above parts group applies to the following Mfg. Nos.:
020595-00 - 3,400 PSI Briggs & Stratton


Briggs & Stratton Power Products Group, LLC
Copyright © 2014 by Briggs & Stratton Corporation
Milwaukee, WI, USA. All rights reserved

1759334

Main Unit

NOTE: Unless noted otherwise, use the standard hardware torque specification chart.

80011963



REF.	PART NO.	DESCRIPTION	REF.	PART NO.	DESCRIPTION
--	706882	DECAL-HOT SURFACE (Not Illustrated)			
--	95518GS	QUICK CONNECT (Not Illustrated)			
--	695755	KNOB-THROTTLE (Not Illustrated)			
--	706602	TAG-WARNING (Not Illustrated)			
--	6039	PUMP SAVER (Optional Accessory - Not Included)			

Footnotes

Note:* Contact engine manufacturer for parts & service.


The above parts group applies to the following Mfg. Nos.:
020595-00 - 3,400 PSI Briggs & Stratton

Briggs & Stratton Power Products Group, LLC
Copyright © 2014 by Briggs & Stratton Corporation
Milwaukee, WI, USA. All rights reserved

Pump

NOTE: Unless noted otherwise, use the standard hardware torque specification chart.

202070



REF.	PART NO.	DESCRIPTION	REF.	PART NO.	DESCRIPTION
26	190641GS	PLUG			
50	198160GS	VENT CAP, With O-Ring			
53	198297GS	SCREW			
67	190655GS	GRUB SCREW & WASHER			
A	190657GS	* KIT-CHECK VALVE			
B	192914GS	* KIT-CHEMICAL INJECT			
C	706892	* KIT-SEAL WATER			
D	706890	* KIT-SEAL OIL			
E	194427GS	* KIT-BALL & SPRING			
F	194426GS	* KIT-INJECTOR			
G	193126GS	* KIT-UNLOADER			
H	706891	* KIT-O-RINGS			
--	B2384GS	FILTER, Garden Hose (Not Illustrated)			
--	6039	PUMP SAVER (Optional Accessory - Not Included)			

Footnotes

* Service Kit includes all parts shown in box.

The above parts group applies to the following Mfg. Nos.:
020595-00 - 3,400 PSI Briggs & Stratton

Briggs & Stratton Power Products Group, LLC
Copyright © 2014 by Briggs & Stratton Corporation
Milwaukee, WI, USA. All rights reserved

1759334


Hardware Identification & Torque Specifications

Torque Specification Chart

FOR STANDARD METRIC MACHINE HARDWARE (Tolerance ± 20%)

Property Class	5.6 Class 5.6		8.8 Class 8.8		10.9 Class 10.9		12.9 Class 12.9	
Size Of Hardware	*in/lbs* **ft/lbs**	Nm.	*in/lbs* **ft/lbs**	Nm.	*in/lbs* **ft/lbs**	Nm.	*in/lbs* **ft/lbs**	Nm.
M3	*5.88*	*.56*	*13.44*	*1.28*	*19.2*	*1.80*	*22.92*	2.15
M4	*13.44*	*1.28*	*30.72*	*2.90*	*43.44*	*4.10*	*52.56*	4.95
M5	*26.4*	*2.50*	*60.96*	*5.75*	**5.97**	*8.10*	**7.15**	9.7
M6	*44.64*	*4.3*	**7.3**	*9.9*	**10.3**	*14*	**12.1**	16.5
M7	**5.2**	*7.1*	**12.1**	*16.5*	**16.9**	*23*	**19.9**	27
M8	**7.7**	*10.5*	**17.7**	*24*	**25**	*34*	**29**	40
M10	**15**	*21*	**35**	*48*	**50**	*67*	**59**	81
M12	**26**	*36*	**61**	*83*	**86.2**	*117*	**103**	140
M14	**42**	*58*	**101**	*132*	**136**	*185*	**162**	220
M16	**64**	*88*	**147**	*200*	**210**	*285*	**250**	340
M18	**89**	*121*	**202**	*275*	**287**	*390*	**346**	470
M20	**126**	*171*	**290**	*390*	**405**	*550*	**486**	660
M22	**169**	*230*	**390**	*530*	**559**	*745*	**656**	890
M24	**217**	*295*	**497**	*375*	**708**	*960*	**840**	1140
M27	**320**	*435*	**733**	*995*	**1032**	*1400*	**1239**	1680
M30	**435**	*590*	**995**	*1350*	**1401**	*1900*	**1681**	2280
M33	**590**	*800*	**1349**	*1830*	**1902**	*2580*	**2278**	3090
M36	**759**	*1030*	**1740**	*2360*	**2441**	*3310*	**2935**	3980
M39	**988**	*1340*	**2249**	*3050*	**3163**	*4290*	**3798**	5150

The guides and ruler furnished below are designed to help you select the appropriate hardware.



Standard Hardware Sizing

When a washer or nut is identified as **1/2"** (M8), this is the *Nominal size*, meaning the *inside diameter* is 1/2 inch (8mm metric thread diameter); if a second number is present it represents the *threads per inch* (distance between threads).

When bolt or capscrew is identified as **1/2 - 16 x 2"** (M8 - 1.25 x 50), this means the *Nominal size*, or body diameter is 1/2 inch (8mm metric thread diameter), the second number,16, represents the *threads per inch, (1.25 thread diameter).* The final number is the body length of the bolt or screw, 2 inches (50mm).

Torque Specification Chart


FOR STANDARD MACHINE HARDWARE (Tolerance ± 20%)

Hardware Grade	No Marks SAE Grade 2		SAE Grade 5		SAE Grade 8	
Size Of Hardware	*in/lbs* **ft/lbs**	Nm.	*in/lbs* **ft/lbs**	Nm.	*in/lbs* **ft/lbs**	Nm.
8-32	*19*	2.1	*30*	3.4	*41*	4.6
8-36	*20*	2.3	*31*	3.5	*43*	4.9
10-24	*27*	3.1	*43*	4.9	*60*	6.8
10-32	*31*	3.5	*49*	5.5	*68*	7.7
1/4-20	*66*	7.6	**8**	10.9	**12**	16.3
1/4-28	*76*	8.6	**10**	13.6	**14**	19.0
5/16-18	**11**	15.0	**17**	23.1	**25**	34.0
5/16-24	**12**	16.3	**19**	25.8	**29**	34.0
3/8-16	**20**	27.2	**30**	40.8	**45**	61.2
3/8-24	**23**	31.3	**35**	47.6	**50**	68.0
7/16-14	**30**	40.8	**50**	68.0	**70**	95.2
7/16-20	**35**	47.6	**55**	74.8	**80**	108.8
1/2-13	**50**	68.0	**75**	102.0	**110**	149.6
1/2-20	**55**	74.8	**90**	122.4	**120**	163.2
9/16-12	**65**	88.4	**110**	149.6	**150**	204.0
9/16-18	**75**	102.0	**120**	163.2	**170**	231.2
5/8-11	**90**	122.4	**150**	204.0	**220**	299.2
5/8-18	**100**	136	**180**	244.8	**240**	326.4
3/4-10	**160**	217.6	**260**	353.6	**386**	525.0
3/4-16	**180**	244.8	**300**	408.0	**420**	571.2
7/8-9	**140**	190.4	**400**	544.0	**600**	816.0
7/8-14	**155**	210.8	**440**	598.4	**660**	897.6
1-8	**220**	299.2	**580**	788.8	**900**	1,244.0
1-12	**240**	326.4	**640**	870.4	**1,000**	1,360.0


NOTES

1. These torque values are to be used for all hardware excluding: locknuts, self-tapping screws, thread forming screws, sheet metal screws and socket head setscrews.
2. Recommended seating torque values for locknuts:
   a. for prevailing torque locknuts - use 65% of grade 5 torques.
   b. for flange whizlock nuts and screws - use 135% of grade 5 torques.
3. Unless otherwise noted on assembly drawings, all torque values must meet this specification.

Common Hardware Types



Wrench & Fastener Size Guide



1/4" Bolt or Nut Wrench—7/16"
5/16" Bolt or Nut Wrench—1/2"
3/8" Bolt or Nut Wrench—9/16"
7/16" Bolt or Nut Wrench (Bolt)—5/8" Wrench (Nut)—11/16"
1/2" Bolt or Nut Wrench—3/4"
M6 Bolt or Nut Wrench—10mm
M8 Bolt or Nut Wrench—13mm
M10 Bolt or Nut Wrench—17mm
M12 Bolt or Nut Wrench—19mm
M14 Bolt or Nut Wrench—22 mm



Not for Reproduction

Briggs & Stratton Power Products Group, LLC

Copyright© 2014 Briggs & Stratton Power Products Group, LLC. All rights reserved. No part of this page can be reproduced or transmitted in any form by any means without the express written permission of Briggs & Stratton Power Products Group, LLC.