

Receiver

From

Society
Reference
Address
Phone
Fax
E-mail

Item n° :

60163600

Model :

E.SYBOX MINI


Pump data

Pressure rating : 7,5 bar (750 kPa)
Min. fluid temperature : 0 °C
Max. fluid temperature : 40 °C
Max. Ambient temperature : 50 °C

Requested data

Flow : 0.00 m³/h
Head : 0.00 m
Fluid : Water, pure
Fluid Temperature : 20 °C
Density : 998.3 kg/m³
Kinematic viscosity : 1.005 mm²/s
Vapor pressure : 100.00 kPa

Curve tolerance according to ISO 9906




Materials

Motor liner: Stainless Steel AISI 304
OR ring: NBR
Mechanical seal: Impregnated carbon-resin/Ceramic/NBR
Plugs: PA 6.6 30% FV / PP OMO 30% GF
Suction body: PP OMO 30% GF
Insert: Brass
Spring: AISI 303
Diffuser: Noryl
Impeller: Noryl
Discharge section: PP OMO 30% GF
Non-return valve: Technopolymer/Rubber/Steel
Tank: Technopolymer/Rubber
Pressure sensor body: Technopolymer
MOTOR BODY: PP OMO 30% GF
Seal disk: PA 6.6 30% GF
Selfpriming shutter: POM
Heat sink: Brass
Flowmeter wheel: POM

Hydraulic data (duty point)

Flow :
Head :



Dimensions in mm

A	439	F	106.7	M	46	S	47.8
B	263	G	267.5	N	101.7	T	130
C	46	H	236	P	140	V	54.5
D	143	I	40.5	Q	140		
E	60.7	L	152	R	155.5		

Weight : 14.6 kg

Pump connection

Suction side : 1" G / 7,5 bar (750 kPa)
Discharge side : 1" G / 7,5 bar (750 kPa)

Motor data

Power input P1 : 0.8 kW
Rated speed : 3000 rpm
Rated voltage : 1~ 220-240 V 50 Hz
Nominal current : 4 A
Degree of protection : IP X4


Receiver

From

Society
Reference
Address
Phone
Fax
E-mail

E.SYBOX MINI

Curve tolerance according to ISO 9906



Hydraulic data (duty point)


Suction side : 1" G 7,5 bar (750 kPa)	Discharge side : 1" G 7,5 bar (750 kPa)	Flow : 0 m³/h	Head : 0 m	Rated speed : 3000 rpm
Project	Project ID	Created by	Created on	24/03/2016

Receiver

From

Society
Reference
Address
Phone
Fax
E-mail

E.SYBOX MINI



Dimensions in mm

1	A	439	M	46	46
2	B	263	N	101.7	101.7
3	C	46	P	140	140
4	D	143	Q	140	140
5	E	60.7	R	155.5	155.5
6	F	106.7	S	47.8	47.8
7	G	267.5	T	130	130
8	H	236	V	54.5	54.5
9	I	40.5			
10	L	152			

Pump connection

Suction
1" G
7,5 bar (750 kPa)

Discharge
1" G
7,5 bar (750 kPa)

Project

Project ID

Created by

Created on

24/03/2016